

Wood and Fiber Science Searchable Index

Volumes 1 to present (1969 -)

Searchable by keyword or author

(Simply click on “Tools”, then on “Find”. Next, type in the keyword or author you want to find. Continue through the Index. Or you can also use the binoculars icon and type in the keyword or author.)

Prepared by Robert Rice, University of Maine

Questions: Vicki Herian
SWST
One Gifford Pinchot Drive
Madison, WI 53726-2398
PH: 608-231-9347
Fax: 608-231-9592
Email: vicki@swst.org

**VOLUME 1
ISSUE 1- 1969**

Authors

Baird, Bennett R.
Biblis, Evangelos J.
Daniels, David H.
Haygreen, John G.
Maeglin, Robert R.
Meroney, R. N.
Murmanis, Lidija
Nelson, Neil D.
Sachs, Irving B.
Wahlgren, Harold E.

**VOLUME 1
ISSUE 2- 1969**

Authors

Bethel, James S.
Biblis, Evangelos J.
Bodig, Jozsef
Chiu, Yen-Ming
Choong, Elvin T.
Gertjejansen, Roland
Goodman, James R.
Taylor, Fred W.
Thomas, Richard J.
Tobin, Larry R.

**VOLUME 1
ISSUE 3- 1969**

Authors

Barrett, J. D.
Beall, F. C.
Hunt, Michael O.
Jayne, B. A.
Kellogg, Robert M.
Lassen, L. E.
Okkonen, E. A.
Schniewind, A. P.
Wangaard, Frederick F.

**VOLUME 1
ISSUE 4- 1969**

Authors

Bosman, D. L.
Comstock, Gilbert L.
Hart, C. Arthur
Hart, C. Arthur
Kelly, Myron W.
Siau, John F.
Stamm, Alfred J.

**VOLUME 1
ISSUE 1- 1969**

Keywords

No keywords available

**VOLUME 1
ISSUE 2- 1969**

Keywords

No keywords available

**VOLUME 1
ISSUE 3- 1969**

Keywords

No keywords available

**VOLUME 1
ISSUE 4- 1969**

Keywords

No keywords available

VOLUME 1

ISSUE 1 – 1969

Articles

STRUCTURE OF PIT BORDER IN PINUS STROBUS L.. Lidija Murmanis, Irving B. Sachs

TENSILE PROPERTIES OF LOBLOLLY PINE GROWTH ZONES. Evangelos J. Biblis,

RELATIONSHIP OF BLACK WALNUT WOOD COLOR TO SOIL PROPERTIES AND SITE. Neil D. Nelson, Robert R. Maeglin, Harold E. Wahlgren,

THE SIMULTANEOUS DRYING AND DENSIFICATION OF SAPWOOD. John G. Haygreen, David H. Daniels, DIMENSIONAL STABILIZATION OF WOOD BY VAPOR PHASE CHEMICAL TREATMENTS. Bennett R. Baird,.

THE STATE OF MOISTURE TRANSPORT RATE CALCULATIONS IN WOOD DRYING. R. N. Meroney,.

ISSUE 2 – 1969

VENEER RECOVERY PREDICTION AND ANALYSIS THROUGH COMPUTER SIMULATION. Larry R. Tobin, James S. Bethel,

THE ULTRASTRUCTURE OF SOUTHERN PINE BORDERED PIT MEMBRANES AS REVEALED BY SPECIALIZED DRYING TECHNIQUES. Richard J. Thomas,.

EFFECT OF EXTRACTIVES ON SHRINKAGE AND OTHER HYGROSCOPIC PROPERTIES OF TEN SOUTHERN PINE WOODS. Elvin T. Choong.

THE INFLUENCE OF AGED DISTILLED WATER ON PULP PAD PERMEABILITY. Roland Gertjeansen,

THE EFFECT OF RAY TISSUE ON THE SPECIFIC GRAVITY OF WOOD. Fred W. Taylor

A NEW APPARATUS FOR COMPRESSION TESTING OF WOOD. Jozsef Bodig, James R. Goodman, AN

ANALYSIS OF FLEXURAL ELASTIC BEHAVIOR OF 3-PLY SOUTHERN PINE PLYWOOD. Evangelos J. Biblis, Yen-Ming Chiu,

ISSUE 3 - 1969

VARIATION IN THE CELL-WALL DENSITY OF WOOD. Robert M. Kellogg, Frederick F. Wangaard

CELL WALL MODEL WITH COMPLETE SHEAR RESTRAINT. A. P. Schniewind, J. D. Barrett

THERMOGRAVIMETRIC ANALYSIS OF WOOD LIGNIN AND HEMICELLULOSES. F. C. Beall

EFFECT OF RAINFALL AND ELEVATION ON SPECIFIC GRAVITY OF COAST DOUGLAS-FIR. L. E. Lassen, E. A. Okkonen

PLANE STRESS AND PLANE STRAIN IN ORTHOTROPIC AND ANISOTROPIC MEDIA. B. A. Jayne,
Michael O. Hunt

ISSUE 4 - 1969

MAXIMUM EFFECTIVE PIT PORE RADII OF THE HEARTWOOD AND SAPWOOD OF SIX
SOFTWOODS AS AFFECTED BY DRYING AND RESOAKING. Alfred J. Stamm

WATER VAPOR SORPTION RATES BY WOOD CELL WALLS. Myron W. Kelly, C. Arthur Hart

DIRECTIONAL PERMEABILITY OF SOFTWOODS. Gilbert L. Comstock

THE MANAGEMENT OF RESEARCH AND DEVELOPMENT FOR RESULTS. D. L. Bosman

A GEOMETRICAL MODEL FOR THERMAL CONDUCTIVITY. John F. Siau

WATER-FILLED LUMENS IN STEADY-STATE FLOW IN OAK AND POPLAR. C. Arthur Hart

**VOLUME 2
ISSUE 1 - 1970**

Authors

Anthony, R. M.
Biblis, Evangelos J.
Erickson, R. W.
Hossfeld, R. L.
Hoyle, Jr., Robert J.
Kass, Adelaide
Kenaga, Duane L.
Lemoine, Truett J.
Manwiller, Floyd G.
McMillin, Charles
Schroeder, H. A.
Wangaard, F. F.

**VOLUME 2
ISSUE 2 - 1970**

Authors

Barton, G. M.
Biblis, Evangelos J.
Box, Benton H.
Chiu, Yen-Ming
Choong, Elvin T.
Collett, Bernard M.
Fogg, Peter J.
Gillis, Peter P.
Jayne, B. A.
Mark, Richard E.
Sharman, Christine Smith,
Roger S.
Tang, R. C.

**VOLUME 2
ISSUE 3 - 1970**

Authors

Asunmaa, S. K.
Berlyn, Graeme P.
Crist, John B.
Kennedy, R. W.
Koran, Zoltan
Kuntz, J.
Martin, Robert E.
Nair, G.
Sachs, I.
Schultz, N.
Wangaard, Frederick F.
Ward, J.

**VOLUME 2
ISSUE 4 - 1970**

Authors

Foulger, A. N.
Freese, F.
McKimmy, M. D.
Meyer, R. W.
Nicholas, D. D.
Parham, R. A.
Senft, John F.
Sharman, Christine Shire,
E. A.
Smith, Roger S.
Suddarth, S. K.

**VOLUME 2
ISSUE 1 - 1970**

Keywords

No keywords available

**VOLUME 2
ISSUE 2 - 1970**

Keywords

No keywords available

**VOLUME 2
ISSUE 3 - 1970**

Keywords

No keywords available

**VOLUME 2
ISSUE 4 - 1970**

Keywords

No keywords available

VOLUME 2

ISSUE 1 – 1970

DESIGN TECHNOLOGY FOR WOOD MATERIALS IN HOUSING. Robert J. Hoyle, Jr.,

FRICITION COEFFICIENT OF OVEN-DRY SPRUCE PINE ON STEEL, AS RELATED TO

TEMPERATURE AND WOOD PROPERTIES. Charles W. McMillin, Truett J. Lemoine, Floyd G. Manwiller

PRETREATMENT WITH ULTRASONIC ENERGY—ITS EFFECT UPON VOLUMETRIC SHRINKAGE OF REDWOOD. R.W. Erickson, R. L. Hossfeld, R. M. Anthony,

EFFECT OF THICKNESS OF MICROTOME SECTIONS ON THEIR TENSILE PROPERTIES. Evangelos J. Biblis

CHEMICAL DEGRADATION OF WOOD: THE RELATIONSHIP BETWEEN STRENGTH RETENTION AND PENTOSAN CONTENT. Adelaide Kass, F. F. Wangaard, H. A. Schroeder

THE HEAT CURE OF HIGH BOILING STYRENE-TYPE MONOMERS IN WOOD. Duane L. Kenaga

ISSUE 2 – 1970

NEW MODELS IN CELL-WALL MECHANICS. Richard E. Mark, Peter P. Gillis

POWER SERIES STRESS FUNCTION FOR ANISOTROPIC AND ORTHOTROPIC BEAMS. B. A. Jayne, R. C. Tang.

EFFECTS OF INTENSIVE CULTURAL MANAGEMENT ON GROWTH AND CERTAIN WOOD PROPERTIES OF YOUNG LOBLOLLY PINE. Elvin T. Choong, Benton H. Box, Peter J. Fogg,

SCANNING ELECTRON MICROSCOPY: A REVIEW AND REPORT OF RESEARCH IN WOOD SCIENCE. Bernard M. Collett

GAMMA RADIATION STERILIZATION OF PONDEROSA PINE AND BIRCH SAPWOOD. Christine V. Sharman, Roger S. Smith

NEW POLYOXYPHENOLS FROM WESTERN HEMLOCK SAPWOOD. G. M. Barton,

AN ANALYSIS OF FLEXURAL STIFFNESS OF 5-PLY SOUTHERN PINE PLYWOOD AT SHORT SPANS PARALLEL TO FACE GRAIN. Evangelos J. Biblis, Yen-Ming Chiu

ISSUE 3 – 1970

AN OUTLOOK FOR BASIC WOOD ANATOMY RESEARCH. R. W. Kennedy

MECHANISMS OF CELL-WALL GROWTH IN SECONDARY XYLEM. Frederick F. Wangaard

ULTRASTRUCTURAL AND MOLECULAR CONCEPTS OF CELL-WALL FORMATION. Graeme P.

AQUEOUS INTERFACES IN PLANT CELLS. S. K. Asunmaa.

SURFACE STRUCTURE OF THERMOMECHANICAL PULP FIBERS STUDIED BY ELECTRON MICROSCOPY. Zoltan Koran,

TYLOSES STRUCTURE. I. Sachs, J. Kuntz, J. Ward, G. Nair, N. Schultz

ELEMENTS OF BARK STRUCTURE AND TERMINOLOGY. Robert E. Martin, John B. Crist

ISSUE 4 – 1970

CRYSTALLINITY AND ULTRASTRUCTURE OF AMMONIATED WOOD PART 1. X-RAY CRYSTALLINITY. R. A. Parham

AN ANALYSIS OF CREEP-INDUCING STRESS IN SITKA SPRUCE. John F. Senft, S. K. Suddarth

INFLUENCE OF PIT ASPIRATION ON EARLYWOOD PERMEABILITY OF DOUGLAS-FIR. R. W. Meyer

EFFECT OF NUTRIENT CONCENTRATION ON STEM ANATOMY OF EASTERN COTTONWOOD SEEDLINGS. A. N. Foulger, F. Freese, E. A. Shire

GENETIC DIFFERENCES IN WOOD TRAITS AMONG HALF-CENTURY-OLD FAMILIES OF DOUGLAS-FIR. M. D. McKimmy, D. D. Nicholas

EFFECT OF GAMMA RADIATION, WET-HEAT, AND ETHYLENE OXIDE STERILIZATION OF WOOD ON ITS SUBSEQUENT DECAY BY FOUR WOOD-DESTROYING FUNGI. Roger S. Smith, Christine V. Sharman, Influence of Extractives on Bending Strength of Redwood (SEQUOIA SEMPERVIRENS). Absorptivity and Pit Structure as Related to Wetwood in White Fir

**VOLUME 3
ISSUE 1 - 1971**

Authors

Krahmer, Robert L.
Parham, R. A.
Pong, W. Y.
Ross, William D.
Shaw, Jeffrey S.
Siau, John F.
Simpson, William T.
Wilcox, W. Wayne

**VOLUME 3
ISSUE 2 - 1971**

Authors

Biblis, Evangelos J.
Chiu, Yen-Ming
Gertjansen, R. O.
Haygreen, J. G.
Jayne, B. A.
Kandeel, S. A.
Kandeel, E. S. A.
McGinnes, Jr., E. A.
Prange, G. F.
Szopa, P. S.
Tang, R. C.

**VOLUME 3
ISSUE 3 - 1971**

Authors

Azhar, M. Rafique
Chang, Pei-Ching
Chow, S.-Z.
Haygreen, John G.
Koran, Zoltan
Meyer, R. W.
Muhammad, A. F.
Pickles, K. J.
Schneider, Marc H.
Wayman, Morris
Yang, Chen-Fu

**VOLUME 3
ISSUE 4 - 1971**

Authors

Biblis, Evangelos J.
Chiu, Yau-Sen
Koran, Zoltan
Tang, R. C.
Vasishth, Ramesh C.

**VOLUME 3
ISSUE 1 – 1971**

Keywords

No keywords available

**VOLUME 3
ISSUE 2 – 1971**

Keywords

No keywords available

**VOLUME 3
ISSUE 3 – 1971**

Keywords

No keywords available

**VOLUME 3
ISSUE 4 – 1971**

Keywords

No keywords available

VOLUME 3

ISSUE 1 – 1971

THE TREATABILITY OF REFRACTORY SOFTWOODS. John F. Siau, Jeffry S. Shaw

MOISTURE CHANGES INDUCED IN RED OAK BY TRANSVERSE STRESS. William T. Simpson
CRYSTALLINITY AND ULTRASTRUCTURE OF AMMONIATED WOOD PART II
ULTRASTRUCTURE. R. A. Parham

SOME SOURCES OF VARIATION IN STRUCTURAL CHARACTERISTICS OF DOUGLAS-FIR BARK.
William D. Ross, Robert L. Krahmer

THE EFFECTS OF HEIGHT, RADIAL POSITION, AND WETWOOD ON WHITE FIR WOOD
PROPERTIES. W. Wayne Wilcox, W. Y. Pong

ISSUE 2 – 1971

SOME STRUCTURAL CHANGES OBSERVED IN THE TRANSFORMATION OF WOOD INTO
CHARCOAL. E. A. McGinnes, Jr., S.

SOLUTION OF AN ORTHOTROPIC BEAM PROBLEM BY FOURIER SERIES. R. C. Tang, B. A. Jayne,

THE IMPACT OF CURRENT AND FUTURE METRICATION TRENDS UPON CONSTRUCTION USES
OF FOREST PRODUCTS. G.F. Prange

IMPROVING THE PROPERTIES OF PARTICLEBOARD BY TREATING THE PARTICLES WITH
PHENOLIC IMPREGNATING RESIN. J. G. Haygreen, R. O. Gertjejansen

POLYNOMIAL MODELS TO STUDY AND PRESENT WITHIN-TREE VARIATION OF WOOD
PROPERTIES. E. S. A. Kandeel

AN ANALYSIS OF FLEXURAL RIGIDITY OF 7-PLY SOUTHERN PINE PLYWOOD STRIPS AT SHORT
SPANS PARALLEL TO FACE GRAIN. Yen-Ming Chiu, Evangelos J. Biblis

ISSUE 3 – 1971

WOOD CELL-WALL CRYSTALLINITY AND TRITIATED WATER AUTORADIOGRAPHY. Marc H.
Schneider, Pei-Ching Chang

SCALARIFORM PERFORATION-PLATE FINE STRUCTURE. R. W. Meyer, A. F. Muhammad

PREDICTING FLEXURAL CREEP IN PARTICLEBOARD. Chen-Fu Yang, John G. Haygreen

MORPHOLOGY AND CHEMISTRY OF TWO ANCIENT WOODS. Morris Wayman, M. Rafique Azhar,
Zoltan Koran

THERMAL SOFTENING AND DEGRADATION OF WOOD AND BARK. S.-Z. Chow, K. J. Pickles,
Specific Gravity of Plantation-Grown Yellow-poplar Is Not Related to Site.

ISSUE 4 – 1971

SCANNING ELECTRON MICROSCOPY OF PLYWOOD GLUE LINES. Zoltan Koran, Ramesh C. Vasishth,

THREE-DIMENSIONAL ANALYSIS OF ELASTIC BEHAVIOR OF WOOD FIBER. R. C. Tang

GLUABILITY OF LOBLOLLY PINE EARLYWOOD AND LATEWOOD. Evangelos J. Biblis, Yau-Sen Chiu

**VOLUME 4
ISSUE 1- 1972**

Authors

Biblis, Evangelos J.
Chiu, Yen-Ming
Choong, E. T.
El-osta, M. Lotfy M.
Fogg, P. J.
Freese, Frank
Grierson, D.
Hiller, Charlotte H.
Hsu, Shan-Tung
Rogers, I. H.
Schroeder, Herbert Smith,
Diana M.
Wellwood, R. W.

**VOLUME 4
ISSUE 2- 1972**

Authors

Bensend, D. W.
Burden, Alan K.
Choong, Elvin T.
Gillis, Peter P.
Isebrands, J. G.
Kirk, T. Kent
Kozlik, Charles J.
Krahmer, Robert L.
Lin, Richard T.
Moore, Wayne E.
Skaar, Christen
Thomas, R. J.

**VOLUME 4
ISSUE 3- 1972**

Authors

Beall, F. C.
Biblis, Evangelos J.
Blankenhorn, P. R.
Chiu, Yen-Ming
Chow, S.
El-osta, M. Lofty M.
Gjovik, Lee R.
Gomide, J. L.
Jenkins, G. M.
Kline, D. E.
Kutscha, N. P.
Mackay, J. F. G.
McGinnes, Jr., E. Allen
Schmidt, Paul W.
Shottafer, J. E.
Smith, Roger S.
Stefanakos, E. K.
Szopa, Paul S.
Talbot, J. W.
Thompson, Warren
Wellwood, R. W.
Witt, A. E.
Zabel, L. W.
von Bastian, Carl R.

**VOLUME 4
ISSUE 4- 1972**

Authors

Arganbright, Donald G.
Beall, F. C.
Blankenhorn, P. R.
Chow, S.
Kline, D. E.
Krahmer, Robert L.
Lancaster, E. P.
Lancaster, E. P.
Lin, Richard T.
Lin, R. T.
Lyon, Duane E.
Mackay, J. F. G.
Parmeter, J. R.
Perkins, Jr., Richard Pong,
W. Y.
Punwani, Kumar G.
Robertson, Donald C.
Schniewind, Arno P.
Sliker, Alan
Troughton, G. E.
Wilcox, W. Wayne

**VOLUME 4
ISSUE 1 – 1972**

Keywords

No keywords available

**VOLUME 4
ISSUE 2 – 1972**

Keywords

No keywords available

**VOLUME 4
ISSUE 3 – 1972**

Keywords

Soil block culture
copper-chrome-arsenate
creosote
decay.
ethylene oxide
fiber dimensions
pentachlorophenol
propylene oxide
sterilization
strength tests.
toxic threshold
tropical hardwoods
wood-decaying fungi

**VOLUME 4
ISSUE 4 – 1972**

Keywords

Abies concolor
Picea glauca
Prunus serotina
Pseudotsuga menziesii
Quercus sp.
Tsuga heterophylla
Kiln drying
PCP
activation energy
bending tests
cell-wall interaction
chromophore
compression tests
creep rupture strength
degrade
dihydroquercetin.
drying under restraint
dynamic modulus of elasticity
dynamic tests
earlywood
elastic properties
heartwood
high temperature drying
internal friction
kiln-drying
kinetics
latewood.
load duration factor
lumber grade recovery
moisture content
overrun.
pit aspiration
reflectance spectrophotometry
sapwood
scanning electron microscopy.
seasoning
static tests
steaming
temperature.
tension tests.
thermodynamic properties
transmission electron
microscopy
warp.
wet pockets.
wetwood
wood preservation

VOLUME 4

ISSUE 1 – 1972

VARIATION IN PERMEABILITY AND TREATABILITY IN SHORTLEAF PINE AND YELLOW POPLAR. E. T. Choong, P. J. Fogg,

COMPARISON OF CERTAIN STRUCTURAL PROPERTIES AMONG 3-PLY, 4-PLY AND 5-PLY, ½-INCH SOUTHERN PINE PLYWOOD SHEATHING. Evangelos J. Biblis, Shan-Tung Hsu, Yen-Ming Chiu,

SHRINKING AND SWELLING DIFFERENCES BETWEEN HARDWOODS AND SOFTWOODS. Herbert A. Schroeder

SHORT-TERM CREEP AS RELATED TO MICROFIBRIL ANGLE. M. Lotfy M. El-osta, R. W. Wellwood,

EXTRACTIVES FROM GRAND FIR [ABIES GRANDIS (DOUGL.) LINDL.] BARK. I. H. Rogers, D. Grierson

RELATIONSHIPS IN BLACK WALNUT HEARTWOOD BETWEEN COLOR AND OTHER PHYSICAL AND ANATOMICAL CHARACTERISTICS. Charlotte H. Hiller, Frank Freese, Diana M. Smith

ISSUE 2 – 1972

INCIDENCE AND STRUCTURE OF GELATINOUS FIBERS WITHIN RAPID-GROWING EASTERN COTTONWOOD. J. G. Isebrands, D. W. Benseid.

REMOVING LIGNIN FROM WOOD WITH WHITE-ROT FUNGI AND DIGESTIBILITY OF RESULTING WOOD. T. Kent Kirk, Wayne E. Moore,

DIFFUSIVITY AND SURFACE EMISSIVITY IN WOOD DRYING. Elvin T. Choong, Christen Skaar

THE ULTRASTRUCTURE OF DIFFERENTIATING AND MATURE BORDERED PIT MEMBRANES FROM CYPRESS (TAXODIUM DISTICHUM L. RICH.). R. J. Thomas

HEART SHAKES AND GROWTH STRESSES. Peter P. Gillis, Alan K. Burden

DRYING AND OTHER RELATED PROPERTIES OF WESTERN HEMLOCK SINKER HEARTWOOD. Charles J. Kozlik, Robert L. Krahmer, Richard T. Lin

ISSUE 3 – 1972

RECOVERY OF COLLAPSE IN EUCALYPTUS DELEGATENSIS BY USE OF ANHYDROUS AMMONIA AND STEAM. J. F. G. Mackay

THERMAL REACTIONS AND INDUSTRIAL USES OF BARK. S. Chow

DIMENSIONAL PROPERTIES OF SOUTHERN PINE PARTICLEBOARD UNDERLAYMENT. Warren S. Thompson

PRELIMINARY RESULTS OF PROMISING NEW STRUCTURAL SANDWICH WOOD PANELS FOR FLOORS AND OTHER APPLICATIONS. Evangelos J. Biblis, Yen-Ming Chiu

KRAFT PULPING AND FIBER CHARACTERISTICS OF FIVE BRAZILIAN WOODS. J. L. Gomide, N. P. Kutscha, J. E. Shottafer, L. W. Zabel

INTERLABORATORY TESTING OF WOOD PRESERVATIVES USING ASTM D1413-61. Roger S. Smith, Lee R. Gjovik

POLYMERIZATION OF METHYL METHACRYLATE BY HEAT-CATALYST AND GAMMA-IRRADIATION METHODS. F. C. Beall, A. E. Witt

SMALL ANGLE X-RAY SCATTERING STUDY OF OAK CHARCOALS. Carl R. von Bastian, Paul W. Schmidt, Paul S. Szopa, E. Allen McGinnes, Jr.

ALIGNING FORCES ON WOOD PARTICLES IN AN ELECTRIC FIELD. J. W. Talbott, E. K. Stefanakos,

SHORT-TERM CREEP AS RELATED TO CELL-WALL CRYSTALLINITY. M. Lofty M. El-osta, R. W. Wellwood

DYNAMIC MECHANICAL PROPERTIES AND MICROSTRUCTURE OF SOME CARBONIZED HARDWOODS. P. R. Blankenhorn, G. M. Jenkins, D. E. Kline

ISSUE 4 – 1972

INTERACTIONS BETWEEN PENTACHLOROPHENOL SOLUTIONS AND WOOD. I. EFFECTS OF TIME AND TEMPERATURE ON DEPOSITION WITHIN CELL WALLS. Donald G. Arganbright

HEAT-INDUCED COLOR-INTENSITY CHANGE IN COASTAL DOUGLAS-FIR AND WHITE SPRUCE. G. E. Troughton, S. Chow

THE INFLUENCE OF DRYING CONDITIONS AND OTHER FACTORS ON TWIST AND TORQUE IN PINUS RADIATA STUDS. J. F.G. Mackay

EFFECTS OF MISTLETOE AND OTHER DEFECTS ON LUMBER QUALITY IN WHITE FIR. W. Wayne Wilcox, W. Y. Pong, J.R. Parmeter

LONGITUDINAL WATER PERMEABILITY OF WESTERN HEMLOCK. I. STEADY-STATE PERMEABILITY. Richard T. Lin, E. P. Lancaster, Robert L. Krahmer

LONGITUDINAL WATER PERMEABILITY OF WESTERN HEMLOCK II. UNSTEADY-STATE PERMEABILITY. R. T. Lin, E. P. Lancaster

DYNAMIC MECHANICAL BEHAVIOR OF BLACK CHERRY (PRUNUS SEROTINA EHRH.). P. R. Blankenhorn, D. E. Kline, F. C. Beall

PLANE WAVE PROPAGATION AND INTERNAL INSTABILITY IN FINELY LAYERED MEDIA. Richard W. Perkins, Jr., Kumar. Punwani, Donald C. Robertson,

YOUNG'S MODULUS PARALLEL TO THE GRAIN IN WOOD AS A FUNCTION OF STRAIN RATE,
STRESS LEVEL AND MODE OF LOADING. Alan Sliker

FURTHER EXPERIMENTS ON CREEP-RUPTURE LIFE UNDER CYCLIC ENVIRONMENTAL
CONDITIONS. Arno P. Schniewind, Duane E. Lyon

**VOLUME 5
ISSUE 1- 1973**

Authors

Baird, W. M.
Bohlen, J. C.
Butterfield, B. G.
Chen, Yang-Hsien
Erickson, Harvey D.
Highley, Terry L.
Liese, W.
Meylan, B. A.
Parameswaran, N.
Parham, R. A.
Perkins, Jr., Richard
Schumann, David R.
Simpson, W. T.
Simpson, William T.
Taylor, Fred W.
Wooten, Thomas E.

**VOLUME 5
ISSUE 2- 1973**

Authors

Butters, R. G.
Centeno, Julio César
Clark, J. Peter
Corden, Malcolm E.
El-osta, M.
Foschi, R. O.
Glasser, Wolfgang G.
Hsu, N. N.
Kellogg, R. M.
Kersavage, Paul C.
Lotfy, M.
Mote, Jr., C. D.
Nieh, L. T.
Ross, William D.
Schniewind, Arno P.
Slupski, Robert H.
Tang, R. C.

**VOLUME 5
ISSUE 3- 1973**

Authors

Barrett, J. D.
Burillo, Guillermina
C., Luis Gálvez
Carver, L. J.
Chang, L. S.
Echenique-Manrique,
Ramón
El-Hosseiny, F.
Foschi, R. O.
Jozsa, L. A.
Kubler, H.
Liang, L.
Lin, Richard T.
Lyon, Duane E.
Page, D. H.
Parker, M. L.
Parker, M. L.
Schniewind, Arno P.
Schniewind, A. P.
Schoorlemmer, J.
Takahashi, Akira

**VOLUME 5
ISSUE 4- 1973**

Authors

Beall, F. C.
Chen, Peter Y. S.
Chen, Yang-Hsien
Erickson, Harvey D.
Green, H. V.
Harkin, John M.
Howe, John P.
Ifju, Geza
Johnson, Jay A.
Micko, M. M.
Obst, John R.
Paszner, L.
Rosen, Howard N.
Scallan, A. M.
Simpson, William T.
Wang, J-H.
White, Marshall S.

**VOLUME 5
ISSUE 1 – 1973**

Keywords

Abies balsamea
Alnus rubra
Carya illinoensis
Celtis laevigata
Coriaria arborea
Corynocarpus laevigatus
Ganoderma applanatum
Juglans nigra
Knightia excelsa
Lentinus lepideus
Lenzites trabea
Peniophora "G"
Picea alba
Pinus spp.
Platanus occidentalis
Polyporus versicolor
Poria monticola
Pseudotsuga menziesii
Q. falcata var. pagodalfolia
Q. rubra
Quercus alba
Quercus phellos
Salix nigra
Tsuga heterophylla
Mathematical models
Relative humidity
Wood structure
analysis.
cell wall.
cell-wall thickness
check formation.
continuum theory
cryostat
curve fitting.
decay.
desorption
electron microscopy.
enzyme
fiber dimensions
glued-laminated beams
glueline durability
hardness
height
histology
microtomy.
nonwovens
ontogeny

paper
paper elasticity
phenol resorcinol.
ray volume
ring number.
seasoning
specific gravity
tensile strength
toughness.
ultrastructure
vapor pressure
vessel volume
volumetric shrinkage
wood quality
wood structure

**VOLUME 5
ISSUE 2 – 1973**

Keywords

Bispora betulina
Pseudotsuga menziesii
Tsuga heterophylla
Agricultural residues
Cell-wall model
Stability
X-ray diffraction
buckling
composite material theory
condensed tannin
critical speed
cutting accuracy
decay.
elastic constants.
fiber strength
kraft
lignin
mercury reflectance method
meridional diffraction
microfibril angle
moisture changes.
natural frequencies
nonwood fibers
notched beams
notches
numerical analysis
paper tests
radiation
rotating disc
soda.
spectrum.
static testing
stress intensity factor
stress-strain curve.
temperature
tension tests
texture goniometer.
thermal stress
vibration

**VOLUME 5
ISSUE 3 – 1973**

Keywords

Betula alleghaniensis
Pseudotsuga menziesii
Quercus rubra
Sequoia sempervirens
Tsuga heterophylla
AC resistivity
CCA wood preservatives
Douglas-fir
Mathematical analysis
Radiochemical assay
X-ray densitometry
annual growth increments
birefringence
cell mechanics.
cell-wall models
computer processing.
concrete forms
dendrochronology
finite element
grain angle
in-motion radiography
internal drying
layered systems
mercury.
moisture content
moisture meter.
plywood
quality control.
radioactive tracers
rolling shear
sandwich plates
shear parallel-to-grain
shear perpendicular to grain.
shear strength
shrinkage.
size factor
softwoods
specific gravity
structural engineering.
thermal expansion
coefficients
wall layers
wood density
wood preservation

VOLUME 5
ISSUE 4 – 1973

Keywords

Brosimum spp.
Cedrela mexicana,
Cordia alliodora
Fagus americana
Juglans nigra
Liriodendron tulipifera
Picea sitchensis
Pinus taeda
Populus sp.
Populus tremuloides
Quercus rubra
Quercus shumardii
Tsuga canadensis
Tsuga heterophylla
Virola Koschnyi
Avicell.
Measurement
Organization for Tropical
Studies
Polymerization
acceleration period
activation period
aging.
ball-milled wood
bordred
bound moisture
bulk density
cell walls
cell-wall thickness
contact angles
cotton
cure
diffusion
diffusion coefficient
divinyl monomer.
enzyme lignin
exotherm curves
extraction
fiber diameter
fiber dimensions
finite difference technique.
free moisture
freezing
gel effect point
hardwoods
heartwood
heating

increment cores
infrared detection
life zones
lumens
methyl methacrylate
microscopy.
microtome-cryostat.
phellogen
phloem
pit aspiration
pit damage
pits
pore openings.
prediction
sapwood
saturation moisture content
scalariform vessel perforation
plate
seasoning
softwoods
specific gravity determination.
specific gravity.
swelling
temperature coefficient
temperature.
thawing
tortuosity
tropical hardwoods
wettability

VOLUME 5

ISSUE 1 – 1973

WOOD PROPERTY VARIATION OF MISSISSIPPI DELTA HARDWOODS. Fred W. Taylor, Thomas E. Wooten

MECHANICAL, PHYSICAL, AND MACHINING PROPERTIES OF BLACK WALNUT FROM INDIANA AND MISSOURI. David R. Schumann

TENSION-PERPENDICULAR-TO-GLUELINE STRENGTH OF DOUGLAS-FIR LUMBER LAMINATED AT HIGH TEMPERATURES. J. C. Bohlen,

A THEORY OF MECHANICAL RESPONSE OF FIBER NETWORKS. Richard W. Perkins, Jr. TO CHECK FORMATION. W. T. Simpson

PREDICTING EQUILIBRIUM MOISTURE CONTENT OF WOOD BY MATHEMATICAL MODELS. William T. Simpson

INFLUENCE OF CARBON SOURCE ON CELLULASE ACTIVITY OF WHITE-ROT AND BROWN-ROT FUNGI. Terry L. Highley

THE MICROTOME-CRYOSTAT FOR CUTTING WOODY TISSUES. Harvey D. Erickson, Yang-Hsien Chen

MICROFIBRILLAR WEBS ACROSS VESSEL PIT APERTURES. B. G. Butterfield, B. A. Meylan.

ANOMALOUS STRUCTURES IN THE BORDERED PITS OF FIBER-TRACHEIDS OF RIBES SANGUINEUM. N. Parameswaran W. Liese,

THE BORDERED PIT MEMBRANE IN DIFFERENTIATING BALSAM FIR. R. A. Parham, W. M. Baird

ISSUE 2 – 1973

PULP- AND PAPER-MAKING POTENTIAL OF PEANUT HULL WASTE IN BLENDS WITH SOFTWOOD PULP. Wolfgang G. Glasser, Robert H. Slupski, J. Peter Clark

MOISTURE CONTENT EFFECT ON TENSILE PROPERTIES OF INDIVIDUAL DOUGLAS-FIR LATEWOOD TRACHEIDS. Paul C. Kersavage

A DIRECT X-RAY TECHNIQUE FOR MEASURING MICROFIBRIL ANGLE. M. Lotfy, M. El-osta, R. M. Kellogg, R. O. Foschi, R. G. Butters

MICROSCOPIC AND HISTOCHEMICAL CHANGES IN DOUGLAS-FIR BARK ACCOMPANYING FUNGAL INVASION. William D. Ross, Malcolm E. Corden

ANALYSIS OF THE RELATIONSHIP BETWEEN MICROSTRUCTURE AND ELASTIC PROPERTIES OF THE CELL WALL. R.C. Tang, N. N. Hsu

FRACTURE TOUGHNESS AND DURATION OF LOAD FACTOR I. SIX PRINCIPAL SYSTEMS OF CRACK PROPAGATION AND THE DURATION FACTOR FOR CRACKS PROPAGATING PARALLEL TO GRAIN. Arno P. Schniewind, Julio César Centeno

ON THE FOUNDATION OF CIRCULAR-SAW STABILITY THEORY. C. D. Mote, Jr., L. T. Nieh

ISSUE 3 – 1973

DEFLECTION OF MULTILAYER-SANDWICH BEAMS WITH APPLICATION TO PLYWOOD PANELS. R. O. Foschi.

X-RAY SCANNING MACHINE FOR TREE-RING WIDTH AND DENSITY ANALYSES. M. L. Parker, L. A. Jozsa

SHEAR TESTS OF WOOD USING V-NOTCH BEAM AND SQUARE PLATE SPECIMENS. Akira Takahashi, Duane E. Lyon, Arno P. Schniewind

THE MEASUREMENT OF FIBRIL ANGLE OF WOOD FIBERS USING POLARIZED LIGHT. F. El-Hosseiny, D. H. Page

THREE-DIMENSIONAL FINITE-ELEMENT MODELS OF CYLINDRICAL WOOD FIBERS. J. D. Barrett, A. P. Schniewind

WOOD AS AN ORTHOTROPIC DIELECTRIC MATERIAL. Richard T. Lin.

COMPUTERIZED SCANNING DENSITOMETER FOR AUTOMATIC RECORDING OF TREE-RING WIDTH AND DENSITY DATA FROM X-RAY NEGATIVES. M. L. Parker, J. Schoorlemmer, L. J. Carver,

RADIOCHEMICAL ASSAY OF WOOD TREATED WITH CHROMATED COPPER ARSENATE PRESERVATIVES. Guillermina Burillo, Ramón Echenique-Manrique, Luis Gálvez C.

THERMAL EXPANSION OF MOIST WOOD. H. Kubler, L. Liang, L. S. Chang

ISSUE 4 – 1973

PENETRATION OF WATER INTO HARDWOODS. Howard N. Rosen

LONGITUDINAL DIFFUSION AND PERMEABILITY OF NONPOLAR GASES IN EASTERN HEMLOCK. F. C. Beall, J-H. Wang

MEASURING DEPENDENCE OF DIFFUSION COEFFICIENT OF WOOD ON MOISTURE CONCENTRATION BY ADSORPTION EXPERIMENTS. William T. Simpson

A NOTE ON THE EFFECT OF AIR-DRYING ON VESSEL OPENINGS AND AIR-BLOCKAGE IN YELLOW-POPLAR. Peter Y. S. Chen

CYCLIC FREEZING EFFECTS ON TRACHEID BORDERED PITS. Harvey D. Erickson, Yang-Hsien Chen

TECHNIQUE FOR DETERMINING THE TRANSVERSE DIMENSIONS OF THE FIBRES IN WOOD. A. M. Scallan, H. V. Green

EXOTHERM CURVES: A METHOD FOR OBTAINING REPRODUCIBLE CURING PARAMETERS FOR RADIATION POLYMERIZATION OF VINYL-DIVINYL COMONOMERS. M. M. Micko, L. Paszner

INTERACTIONS BETWEEN LIGNIN AND CELLULOSE IN ORGANIC LIQUID AND SALINE DENSITY GRADIENT COLUMNS John M. Harkin, John R. Obst

RELATIONSHIP OF CLIMATE TO THE SPECIFIC GRAVITY OF FOUR COSTA RICAN HARDWOODS: An Exploratory Study. John P. Howe

THE ROLE OF EXTRACTIVES IN THE HYDROPHOBIC BEHAVIOR OF LOBLOLLY PINE RHYTIDOME. Marshall S. White, Geza Ifju, Jay A. Johnson

**VOLUME 6
ISSUE 1- 1974**

Authors

Beall, F. C.
Butters, R. G.
Choong, E. T.
Chow, S.
Cooper, P. A.
Corden, Malcolm E.
Crews, Donald L.
El-osta, M. Lotfy M.
Foschi, R. O.
Graham, R. D.
Kellogg, R. M.
Koenigs, Jerome W.
Lin, R. T.
Mann, P. T.
Manwiller, F. G.
McGinnes, Jr., E. A.
Phelps, J. E.
Pieniek, J.
Piirto, Douglas D.
Ross, William D.
Saniewski, M.
Smoliski, M.
Steiner, P. R.
Tesoro, F. O.
Troxell, Harry E.
Venkateswaran, A.
Witt, A. E.

**VOLUME 6
ISSUE 2- 1974**

Authors

Baird, W. M.
Barrett, J. D.
Fox, Selwyn P.
Hoyle, Jr., Robert J.
Johnson, M. A.
McGee, W. Denis
Parham, R. A.
Walters, C. S.

**VOLUME 6
ISSUE 3- 1974**

Authors

Baird, W. M.
Barton, G. M.
Beall, F. C.
Blankenhorn, P. R.
Choong, E. T.
El-Hosseiny, F.
Fox, Selwyn P.
Hamilton, J. Kelvin
Hergert, Herbert L.
Hunt, K.
Johnson, M. A.
Kimbler, O. K.
Kline, D. E.
Lieu, P. J-Y.
McGinnes, Jr., E. A.
Moore, G. R.
Page, D. H.
Parham, R. A.
Phelps, J. E.
Rickey, Robert G.
Tesoro, F. O.
Warren, W. G

**VOLUME 6
ISSUE 4- 1974**

Authors

Choong, E. T.
Highley, Terry L.
Johnson, James W.
Knezevic, Olaf R.
Kunesh, Robert H.
Lin, R. T.
Mackay, J. F. G.
McGinnes, Jr., E. Allen
Noah, Joseph
Prud'homme, Robert E.
Rosen, Howard N.
Sachs, I. B.
Shigo, Alex L.
Tschernitz, J. L.
Wiley, A. T.

**VOLUME 6
ISSUE 1 – 1974**

Keywords

Abies lasiocarpa
Acer macrophyllum
Acer saccharum
Betula papyrifera
Fraxinus americana
Liquidambar styraciflua
Picea excelsa
Pinus contorta
Pinus sylvestris
Pinus taeda
Populus tremuloides
Poria monticola
Pseudotsuga menziesii
Quercus spp.
Thuja plicata
Tsuga heterophylla
in situ treatments
Chloropicrin
DC conductivity
Douglas-fir laminates
Gas permeability
Klason lignin
Permittivity
WPC
X-ray diffraction
accelerated aging
air permeability
aluminum powder
auxins
cell diameter
cellulolysis
compression wood
decay
degree of orientation
depolymerization
diffusion
electron microscopy
extractives content
extractives.
flexural strength
fungal toxicity
furfuryl alcohol
lignin solubility

line-broadening
liquid permeability
longitudinal permeability
longitudinal shrinkage
melamine
microfibril angle
modulus of elasticity
monomer
nondestructive analysis
ontogeny
physiology.
polymer
resorcinol
scanning electron
microscope
softening point
specific gravity
static tests
sterilants
swelling
thermal sensitivity
tracheid length
transverse permeability
weight loss
wood anatomy
wood decay
wood-polymer composites

**VOLUME 6
ISSUE 2 – 1974**

Keywords

Abies balsamea
Pseudotsuga menziesii
Panel products
Stressed-skin panels
Weibull distribution
bordered pits
caliper type
cell structure
cell wall
composite structures
design of structures
duration of load
electron microscopy
embossed panels
floors
glued building components
glued-laminated beams
hardboard panels
housing
lignification
panel caliper
panel density
pitched-tapered beams
quality control
roofs
secondary walls
shear-slip
size effects
softwoods
staining
strength
stress analysis
structural engineering
tension
tension tests
tracheids
warts
wooden structures

**VOLUME 6
ISSUE 3 – 1974**

Keywords

Abies balsamea
Betula sp.
Larix occidentalis
Picea sitchensis
Pinus sp.
Pseudotsuga menziesii
Fibres
SEM
Softwoods
absolute permeability
angles
biodegradation
birefringence
cell structure
cell walls
cell-wall thickness
cellulose fibres
chemical analysis
chemical degradation
chemical treatment
delignification
drying
dynamic elastic modulus
effective permeability
enzymes
extraction
fibre structure
fibrils
fungi
hardwoods
heat treatment
internal friction
kraft pulping
lignins
marine borers
microstructure
models
nitrogen gas
optical properties
paper properties
physical analysis
primary walls

protective coatings
roots
secondary walls
shrinkage
size effect
softwoods
specific permeability
statistical analysis
strength
thermal degradation
tracheids
tumors
warts
water
wood structure

VOLUME 6
ISSUE 4 – 1974

Keywords

Abies spp.
Coriolus versicolor
Ganoderma applanatum
Gloeophyllum trabeum
Juglans nigra
Liriodendron tulipifera
Picea mariana
Populus balsamifera
Populus tremuloides
Poria monticola
Pseudotsuga menziesii
Pseudotsuga menziesii var.
glauca
Quercus shumardii
Tsuga heterophylla
AC restrictivity
Hardwoods
Wounding
X-ray diffraction
alcohols
bound liquid
cellulase
cellulose fibers
center knots
collapse
compression strength
dielectric constant
drying rate
edge knots
enzymatic degradation
enzyme
enzyme activity
enzyme stability
fiber saturation point
fire wounds
free liquid
gas permeability
heartwood
kiln-drying
loss tangent
lumber strength
modulus of elasticity
molecular flow
multiple knots
orientation
polarization microscopy
quantitative analysis

reflectance
sapwood
shrinkage
single knots
skewed distributions
softwoods
specific gravity
statistical distribution
strength tests
swelling
turbulent flow
wood decay
wood preservation
wood structure

VOLUME 6

ISSUE 1 – 1974

SELECTIVE DEGRADATION OF LIGNIN AND CONDENSED TANNINS OF DOUGLAS-FIR BARK SCLEREIDS BY FUNGI. William D. Ross, Malcolm E. Corden

A NOTE ON THE STRUCTURE OF MORPHACTIN-INDUCED WOOD IN TWO CONIFEROUS SPECIES. J. E. Phelps, E. A. McGinnes, Jr., M. Saniewski, J. Pieniek, M. Smoliski

RAY PARENCHYMA CELL-WALL ULTRASTRUCTURE AND FORMATION IN PINUS BANKSIANA. P. T. Mann

THE EFFECTS OF DWARF MISTLETOE ON THE WOOD PROPERTIES OF LODGEPOLE PINE. Douglas D. Piirto, Donald L. Crews, Harry E. Troxell

A MECHANISTIC APPROACH TO CRYSTALLITE LENGTH AS RELATED TO CELL-WALL STRUCTURE. M. Lotfy M. El-osta, R. M. Kellogg, R. O. Foschi, R. G. Butters

THE INTERDEPENDENCE OF THE LIGNIN CONTENT AND ELECTRICAL PROPERTIES OF WOOD. A. Venkateswaran

COMMENTS ON THE STATIC BENDING STRENGTH OF WOOD-PLASTIC COMPOSITES. F. C. Beall, A. E. Witt

COMPARISON OF MODIFIERS FOR DURABILITY IMPROVEMENT OF UREA-FORMALDEHYDE RESIN. P. R. Steiner, S. Chow

HYDROGEN PEROXIDE AND IRON: A PROPOSED SYSTEM FOR DECOMPOSITION OF WOOD BY BROWN-Rot BASIDIOMYCETES. Jerome W. Koenigs

FACTORS INFLUENCING THE MOVEMENT OF CHLOROPICRIN VAPOR IN WOOD TO CONTROL DECAY. P. A. Cooper, R. D. Graham, R. T. Lin

PERMEABILITY OF TWENTY-TWO SMALL DIAMETER HARDWOODS GROWING ON SOUTHERN PINE SITES. E. T. Choong, F. O. Tesoro, F. G. Manwiller

ISSUE 2 – 1974

DEVELOPMENT AND COMPOSITION OF THE WARTY LAYER IN BALSAM FIR. I. DEVELOPMENT. W. M. Baird, R. A. Parham, M. A. Johnson

EFFECT OF SIZE ON TENSION PERPENDICULAR-TO-GRAIN STRENGTH OF DOUGLAS-FIR. J. D. Barrett

DESIGN METHOD FOR ELASTOMERIC ADHESIVE BONDED WOOD JOIST-DECK SYSTEMS. W. Denis McGee, Robert J. Hoyle, Jr.

STRENGTH AND STIFFNESS OF LAMINATED DOUGLAS-FIR BLOCKS IN PERPENDICULAR-TO-GLUELINE TENSION. Selwyn P. Fox

ASSAYING THE CALIPER AND SPECIFIC GRAVITY OF EMBOSSED HARDBOARD PRODUCTS. C. S. Walters

ISSUE 3 – 1974

THE BIREFRINGENCE OF WOOD PULP FIBRES AND THE THICKNESS OF THE S1 AND S3 LAYERS. D. H. Page, F. El-Hosseiny

SOME PHYSICAL PROPERTIES OF BIRCH CARBONIZED IN A NITROGEN ATMOSPHERE. G. R. Moore, P. R. Blankenhorn, F. C. Beall, D. E. Kline

CHEMICAL AND PHYSICAL PROPERTIES OF TUMOR-AFFECTED SITKA SPRUCE. Robert G. Rickey, J. Kelvin Hamilton, Herbert L. Hergert

DEVELOPMENT AND COMPOSITION OF THE WARTY LAYER IN BALSAM FIR. II. COMPOSITION. W. M. Baird, M. A. Johnson, R. A. Parham

A NOTE ON THE PROTECTION OF WOODEN BEAMS EXPOSED TO AN ACIDIC, HUMID ATMOSPHERE. G. M. Barton, K. Hunt

RELATIVE PERMEABILITY AND THE GROSS PORE STRUCTURE OF WOOD. F. O. Tesoro, E. T. Choong, O. K. Kimbler

COMPARISON OF EXCLUSION VALUES FOR LUMBER STRENGTH. W. G. Warren
STRENGTH AND DEFORMATION OF PITCHED-TAPERED DOUGLAS-FIR GLUED-LAMINATED BEAMS. Selwyn P. Fox

A NOTE ON LIGHT AND ELECTRON MICROSCOPY STUDIES OF WHITE PINE EXPOSED TO MARINE BORER DAMAGE. E. A. McGinnes, Jr., J. E. Phelps, P. J-Y. Lieu.

ISSUE 4 – 1974

COPPER IN DOUGLAS-FIR AND ASSOCIATED DIELECTRIC CHANGES. Olaf R. Knezevic, R. T. Lin,

PROPERTIES OF CELLULASES OF TWO BROWN-ROT FUNGI AND TWO WHITE-ROT FUNGI¹. Terry L. Highley

DETERMINATION OF FIBRIL ANGLE DISTRIBUTION IN WOOD FIBERS: A COMPARISON BETWEEN THE X-RAY DIFFRACTION AND THE POLARIZED MICROSCOPE METHODS. Robert E. Prud'homme, Joseph Noah

PENETRATION OF TWO ORGANIC LIQUIDS INTO HARDWOODS. Howard N. Rosen

SOME ASPECTS OF NON-DARCY BEHAVIOR OF GAS FLOW IN WOOD. A. T. Wiley, E. T. Choong

TENSILE STRENGTH OF SPECIAL DOUGLAS-FIR AND HEM-FIR 2-INCH DIMENSION LUMBER.
James W. Johnson

PROPERTIES OF NORTHERN ASPEN DISCOLORED WOOD RELATED TO DRYING PROBLEMS. J. F.
A NOTE ON EFFECTS OF WOUNDS ON HEARTWOOD FORMATION IN WHITE OAK (QUERCUS
ALBA L.). E. Allen McGinnes, Jr., Alex L. Shigo

OBSERVATIONS ON MICROFIBRIL ORGANIZATION OF DOUGLAS-FIR BORDERED PIT-PAIR
MEMBRANES BY SCANNING ELECTRON MICROSCOPY. J. L. Tschernitz, I. B. Sachs

**VOLUME 7
ISSUE 1- 1975**

Authors

Chow, S.
Eng, P.
Hoyle, Jr., Robert J.
Ifju, Geza
Labosky, Jr., Peter
McNeil, Roman R.
Mitsianis, Frank D.
Rak, J.
Steelink, Cornelius
Tayelor, F. Alan
Wilkinson, Alan

**VOLUME 7
ISSUE 2- 1975**

Authors

Britneff, A. A.
Dobie, J.
Fang, P.
Folsom, Max W.
Goldschmid, Otto
Hall, Henry
Hall, Henry
Haygreen, John
Haygreen, J. G.
Hunt, C. M.
Isebrands, J. G.
Keith, C. T.
Maloney, T. M.
McGinnis, G. D.
Moschler, W. W.
Parish, E. J.
Sawicki, Robert
Woods, F. W.
Yang, Kuo-Ning
Zicherman, Joseph B

**VOLUME 7
ISSUE 3- 1975**

Authors

Bach, Lars
Chen, Peter Y. S.
Giwa, S. A. O.
Green, H. V.
Hoffmeyer, Preben
Hsu, Julia Kao
Kellogg, R. M.
Radjy, Fariborz
Sastry, C. B. R.
Scallan, A. M.
Sellevold, Erik J.
Swan, Eric P.
Taylor, Fred W.
Thomas, Richard J.
Walters, C. S.
Warren, W. G.
Wellwood, R. W

**VOLUME 7
ISSUE 4- 1975**

Authors

Cech, Franklin C.
Hamilton, John R.
Hamilton, John R.
Litwin, Paul J.
Page, D. H.
Piiro, Douglas D.
Renton, John J.
Rosen, Howard N.
Shurtliffe, Clinton E.
Thomas, Richard J.
Tichy, Robert J.
Tryon, Earl H.
Wengert, Eugene M.
Wilcox, W. Wayne

**VOLUME 7
ISSUE 1 – 1975**

Keywords

Picea glauca
Pinus resinosa
Pinus taeda
Adhesive evaluation
Fire hazard
Lumber grades
Pyrolyzed lignin
SEM
adhesive testing
application of technology
applied research
beating
building codes
building design
cell wall layers
combustion
earlywood
economic analysis
efficiency
fibrillation
filler structure.
fire performance
fire ratings
fire resistance
fire retardants
fire tests
freeness
growth rings
inorganic salts
kraft lignin utilization.
kraft pulps
lamellae
latewood
markets
pentachlorophenol.
pollution control
preservation
preservatives
properties.
redox properties
research and development
standards
stress-rated lumber
surface treatments
test methods
voltaic cells
zinc-lignin batteries

**VOLUME 7
ISSUE 2 – 1975**

Keywords

Larix leptolepsis
Pinus contorta
Pinus resinosa
Pinus taeda
Pseudotsuga menziesii
Thuja occidentalis
Tsuga heterophylla
Cellon process
Education
Klason lignin
Lumber grade yields
Lumber recovery factors.
Microsections
Particleboard
SEM
particleboard
anatomy
atmospheric effects.
cell walls
compression wood
creep
cyclic testing
earlywood
energy-dispersive X-ray
analysis (EDXA)
extractive content
holocellulose
impact strength
juvenile wood
latewood
materials science
mechanical properties
microtechnique
moisture content
oriented particleboard
particleboard
plywood
preservative distribution
puncture test
ray cells
relative humidity
roof sheathing.
sample preparation.
sandbag drop test
specific gravity
stress level.
subfloor/underlayment

tracheids.
ultrastructure.
weathering
wood preservation.
wood quality.
wood science.
wood structure
wood technology

**VOLUME 7
ISSUE 3 – 1975**

Keywords

Fagus silvatica
Juglans nigra
Larix decidua
Picea glauca
Platanus occidentalis
Pseudotsuga menziesii
Satix nigra
Alpha-cellulose
Bordered pit membrane
Chromatography
Earlywood
L-arabinose
Monte Carlo simulation
bulk density
cell-wall density
cell-wall substance
cell-wall thickness
cellulase
chemical composition
chemical composition.
concomitant variables.
cost-efficiency
cross section.
crystallinity index
density
dynamic elastic modulus
fiber diameter
fiber dimensions
fiber length
fiber stress at proportional
limit
fiber wall thickness.
flavonoids
growth rate
hardwoods
heartwood
hemicellulose
holocellulose
internal friction
irrigation
larixol
larixyl acetate.
latewood fertilization

lignans
lignin
modulus of elasticity
modulus of rupture
moisture content
moisture effects.
pectinase
polyphenol extraction
polyphenols
resin acids
ring width
sapwood
soda pulping
softwoods
specific gravity
statistical methods
temperature effects
tissue volume
torus
treatments.
ultrastructure.
water deficits
wood
wood quality
work to maximum load.
work to proportional limit
yield

VOLUME 7
ISSUE 4 – 1975

Keywords
Acer rubrum
Acer saccharinum
Carya tomentosa
Liquidambar styraciflua
Liriodendron tulipifera
Nyssa sylvatica
P. deltoides
Picea engelmannii
Populus grandidentata
Prunas serotina
Q. rubra
Quercus alba
Tsuga heterophylla
Ulmus americana
Adsorption
Biodegradation
Cell-wall models
Statistical analysis
antishrink efficiency.
branchwood
cellulose
correlations
diffusion
diffusion coefficients
encrustations
equilibrium moisture
content
experimental design
extractive content.
hardness tests
heartwood
hemicellulose
lignin.
liquid penetrability
machining.
modulus of elasticity
modulus of rupture
moisture gradients
particleboard
permeability.
pit membranes
prediction equations.
relative vapor pressure

sanding
sawing
soil-block tests
stemwood
tool wear
tyloses
vapor diffusion
vapor pressure.

VOLUME 7

ISSUE 1 – 1975

A STUDY OF LOBLOLLY PINE GROWTH INCREMENTS—PART III REFINING CHARACTERISTICS OF TRACHEIDS FROM KRAFT PULPS. Geza Ifju, Peter Labosky, Jr., Frank D. Mitsianis

ELECTRICAL ENERGY FROM INDUSTRIAL LIGNIN: A PRELIMINARY EVALUATION. Alan Wilkinson, Cornelius Steelink

NEW EVALUATION OF WATER REPELLENCY OF WOOD BY CONTACT ANGLE. J. Rak

FIRE AND WOOD. Roman R. McNeil

THE GROWING EFFICIENCY OF WOOD IN BUILDINGS. Robert J. Hoyle, Jr.

WOOD AND ADHESIVES PROBLEMS—A LOOK AT THE FUTURE. F. Alan Tayelor, P. Eng, S. Chow

ISSUE 2 – 1975

STUDIES OF FLEXURAL CREEP BEHAVIOR IN PARTICLEBOARD UNDER CHANGING HUMIDITY CONDITIONS. John Haygreen, Henry Hall, Kuo-Ning Yang, Robert Sawicki

THE EFFECT OF SHORT PERIODS OF SIMULATED WEATHERING ON THE IMPACT PERFORMANCE OF PARTICLEBOARD Henry Hall, J. G. Haygreen

LUMBER GRADES AND VOLUMES FROM LODGEPOLE PINE INFECTED WITH DWARF MISTLETOE. J. Dobie, A. A. Britneff

SEM X-RAY ANALYSIS OF PENTACHLOROPHENOL IN TREATED WOOD : Research Note. Joseph B. Zicherman

GROWTH AND WOOD PROPERTIES OF RAPID-GROWN JAPANESE LARCH. J. G. Isebrands, C. M. Hunt

TANGENTIAL WALL THICKENINGS IN CONIFER TRACHEIDS AT RAY-CONTACT AREAS. C. T. Keith

THERMOGRAVIMETRIC ANALYSIS OF LOBLOLLY PINE BARK COMPONENTS. P. Fang, G. D. McGinnis, E. J. Parish

A NOTE ON THE APPEARANCE OF SCLEREIDS FROM WESTERN HEMLOCK INNER BARK. Otto Goldschmid, Max W. Folsom

A NOTE ON THE PRECISION MACHINING OF INCREMENT CORES. W. W. Moschler, F. W. Woods,

A NEW CONCEPT: WOOD AS AN INTEGRATED PART OF MATERIALS SCIENCE AND ENGINEERING. T. M. Maloney

ISSUE 3 – 1975

LOW TEMPERATURE INTERNAL FRICTION AND DYNAMIC MODULUS FOR BEACH WOOD. Erik J. Sellevold, Fariborz Radjy, Preben Hoffmeyer, Lars Bach

RELATIONSHIPS BETWEEN CELL-WALL COMPOSITION AND CELL-WALL DENSITY. R. M. Kellogg, C. B. R. Sastry, R. W. Wellwood

SAMPLING STRATEGIES FOR DESTRUCTIVE TESTS. W. G. Warren

WOOD PROPERTY DIFFERENCE BETWEEN TWO STANDS OF SYCAMORE AND BLACK WILLOW. Fred W. Taylor

EFFECT OF IRRIGATION AND FERTILIZATION ON SELECTED PHYSICAL AND MECHANICAL PROPERTIES OF LOBLOLLY PINE (PINUS TAEDA). Julia Kao Hsu, C. S. Walters

THE EFFECT OF POLYPHENOL EXTRACTION ON ENZYME DEGRADATION OF BORDERED PIT TORI. Richard J. Thomas

HEARTWOOD EXTRACTIVES OF A WESTERN LARCH TREE (LARIX OCCIDENTALIS NUTT.). S. A. O. Giwa, Eric P. Swan

THE EFFECT OF STEAMING TIME AND TEMPERATURE ON THE LONGITUDINAL PERMEABILITY OF BLACK WALNUT. Peter Y. S. Chen

THE EFFECT OF PULPING UPON THE DIMENSIONS OF WOOD TRACHEIDS. A. M. Scallan, H. V. Green

ISSUE 4 – 1975

DECAY RESISTANCE IN REDWOOD (SEQUOIA SEMPERVIRENS) HEARTWOOD AS RELATED TO COLOR AND EXTRACTIVES. W. Wayne Wilcox, Douglas D. Piirto

A NOTE ON THE CELL-WALL STRUCTURE OF SOFTWOOD TRACHEIDS. D. H. Page

MOISTURE ADSORPTION AND SWELLING IN POLYETHYLENE GLYCOL AND POLYMETHYL METHACRYLATE TREATED WOOD AT HIGH RELATIVE HUMIDITY. Howard N. Rosen

ANATOMICAL FEATURES AFFECTING LIQUID PENETRABILITY IN THREE HARDWOOD SPECIES. Richard J. Thomas

PREDICTING AVERAGE MOISTURE CONTENT OF WOOD IN A CHANGING ENVIRONMENT. Eugene M. Wengert

PAIRMATCHING AND PREDICTION MODELS: THEIR USE IN PREDICTING PARTICLEBOARD PROPERTIES. Robert J. Tichy,

ESTIMATING BOLE SPECIFIC GRAVITY FROM LIMBS OF MATURE BLACK CHERRY AND
NORTHERN RED OAK TREES. John R. Hamilton, Franklin C. Cech, Clinton E. Shurtliffe

THREE METHODS OF DETERMINING HARDNESS OF INCREMENT CORE SEGMENTS. Earl H. Tryon,
Paul J. Litwin, John R. Hamilton, John J. Renton

**VOLUME 8
ISSUE 1- 1976**

Authors

Boyd, Conor W.
Koch, Peter
McKean, Herbert B.
Morschauser, Charles R.
Preston, Stephen B.
Wangaard, Frederick F.

**VOLUME 8
ISSUE 2- 1976**

Authors

Bach, Lars
Dong, C. C.
Hoyle, Jr., Robert J.
Ifju, Geza
Johnson, Jay A.
Jokerst, Ronald W.
Kirbach, E.
Rogers, Harry W.
Stewart, Harold A.
Taylor, Fred W.
Wellwood, R. W.
Wengert, Eugene M.
Wilson, J. W.
Young, Raymond A.

**VOLUME 8
ISSUE 3- 1976**

Authors

Baldwin, R. C.
Barton, G. M.
Beall, F. C.
Biblis, E. J.
Blomquist, Richard F.
Godkin, S. E.
Keith, C. T.
Krahmer, Robert L.
Lee, Wu-Chung
Litvay, John D.
Merrill, W.
Pellerin, Roy F.
Petty, J. A.
Wang, J-H.

**VOLUME 8
ISSUE 4- 1976**

Authors

Bosman, D. L.
Burley, J.
Huffman, Jacob B.
Hughes, J. F.
Koch, Peter
Manners, Gary D.
McGinnes, Jr., E. A.
McGinnes, Jr., E. A.
Nandi, Balen
Palmer, E. R.
Phelps, J. E.
Pieniek, Janina
Saniewski, M.
Santra, Sandhya
Schmidt, Robert A.
Smoliski, M.
Swan, Eric P.
Szopa, P. S.
Taylor, Fred W.
Tennyson, L. C.
Wang, Shih-Chi
Wellford, Jr., Walker L.
Worrall, J.

**VOLUME 8
ISSUE 1 – 1976**

Keywords

No keywords available

**VOLUME 8
ISSUE 2 – 1977**

Keywords

Abies balsamea.
Carya ovata
Carya tomentosa
Liquidambar styraciflua
Liriodendron tulipifera
Nyssa sp.
Nyssa sylvatica
P. grandidentata
Picea sitchensis
Pinus sp. (southern pine)
Populus tremuloides
Pseudotsuga menziesii
Quercus falcata
Quercus nigra
Quercus sp.
Quercus stellata
Bond quality
Fiber wetting
NSSC fibers
composite beam formulas
compression tests
construction adhesives
contact angle
durability
earlywood
elastic properties
failure surfaces
fiber grafting
fiber length
fiber modification
flexural rigidity
gluelines
growth increments
heartwood
heartwood-sapwood
differentiators.
juvenile wood.
kraft fibers
latewood
mature wood
mobile homes
modulus of elasticity
moisture content.

nails
planing
pulp fibers
residential construction.
rheology
sapwood
specific gravity
stress analysis.
stress concentrations
surface morphology
surface properties
surfacing.
tensile tests
thermomechanical fibers
wettability
wetting theory
within ring variation
wood buildings

**VOLUME 8
ISSUE 3 – 1977**

Keywords

Abies spp.
Acer macrophyllum
Betula alleghaniensis
Chamaecyparis
nootkatensis
Picea glauca
Pinus resinosa
Pinus spp.
Pinus taeda
Polyporus versicolor
Poria monticola
Pseudotsuga menziesii
Quercus suber
Tsuga heterophylla
Adhesives
Nondestructive testing
Softwoods
Southern yellow pine
Thermal analysis
accelerated aging tests.
bark tannin adhesives
biodegradation.
bordered pits.
brown rot
buffers
callose
cambium
chemical fixatives
chemical structure.
color
cork
cytology
decay
durability
durability
dynamic TG
electron microscopy.
engineered design
equilibrium moisture
content
extractives
fiber saturation point
fixation

foliage
gas permeability
glued laminated
construction
isothermal TG
laminated veneer
lignin sulfonate adhesives
machine stress rating
mean free path
membranes
modulus of elasticity.
moisture relations
odor
organelles
particleboard
phellem
phenol adhesives
plywood
polyurethane adhesives
quality control.
research and development
review
shrinkage
slip flow
stain
symposium
temperature effects
tracheids
transmission electron
microscopy.
tropical woods
ultrastructure
ultraviolet microscopy
urea adhesives
white rot

VOLUME 8
ISSUE 4 – 1977

Keywords
Acremonium
Carya ovata
Carya tomentosa
Daedalea flavida.
Graphium
Liquidambar styraciflua
Liriodendron tulipifera
Nyssa sylvatica
Phellinus badius
Pinus caribaea
Pinus palustris
Pinus ponderosa
Pinus taeda
Quercus falcata
Quercus nigra
Quercus stellata
Quercus Spp.
Shorea robusta
Swietenia mahagoni
Taxodium ascendens
Thuja occidentalis
Thuja plicata
Trametes scabrosa
Research management
X-ray densitometry
administration
anabolism
biodegradation
biosynthesis
cellulose
chemical analysis
compression wood
decay
densitometry
dilignols
dimers
education.
fertilization
fiber length variation.
formulating objectives
fungi
glycosides
growth rate

hardness
high temperature drying
irrigation.
kiln schedules
leaves
lignification
lignin
microscopy.
modulus of elasticity
modulus of rupture
moisture content.
morphactins
needles.
paper properties
pentachlorophenol
percent latewood.
personnel selection
phenyl propane
planning
productivity
project selection
pulp properties
research and development
research application
research funds
retention
sewage effluent treatment
soft-rot
southern pine
specific gravity
specific gravity variation
systems engineering
tensile strength.
toughness
white rot
wood preservation
wood preservatives

VOLUME 8

ISSUE 1 – 1976

WOOD FOR STRUCTURAL AND ARCHITECTURAL PURPOSES. Conor W. Boyd, Peter Koch, Herbert B. McKean, Charles R. Morschauser, Stephen B. Preston, Frederick F. Wangaard

ISSUE 2 – 1976

ON THE FRACTIONAL STRESS RELAXATION OF CONIFEROUS WOOD TISSUES. E. Kirbach, Lars Bach, R. W. Wellwood, J. W. Wilson

THE PERFORMANCE OF COMPOSITE WOOD/PARTICLEBOARD BEAMS UNDER TWO-POINT LOADING. Jay A. Johnson, Geza Ifju, Harry W. Rogers

ELASTOMERIC ADHESIVE PROPERTIES—SHEAR STRENGTH, SHEAR MODULUS, CREEP, AND RECOVERY. C. C. Dong, Robert J. Hoyle, Jr.

KNIFE- VERSUS ABRASIVE-PLANED WOOD: QUALITY OF ADHESIVE BONDS. Ronald W. Jokerst, Harold A. Stewart

A QUICK METHOD TO DISTINGUISH ASPEN HEARTWOOD AND SAPWOOD. Eugene M. Wengert,

FIBER LENGTH VARIATION WITHIN GROWTH RINGS OF CERTAIN ANGIOSPERMS. Fred W. Taylor

WETTABILITY OF WOOD PULP FIBERS Applicability of Methodology : Applicability of Methodology. Raymond A. Young

ISSUE 3 – 1976

THE PRESENCE OF CALLOSE IN CORK CELLS. John D. Litvay, Robert L. Krahmer

HYGROSCOPIC PROPERTIES AND SHRINKAGE OF SOUTHERN YELLOW PINE PLYWOOD. Wu-Chung Lee, E. J. Biblis

THERMOGRAVIMETRIC EVALUATION OF FUNGAL DEGRADATION OF WOOD. F. C. Beall, W. Merrill, R. C. Baldwin, J-H. Wang,

INFLUENCE OF MEAN FREE PATH ON GAS FLOW IN WOOD. J. A. Petty

A REVIEW OF YELLOW CEDAR (CHAMAECYPARIS NOOTKATENSIS [D. DON] SPACH) EXTRACTIVES AND THEIR IMPORTANCE TO UTILIZATION. G. M. Barton

FIXATION OF JUVENILE CAMBIUM FROM TWO CONIFEROUS SPECIES FOR ULTRASTRUCTURAL STUDY. C. T. Keith, S. E. Godkin

SYMPOSIUM ON ADHESIVES FOR PRODUCTS FROM WOOD—1975. Richard F. Blomquist

STATUS OF NDT IN THE WORLD TODAY. Roy F. Pellerin

ISSUE 4 – 1976

BIOSYNTHESIS OF TWO DILIGNOL RHAMNOSIDES IN LEAVES OF THUJA PLICATA DONN. Gary D. Manners, Eric P. Swan

A NOTE ON THE FORMATION OF COMPRESSION WOOD INDUCED BY MORPHACTIN IT 3456 IN THUJA SHOOTS. J. E. Phelps, E. A. McGinnes, Jr., M. Smoliski, M. Saniewski, Janina Pieniek

THE PROPERTIES OF SOME CARIBBEAN PINE PULPS, AND THEIR RELATIONSHIP TO WOOD SPECIFIC GRAVITY VARIABLES. J. Worrall, J. Burley, E. R. Palmer, J. F. Hughes.

SOME MECHANICAL PROPERTIES OF SMALL SPECIMENS CUT FROM 1.79-INCH-THICK SOUTHERN PINE DRIED FOR 6 HOURS AT 300 F OR FOR 5 DAYS AT 180 F-A COMPARISON. Peter Koch, Walker L. Wellford, Jr.

EVALUATION OF CHLOROSULFONYL PYRIDINE FOR PROTECTING WOOD FROM SOFT-ROT FUNGI USING A TENSILE STRENGTH TEST. Shih-Chi Wang, Jacob B. Huffman, Robert A. Schmidt

LOSS OF LIGNIN AND CELLULOSE COMPONENTS OF WOOD OF SWIETENIA MAHAGONI AND SHOREA ROBUSTA DUE TO DECAY BY TRAMETES SCABROSA (PERS.) G. H. CUNN, PHELLINUS BADIUS (BERK.) G. H. CUNN, AND DAEDALEA FLAVIDA LÉV.. Sandhya Santra, Balen Nandi

A NOTE ON EFFECTS OF SEWAGE EFFLUENT IRRIGATION ON SPECIFIC GRAVITY AND GROWTH RATE OF WHITE AND RED OAKS. P. S. Szopa, L. C. Tennyson, E. A. McGinnes, Jr.

A NOTE ON THE RELATIONSHIP BETWEEN BRANCH- AND STEMWOOD PROPERTIES OF SELECTED HARDWOODS GROWING IN THE MID-SOUTH. Fred W. Taylor

RESEARCH WORKERS: PRODUCE OR PERISH. D. L. Bosman

**VOLUME 9
ISSUE 1- 1977**

Authors

Bihr, James
Boyd, Robert B.
Gross, D.
McNeil, Ramon R.
Penoyar, William
Rabusch, John F.
Thompson, James P.
Tovey, Henry
Westfall, Michael
Yuill, Calvin H.

**VOLUME 9
ISSUE 2- 1977**

Authors

Groah, William J.
Harmathy, T. Z.
Nelson, Harold E.
Schaffer, Erwin
Shunk, Bernard H

**VOLUME 9
ISSUE 3- 1977**

Authors

Arganbright, Donald G.
Bramhall, A. E.
Harlow, C. A.
Howard, Elaine T.
Hyland, Fay
Kay, M. A.
Kellogg, R. M.
Kutscha, Norman P.
Langille, Alan R.
McGinnes, Jr., E. A.
Meyer, R. W.
Olson, James R.
Schniewind, Arno P.
Tabirih, P. K.
Warren, W. G.

**VOLUME 9
ISSUE 4- 1977**

Authors

Albritton, Ronnie O.
Bonac, T.
Chang, C.
Core, H. A.
Cutter, Bruce E.
Gammon, Barry
Jain, V. K.
Jones, J. K. N.
Kirbach, E.
Kumar, Satish
Lyon, Duane E.
Moschler, W. W.
Murphey, Wayne K.
Rak, J.
Schniewind, Arno P.
Short, Paul H.
Unligil, H.
Wilcox, W. Wayne

VOLUME 9
ISSUE 1 – 1977
Keywords
 ASTM
 Consumer Product Safety Act
 Costs
 Fire load
 Fire performance
 Fire prevention
 Heavy timber construction
 National Fire Data System
 National Fire Incident Reporting System
 National Fire Protection Association
 National Forest Products Association
 Standards
 Uniform Building Code
 automatic fire suppression systems
 automatic sprinkler systems
 benefits
 building code revisions
 building codes
 cabinets
 combustibility
 combustion
 computer models
 costs
 design defects
 doors
 ease of ignition
 economic analysis
 fire analyses
 fire endurance
 fire growth
 fire losses
 fire penetration
 fire protection
 fire ratings
 fire safety
 fire severity
 flamespread
 flooring

fuel load
 fuel potential
 furniture
 hazards
 heat release
 ignition factors
 insulation
 interior finish
 joisted construction
 life loss
 mill construction
 mobile homes
 model codes
 occupancy
 plastics
 product hazards
 quality control defects
 rate of heat release
 reinforced concrete
 risk
 roofing
 safety standards
 sheathing
 siding
 smoke density
 steel framing
 structural members
 test methods
 toxicity
 trim
 underlayment
 voluntary corrective action plans
 windows
 wood construction
 wood-working industry

VOLUME 9
ISSUE 2 – 1977
Keywords
 Building design
 Critical events
 Fire endurance
 Fire hazard
 Plywood wall panels
 beams
 building codes
 carbon dioxide
 carbon monoxide
 columns
 decision trees
 decorative plywood
 design
 fire behavior
 fire growth
 fire protection
 fire resistance
 fire safety
 fire-retardant treatment
 floors
 fuel load
 furnishings
 gypsum wall board
 models
 oxygen depletion
 panels
 pressure impregnation
 probability
 rate constants
 smoke
 state's-transition
 strength
 systems approach
 temperature
 test methods
 thermal properties
 timber
 walls
 water-borne retardants
 wood
 wood assemblies
 wood components
 wood crib tests

VOLUME 9
ISSUE 3 – 1977
Keywords
 Abies concolor
 Eucalyptus obliqua
 Picea glauca
 Pseudotsuga menziesii
 Quercus alba
 Quercus spp.
 Thuja occidentalis
 Tsuga heterophylla
 Salt damage
 X-ray densitometry
 acoustic emissions
 anatomy
 anatomy
 anatomy
 bark
 beams
 bending
 chemical analysis
 densitometry
 duration of load
 fracture mechanics
 fracture toughness
 gamma radiation
 irradiated wood
 leaves
 mensuration
 morphology
 notched beams
 oaks
 peridermi
 phloem
 physical properties
 rhytidome
 specific gravity
 tension
 twigs
 ultrastructure
 wood quality

VOLUME 9

ISSUE 1 – 1977

FIRE IMPACT ON WOOD: THE NEXT FIVE YEARS. Ramon R. McNeil

BUILDING CODES AND THEIR APPLICATION. James Bihr.

CODES AND WOOD PRODUCTS. Michael Westfall

THE CONSUMER PRODUCT SAFETY ACT: CONSUMER IMPACT. John F. Rabusch

EVALUATING THE ECONOMIC IMPACT OF FIRE REGULATIONS IN BUILDING CODES. William Penoyar

TRENDS IN REGULATION OF WOOD CONSTRUCTION AND PRODUCTS: AN INSURANCE COMPANY VIEWPOINT. Robert B. Boyd

STANDARDS IMPACT. James P. Thompson

THE COLLECTION AND USES OF FIRE DATA. Henry Tovey

THE COST OF FIRE AND WHY LIFE WAS LOST. Calvin H. Yuill.

MEASUREMENTS OF FIRE LOADS AND CALCULATIONS OF FIRE SEVERITY. D. Gross

ISSUE 2 – 1977

THE ROLE OF FIRE-RETARDANT TREATED WOOD IN THE PROTECTION OF LIFE AND PROPERTY. Bernard H. Shunk

EXPERIMENTAL LARGE-SCALE FIRES: FIRE BEHAVIOR OF INTERIOR FINISH MATERIALS. William J. Groah

DIRECTIONS TO IMPROVE APPLICATION OF SYSTEMS APPROACH TO FIRE PROTECTION REQUIREMENTS FOR BUILDINGS. Harold E. Nelson

BUILDING DESIGN AND THE FIRE HAZARD. T. Z. Harmathy

STATE OF STRUCTURAL TIMBER FIRE ENDURANCE. Erwin Schaffer

ISSUE 3 – 1977

BARK STRUCTURE OF SOUTHERN UPLAND OAKS. Elaine T. Howard

BARK-TISSUE THICKNESS OF COASTAL WESTERN HEMLOCK IN BRITISH COLUMBIA. A. E. Bramhall, R. M. Kellogg, R.W. Meyer, W. G. Warren

SALT DAMAGE TO NORTHERN WHITE-CEDAR AND WHITE SPRUCE. Norman P. Kutscha, Fay

Hyland, Alan R. Langille

THE UNIFORMITY FACTOR—A PROPOSED METHOD FOR EXPRESSING VARIATIONS IN SPECIFIC GRAVITY. James R. Olson, Donald G. Arganbright

A NOTE ON ANATOMICAL CHANGES OF WHITE OAK WOOD UPON EXPOSURE TO GAMMA RADIATION. P. K. Tabirih, E. A. McGinnes, Jr., M. A. Kay, C. A. Harlow

FRACTURE TOUGHNESS AND DURATION OF LOAD FACTOR II. DURATION FACTOR FOR CRACKS PROPAGATING PERPENDICULAR-TO-GRAIN. Arno P. Schniewind

ISSUE 4 – 1977

THE EFFECT OF TENSIONING AND WHEEL TILTING ON THE TORSIONAL AND LATERAL FUNDAMENTAL FREQUENCIES OF BANDSAW BLADES. E. Kirbach, T. Bonac

REVIEW OF LITERATURE ON THE EFFECTS OF EARLY STAGES OF DECAY ON WOOD STRENGTH. W. Wayne Wilcox

A NOTE ON PREDICTION OF WOOD PROPERTIES IN YELLOW-POPLAR. H. A. Core, W. W. Moschler, C. Chang

EFFECTS OF WOOD PRESERVATIVES ON PHYSICAL PROPERTIES OF WOOD II. EFFECTS OF DIFFERENT SALT LOADINGS OF COPPER-CHROME-ARSENIC COMPOSITION. Satish Kumar, V. K. Jain

FUNGICIDAL EFFICACY OF AMMONIACAL COPPER AND ZINC ARSENIC PRESERVATIVES TESTED BY SOIL-BLOCK CULTURES. J. Rak, H. Unligil

OPTICAL EVALUATION OF RESIN COVERAGE ON FIBER FURNISH. Ronnie O. Albritton, Paul H. Short, Duane E. Lyon

EFFECTS OF POTASSIUM ON GROWTH AND WOOD ANATOMY OF A POPULUS HYBRID. Bruce E. Cutter, Wayne K. Murphey

SOME STRENGTH PROPERTIES OF DIGGER PINE. Arno P. Schniewind, Barry Gammon

HEMICELLULOSES IN HARDWOODS GROWING ON SOUTHERN PINE SITES. J. K. N. Jones

**VOLUME 10
ISSUE 1- 1978**

Authors

Beall, Frank C.
Bonac, T.
Casteel, J. L.
Coles, R. W.
Hamilton, J. R.
Kirbach, E.
Lin, J. S.
Litwin, P. J.
Lyon, D. E.
McGinnes, Jr., E. Allen
Noskowiak, Arthur F.
Pringle, O. Allan
Schmidt, P. W.
Schniewind, A. P.
Slocum, Dwight H.
Tryon, E. H.
Walker, J. C. F.

**VOLUME 10
ISSUE 2- 1978**

Authors

Blankenhorn, Paul R.
Cowan, David A.
Ellis, W. Dale
Johnson, S.
Kaiser, Reinhold
Lyon, Duane E.
Ma, Teddy Ching
Murphey, Wayne K.
Parker, M. L.
Pearson, R. G.
Riggin, M. Thomas
Rowell, Roger M.
Schneider, Marc H.
Sharp, Allan R.
Short, Paul H.
Smith, J. H. G.
Thomas, R. J.
Yao, Joe
Young, Raymond A

**VOLUME 10
ISSUE 3- 1978**

Authors

Barnes, H. M.
Barnes, H. M.
Bastendorff, K.
Bodig, Jozsef
Lyon, D. E.
Lyon, D. E.
Manville, J. F.
McGinnes, Jr., E. A.
McKown, D. M.
Peterson, M. D.
Resch, H.
Rosen, Howard N.
Slocum, D. H.
Steiner, P. R.
Thomas, R. J.

**VOLUME 10
ISSUE 4- 1978**

Authors

Atherton, George H.
Barnes, H. M.

**VOLUME 10
ISSUE 1 – 1978**

Keywords

Alnus rubra
Carya ovata
Pinus nigra var. calabrica
Quercus alba
Quercus rubra
Plywood
Saw velocity
X-ray analysis
adult wood
aggregate rays
ammonia treatments
anatomy
cell-wall crimping
cell-wall porosity
charcoal
collapse
creep
growth rate
internal swelling
juvenile wood
latewood percentage
limestone
modeling
orthotropic elasticity
plasticization
predicting
pressure guides
ray parenchyma
rays
sandstone
shrinkage
site quality
span length
specific gravity
tension stress
two-dimensional stress
analysis
ultrastructure
viscoelasticity
wood figure

**VOLUME 10
ISSUE 2 – 1978**

Keywords

Acer saccharum
Alnus rubra Bong.
Carya tomentosa
Liquidambar styraciflua
Nyssa sylvatica
Picea glauca
Pinus taeda
Pinus spp.
Quercus alba
Quercus falcata
Adhesives
Cellulose fibers
Ultrathin sections
X-ray densitometry
anatomy
antishrink efficiency
bonded chemicals
bonding
bulking
cell walls
cell-wall layers
chemical modification
density patterns
differential scanning
calorimeter
dimensional stability
earlywood
electron microscopy
extractive content
fiber alkaline buffering
capacity
fiber bulk density
films
internal surface area
latewood
leaching
lumen surface areas
moisture content
moisture meters
nuclear magnetic resonance
oxidization
pH
polyvinyl acetate

pressure-refined fibers
red alder
relative humidities
ring width
secondary wall
section thickness
shelf-life
southern hardwoods
southern pine
specific gravity
tensile properties
test methods
ultramicrotome
ultrastructure
water soaking
wet strength

**VOLUME 10
ISSUE 3 – 1978**

Keywords

Acer saccharinum
Carya ovata
Coriolus versicolor
Fraxinus americana L.
Gleophyllum trabeum
Juglans nigra
Liriodendron tulipifera L.
Pinus caribaea
Pinus oocarpa
Pinus taeda L.
Pseudotsuga menziesii
Quercus alba
Adhesives
Aging
Dimensional change
acetylation
adhesive strength
adsorption
age relationships
air velocity
ash
bending strength
bore-hole formation
brown rot
cell walls
charcoal
chemical analysis
composition board
compression strength
compression strength
diffusion
durability
factory-built houses
fiberboard
hyphae
linear expansion
minerals
models
modulus of elasticity
modulus of rupture
moisture
neutron activation analysis
particleboard

particleboard
phenolic-formaldehyde
plantation pines
shear strength development
southern pine
specific gravity
stiffness
strength
styrene-butadiene adhesive
thickness swelling
tracheid length
urea
weathering
white rot
wood decay

VOLUME 10
ISSUE 4 – 1978

Keywords
Education
Education questionnaire
academic programs
accreditation
curriculum analysis
employment
industry survey
licensing
salaries
wood science and
technology

VOLUME 10

ISSUE 1 – 1978

A NOTE ON THE INFLUENCE OF SOIL PARENT MATERIAL ON NORTHERN RED OAK SPECIFIC GRAVITY. J. R. Hamilton, P. J. Litwin, E. H. Tryon

SMALL ANGLE X-RAY SCATTERING STUDY OF THE POROSITY IN CHARCOALS. J. L. Casteel, O. Allan Pringle, J. S. Lin, P. W. Schmidt, Dwight H. Slocum, E. Allen McGinnes, Jr., Frank C. Beall, pages 6–18.

AN EXPERIMENTAL STUDY ON THE LATERAL NATURAL FREQUENCY OF BANDSAW BLADES. E. Kirbach, T. Bonac

PREDICTION OF CREEP IN PLYWOOD PART 1. PREDICTION MODELS FOR CREEP IN PLYWOOD. D. E. Lyon, A. P. Schniewind

INDUCED SHRINKAGE AND STRUCTURAL REORGANISATION IN AMMONIA-TREATED WOOD OF CORSICAN PINE. R. W. Coles, J. C. F. Walker

DISTRIBUTION OF AGGREGATE RAYS IN RED ALDER. Arthur F. Noskowiak

ISSUE 2 – 1978

DETERMINATION OF MOISTURE CONTENT OF WOOD BY PULSED NUCLEAR MAGNETIC

RESONANCE. Allan R. Sharp, M. Thomas Riggan, Reinhold Kaiser, Marc H. Schneider.

PRESSURE-REFINED FIBER FROM LOW-GRADE SOUTHERN HARDWOODS. Paul H. Short, Duane E. Lyon

MICROSCOPICALLY VISIBLE INTERNAL SURFACE AREA OF EARLYWOOD AND LATEWOOD OF LOBLOLLY PINE. Joe Yao, Teddy Ching Ma

DETERMINATION OF DIMENSIONAL STABILIZATION OF WOOD USING THE WATER-SOAK METHOD. Roger M. Rowell, W.Dale Ellis

BONDING OF OXIDIZED CELLULOSE FIBERS AND INTERACTION WITH WET STRENGTH AGENTS. Raymond A. Young

ANNUAL-RING WIDTH AND DENSITY PATTERNS IN RED ALDER. M. L. Parker, J. H. G. Smith, S. Johnson

THICKNESS VARIATION IN ULTRAMICROTOMED WOOD SECTIONS. R. J. Thomas, R. G. Pearson,

EFFECTS OF RELATIVE HUMIDITY AND SHELF-LIFE ON SELECTED PROPERTIES OF POLYVINYL ACETATE ADHESIVE FILMS. David A. Cowan, Paul R. Blankenhorn, Wayne K. Murphey

ISSUE 3 – 1978

PROTECTION OF WOOD FROM DECAY FUNGI BY ACETYLATION—AN ULTRASTRUCTURAL AND CHEMICAL STUDY. M. D. Peterson, R. J. Thomas

EFFECT OF AGING ON THE MECHANICAL PROPERTIES OF PARTICLEBOARD DECKING. H. M. Barnes, D. E. Lyon

EFFECT OF WEATHERING ON THE DIMENSIONAL PROPERTIES OF PARTICLEBOARD DECKING. H. M. Barnes, D. E. Lyon

LOAD-CARRYING EFFICIENCY OF HOMOGENEOUS WOOD COMPOSITES. Jozsef Bodig

ELEMENTAL ANALYSIS OF OAK AND HICKORY CHARCOAL USING NEUTRON ACTIVATION ANALYSIS. D. H. Slocum, E.A. McGinnes, Jr., D. M. McKown.

SOME WOOD PROPERTIES OF PLANTATION PINES, PINUS CARIBAEA AND PINUS OCCARPA. H. Resch, K. Bastendorff

THE INFLUENCE OF EXTERNAL RESISTANCE ON MOISTURE ADSORPTION RATES IN WOOD. Howard N. Rosen

ELASTOMERIC CONSTRUCTION ADHESIVES: INFLUENCE OF SOLVENT RETENTION ON STRENGTH. P. R. Steiner, J. F. Manville

ISSUE 4 – 1978

EDUCATION IN WOOD SCIENCE AND TECHNOLOGY: A STATUS REPORT. H. M. Barnes

INDUSTRY APPRAISAL OF FOREST PRODUCTS CURRICULUM AT OREGON STATE UNIVERSITY. George H. Atherton

**VOLUME 11
ISSUE 1- 1979**

Authors

Arganbright, Donald G.
Armstrong, J. E.
Birnback, Michael
Chow, Poo
Hanson, Richard Craig
Ifju, Geza
Johnson, Bruce R.
Kearby, W. H.
Koran, Zoltan
Lee, Chen H.
McGinnes, Jr., E. A.
McLain, Thomas E.
Rak, J.
Shelly, John R.
Sinclair, Steven A.

**VOLUME 11
ISSUE 2- 1979**

Authors

Berlyn, Graeme P.
Bowyer, Jim L.
Chow, Poo
Ezell, Andrew W.
Gratzl, Josef S.
McLaughlin, E. C.
Saka, Shiro
Thomas, Richard J.
Warren, W. G.

**VOLUME 11
ISSUE 3- 1979**

Authors

Badran, O. A.
Blankenhorn, P. R.
Bowyer, Jim L.
Ebewele, Robert
El-Osta, M. L. M.
El-Wakeel, A. O. K.
Elder, T. J.
Gnanaharan, R.
Haygreen, J.
Koutsy, James
Murphey, W. K.
River, Bryan
White, Marshall S.\

**VOLUME 11
ISSUE 4- 1979**

Authors

Barnes, H. M.
Blankenhorn, Paul R.
Chen, Peter Y. S.
Cutter, B. E.
Lewis, R. W.
McGinnes, Jr., E. A.
Morgan, K.
Murphey, Wayne K.
Rishel, Lester E.
Schmidt, P. W.
Thomas, H. R.
Workman, Jr., Edward C.

**VOLUME 11
ISSUE 1 – 1979**

Keywords

Abiee sp.
Abies grandis
Bacillus polymyxa
Juglans nigra
Larix sp.
Picea sp.
Pinus nigra
Pseudotsuga menziesii
Quercus spp.
Tsuga heterophylla
Tsuga sp.
Compression wood
Defibrination
Southern pine beetle anatomy
atomic adsorption
spectrophotometry
bacteria
blue stain
bordered pit membranes
compartmentalization
composite panel
copper-zinc-arsenic-additive preservative (CZAA)
core density
creep deflection
diagonal grain
genetic variation
hardboard
heartwood
height growth
hemicellulose
incipient decay
irrecoverable creep deflection
juvenile wood
kiln-dried
knots
lignin
microscopic examination
periderm formation
permeability

plywood
preservative treatments
provenance tests
rheology
sapwood
separation energy
shelling ratio
specific gravity
spiral grain
strength
structural lumber
subnormal temperature
sustained load level
thermal degradation
thermal softening
torus
toughness
tracheid length
veneer thickness
warp
wood quality
wood-base materials
wound repair

**VOLUME 11
ISSUE 2 – 1979**

Keywords

Liquidambar styraciflua
Pseudotsuga menziesii
Quercus rubra
Blockboard
KMnO₄ staining
Kappa number
SEM-EDXA
Soda-oxygen pulping
Sweetgum
Tensile strength
Variance components
Xylem physiology
Young's modulus
adhesives
bark
bending test
cell walls
cellular proportion
coniferous species
density
density patterns
differentiation
dimensional stability
direct carbon replica
economics
fiber
fiberboard
fibers
hardwood
internal bond
kraft pulping
laminated panels
lignin distribution
linear expansion
low grade lumber
lumber core
measured gross density
modulus of elasticity
modulus of rupture
multiplicative models
parenchyma
particleboard
phenol-formaldehyde

pressure-refined
regression analyses
resin content
sawdust
screw-holding
sodium pentachlorophenate
strength
structural panels
tensile strength
thickness swelling
ultrastructure
ultrathin section
veneer
vessels
wall substance (tissue)
density
wood biochemistry
wood formation

**VOLUME 11
ISSUE 3 – 1979**

Keywords

Casuarina spp.
Eucalyptus camaldulensis
Jacaranda ovalifolia
Khaya senegalensis
Melia azedarach
Tamarix articulata
Tsuga canadensis
Bark
Blockboard
Chars
Creep
SEM
Tapered double cantilever
beam
bending strength
bondline thickness
coalescing
cure time
dimensional stability
economics
flexure
fracture energy
grain angle
intervessel pitting
laminated panels strength
low-grade hardwoods
lumber core
modulus of elasticity
parallel-to-grain
particleboard
perpendicular-to-grain
phellem
phelloderm
phenol-resorcinol
pit measurements
rate carbonization
relative humidity
rhytidome
sorption
specific gravity
stress grading
veneer

**VOLUME 11
ISSUE 4 – 1979**

Keywords

Juglans nigra
Bark board
Drying
Education
Hygroscopicity
Irradiated wood
Wood Science and
Technology
X-ray diffraction
X-ray scattering
academic programs
cellulose crystallinity
cellulose degradation
density
dimensional stability
employment
experimental results
finite element method
flexural properties
hydrolytic processes
mechanical strength
properties
moisture content
numerical analysis
permeability
salaries
specimen thickness
temperature
transmittance

VOLUME 11

ISSUE 1 – 1979

DISTRIBUTION OF TOXIC ELEMENTS IN DOUGLAS-FIR PLYWOOD TREATED WITH CZAA PRESERVATIVE. J. Rak

PERMEABILITY CHANGES INDUCED IN THREE WESTERN CONIFERS BY SELECTIVE BACTERIAL INOCULATION. Bruce R. Johnson

ABSENCE OF GROWTH-WOOD PROPERTY CORRELATION IN TWENTY-SEVEN BLACK PINE SEED SOURCES. Chen H. Lee

ANATOMICAL RESPONSE AND RECOVERY OF TWIGS OF JUGLANS NIGRA FOLLOWING OVIPOSITION INJURY INFLICTED BY THE TWO-SPOTTED TREEHOPPER, ENCHENOPA BIONTATA. J. E. Armstrong, W. H. Kearby, E. A. McGinnes, Jr.

TENSILE PROPERTIES OF SPRUCE UNDER DIFFERENT CONDITIONS. Zoltan Koran

SEVERE WARP DEVELOPMENT IN YOUNG-GROWTH PONDEROSA PINE STUDS. John R. Shelly, Donald G. Arganbright, Michael Birnbach

EFFECTS OF LOAD LEVEL, CORE DENSITY, AND SHELLING RATIO ON CREEP BEHAVIOR OF HARDBOARD COMPOSITES. Poo Chow, Richard Craig Hanson

TOUGHNESS OF SAP-STAINED SOUTHERN PINE SALVAGED AFTER BEETLE ATTACK. Steven A. Sinclair, Thomas E. McLain, Geza Ifju

ISSUE 2 – 1979

FACEGLUED BLOCKBOARD—AN ALTERNATIVE TO PLYWOOD?. Jim L. Bowyer

A NOTE ON THE STRENGTH OF JAMAICA GROWN BAMBOO. E. C. McLaughlin.

PHENOL ADHESIVE BONDED MEDIUM-DENSITY FIBERBOARD FROM QUERCUS RUBRA L. BARK AND SAWDUST Poo Chow

LIGNIN DISTRIBUTION IN SODA-OXYGEN AND KRAFT FIBERS AS DETERMINED BY CONVENTIONAL ELECTRON MICROSCOPY. Shiro Saka, Richard J. Thomas, Josef S.

Gratzl|PHYSIOLOGICAL CONTROL OF DIFFERENTIATION OF XYLEM ELEMENTS. Graeme P. Berlyn,

THE CONTRIBUTION OF EARLYWOOD AND LATEWOOD SPECIFIC GRAVITIES TO OVERALL WOOD SPECIFIC GRAVITY. W. G. Warren

VARIATION OF CELLULAR PROPORTIONS IN SWEETGUM AND THEIR RELATION TO OTHER WOOD PROPERTIES. Andrew W. Ezell

ISSUE 3 – 1979

PREDICTION OF MODULUS OF RUPTURE FROM MODULUS OF ELASTICITY FOR SOME EGYPTIAN HARDWOODS. M. L. M. El-Osta, O. A. Badran, A. O. K. El-Wakeel

COMPARISON OF THE CREEP BEHAVIOR OF A BASSWOOD WAFERBOARD TO THAT OF SOLID WOOD. R. Gnanaharan, J. Haygreen

WATER VAPOR DIFFUSION THROUGH EASTERN HEMLOCK PERIDERM. Marshall S. White

A NOTE ON THE THERMALLY INDUCED CHANGES OF INTERVESSEL PITS IN BLACK CHERRY (*Prunus serotina* EHRH.). T.J. Elder, W. K. Murphey, P. R. Blankenhorn

FACEGLUED BLOCKBOARD FROM LOW-GRADE NORTHERN HARDWOODS. Jim L. Bowyer

TAPERED DOUBLE CANTILEVER BEAM FRACTURE TESTS OF PHENOLIC-WOOD ADHESIVE JOINTS : PART I. DEVELOPMENT OF SPECIMEN GEOMETRY; EFFECTS OF BONDLINE THICKNESS, WOOD ANISOTROPY AND CURE TIME ON FRACTURE ENERGY : PART I. DEVELOPMENT OF SPECIMEN GEOMETRY; EFFECTS OF BONDLINE THICKNESS, WOOD ANISOTROPY AND CURE TIME ON FRACTURE ENERGY. Robert Ebewe, Bryan River, James Koutsky

ISSUE 4 – 1979

EFFECT OF STEAMING ON SOME PHYSICAL AND CHEMICAL PROPERTIES OF BLACK WALNUT HEARTWOOD. Peter Y. S. Chen, Edward C. Workman, Jr.

X-RAY SCATTERING AND X-RAY DIFFRACTION TECHNIQUES IN STUDIES OF GAMMA-IRRADIATED WOOD. B. E. Cutter, E. A. McGinnes, Jr., P. W. Schmidt

A NOTE ON THE FLEXURAL PROPERTIES OF BARK BOARD. Lester E. Rishel, Paul R. Blankenhorn, Wayne K. Murphey

AN APPLICATION OF THE FINITE ELEMENT METHOD TO THE DRYING OF TIMBER. H. R. Thomas, R. W. Lewis, K. Morgan

EDUCATION IN WOOD SCIENCE AND TECHNOLOGY: UPDATE 1978–79. H. M. Barnes



**VOLUME 12
ISSUE 1- 1980**

Authors

Arganbright, Donald G.
Blankenhorn, P. R.
Bolton, A. J.
Ebewele, Robert O.
Elder, T. J.
Evans, K. E.
Gorvad, Michael R.
Guyette, Richard
Koutsianitis, G.
Koutsky, James A.
McGinnes, Jr., E. A.
Murphey, W. K.
Probasco, G. E.
River, Bryan H.
Sinclair, Steven A.

**VOLUME 12
ISSUE 2- 1980**

Authors

Armstrong, Joseph E.
Cutter, Bruce E.
Ezell, Andrew W.
Feist, William C.
Funk, David T.
Gammon, Barry
Hon, David N.-S.
Ifju, Geza
McGinnes, Jr., E. Allen
McKown, David H.
Okoh, Kwame I. A.
Schilling, Prentiss E.
Schniewind, Arno P.
Short, P. H.
Skaar, Chris
Wellons, J. D.

**VOLUME 12
ISSUE 2- 1980**

Authors

Heebink, B. G.
Inwards, R.
Jahan-Latibari, Ahmad
Johns, William E.
Rosen, Howard N.
Schaffer, E. L.
Scheffer, T. C.
Simpson, W.
Stewart, Harold A.
Wilkinson, T. L.

**VOLUME 12
ISSUE 4- 1980**

Authors

Buongiorno, Joseph
Colletti, Joe P.
Elder, T. J.
Johns, William E.
Niazi, Khan A.
Pearson, R. G.
Shuler, Craig E.
Soltes, E. J.
Vital, Benedito R.
Wilson, James B.

**VOLUME 12
ISSUE 1 – 1980**

Keywords

Dendroctonus
Pinus
Thuja plicata
Char
Dendrochronology
Douglas-fir
Moisture content gradients
Sap
Sawmill
Tapered double cantilever
beam
adhesive joints
adhesive penetration
apparent density
computer model
contact angle
fracture energy
insect-killed
intrusion
metal saws
moisture sections
operations-research
phenol-resorcinol
pits
porosity
rainfall
real density
redcedar
ring-width index
slicing
softwood
surface roughness
surface tension
tanoak
temperature
temperature

**VOLUME 12
ISSUE 2 – 1980**

Keywords

Pinus muricata
Differential scanning
calorimetry
Douglas-fir
Free radicals
Inorganics
NAA
Polyploidy
Specific gravity variation
Wood moisture
bark fiber
charcoals
cleavage
compression parallel-to-
grain
compression perpendicular-
to-grain
differential thermal analysis
disc-refining
discoloration
earlywood
electron spin resonance
(ESR)
extractives
fiber length
fluorescent light
genetic variation
hardness
height variation
latewood
loblolly pine
mechanical properties
modulus of elasticity
modulus of rupture
moisture models
moisture relationships
oxygen
radial variation
shear
shrinkage
site influence on specific
gravity
southern pine

specific gravity
static bending
strength
tension parallel-to-grain
terrestrial sunlight
thermogravimetric analysis
toughness
ultraviolet light
white ash
wood anatomy
woods

**VOLUME 12
ISSUE 3 - 1980**

Keywords

Douglas-fir
Method
Panels
Planing
Swelling
Wet bulb temperature
accelerated aging
adiabatic saturation
temperature
air
chip type
composite sorption
isotherm
decay
dry bulb temperature
durability
fasteners
flakeboard
formaldehyde
heat capacity
isotherms
moisture content
nail withdrawal
plywood
poles
preservative-assessment
rake angle
red alder
roof sheathing
shrinking
soil
sorption
steam
surface quality
vapor pressure
water
water vapor
wood machining

VOLUME 12
ISSUE 4 – 1980

Keywords

Eastern spruce
Frequency distribution
Paper recycling
Pyrolysis
SB distribution
SBB distribution
Water adsorption
Weibull distribution
buffering capacity
dimensional stability
econometrics
finger joints
flakeboard
forecasting
gas-liquid chromatography
gelation time
glue bond quality
hardwoods
lognormal distribution
lumber
mass spectrometry
mechanical properties
pH
particleboard
phenol-resorcinol
phenols
pulp and paper industry
regression models
softwoods
urea- and phenol-
formaldehyde resin
urea-formaldehyde resin

VOLUME 12

ISSUE 1 – 1980

THE EFFECT OF TEMPERATURE ON THE SURFACE TENSION OF SAP OF THUJA PLICATA HEARTWOOD. A. J. Bolton, G. Koutsianitis

COMPARISON OF METHODS FOR PREPARATION OF MOISTURE CONTENT GRADIENT SECTIONS. Michael R. Gorvad, Donald G. Arganbright

A NOTE ON THE RELATIONSHIP BETWEEN POROSITY DATA AND INTERVESSEL PIT DIMENSION. W. K. Murphey, T. J. Elder, P. R. Blankenhorn

A CLIMATE HISTORY OF BOONE COUNTY, MISSOURI, FROM TREE-RING ANALYSIS OF EASTERN REDCEDAR. Richard Guyette, E. A. McGinnes, Jr., G. E. Probasco, K. E. Evans

SAWMOD: A TOOL FOR OPTIMIZING POTENTIAL PROFIT FROM BEETLE-KILLED SOUTHERN PINE SAWTIMBER. Steven A. Sinclair

TAPERED DOUBLE CANTILEVER BEAM FRACTURE TESTS OF PHENOLIC-WOOD ADHESIVE JOINTS: PART II. EFFECTS OF SURFACE ROUGHNESS, THE NATURE OF SURFACE ROUGHNESS, AND SURFACE AGING ON JOINT FRACTURE ENERGY : PART II. EFFECTS OF SURFACE ROUGHNESS, THE NATURE OF SURFACE ROUGHNESS, AND SURFACE AGING ON JOINT FRACTURE ENERGY. Robert O. Ebewele, Bryan H. River, James A. Koutsky

ISSUE 2 – 1980

INORGANIC CONCENTRATIONS IN SELECTED WOODS AND CHARCOALS MEASURED USING NAA. Bruce E. Cutter, E. Allen McGinnes, Jr., David H. McKown

A NOTE ON WITHIN-TREE VARIATION OF SPECIFIC GRAVITY IN SWEETGUM (LIQUIDAMBAR STYRACIFLUA L.). Andrew W. Ezell, Prentiss E. Schilling

THERMAL CHARACTERISTICS OF DOUGLAS-FIR BARK FIBER—25 C TO 250 C. P. H. Short, J. D. Wellons

MOISTURE SORPTION ISOTHERMS OF THE WOOD AND INNER BARK OF TEN SOUTHERN U.S. HARDWOODS. Kwame I. A. Okoh, Chris Skaar

GENETIC VARIATION IN THE WOOD OF FRAXINUS AMERICANA. Joseph E. Armstrong, David T. Funk

CHARACTERISTICS OF FREE RADICALS IN WOOD. David N.-S. Hon, Geza Ifju, William C. Feist

STRENGTH AND RELATED PROPERTIES OF BISHOP PINE I. STRENGTH OF “BLUE RACE” BISHOP PINE FROM THREE LOCATIONS. Arno P. Schniewind, Barry Gammon

ISSUE 3 – 1980

THE WOOD-WATER-FORMALDEHYDE SYSTEM. William E. Johns, Ahmad Jahan-Latibari

PSYCHROMETRIC RELATIONSHIPS AND EQUILIBRIUM MOISTURE CONTENT OF WOOD AT TEMPERATURES ABOVE 212 F. Howard N. Rosen

A BIOASSAY TO INVESTIGATE MOVEMENT OF WOOD PRESERVATIVES FROM POLES INTO SOIL : A RESEARCH NOTE. T. C. Scheffer, R. Inwards

SOME SURFACING DEFECTS AND PROBLEMS RELATED TO WOOD MOISTURE CONTENT. Harold A. Stewart

SORPTION THEORIES APPLIED TO WOOD. W. Simpson

ROOFING NAIL PERFORMANCE IN STRUCTURAL FLAKEBOARDS. E. L. Schaffer, T. L. Wilkinson, B. G. Heebink

ISSUE 4 – 1980

PYROLYSIS OF LIGNOCELLULOSIC MATERIALS. PHENOLIC CONSTITUENTS OF A WOOD PYROLYTIC OIL. T. J. Elder, E. J. Soltes

RESPONSE OF EASTERN SPRUCE FINGER JOINTS TO VARIATION IN ASSEMBLY TIME AND MOISTURE CONTENT. Craig E. Shuler

FORECASTS OF WASTEPAPER SUPPLY AND CONSUMPTION IN THE UNITED STATES TO 1985. Joe P. Colletti, Joseph Buongiorno

POTENTIAL OF THE SB AND SBB DISTRIBUTIONS FOR DESCRIBING MECHANICAL PROPERTIES OF LUMBER. R. G. Pearson

EFFECT OF pH AND BUFFERING CAPACITY OF WOOD ON THE GELATION TIME OF UREA-FORMALDEHYDE RESIN. William E. Johns, Khan A. Niazi

WATER ADSORPTION OF PARTICLEBOARD AND FLAKEBOARD. Benedito R. Vital, James B. Wilson

**VOLUME 13
ISSUE 1- 1981**

Authors

Cutter, Bruce E.
Hart, C. Arthur
Kanagawa, Y.
Leney, Lawrence
McGinnes, Jr., E. Allen
Petty, J. A.
Schaffer, E. L.
Siau, J. F.
White, Robert_H.

**VOLUME 13
ISSUE 2- 1981**

Authors

Baldwin, R. C.
Buongiorno, Joseph
Gilles, James K.
Goodell, Barry S.
Ifju, Geza
Kellogg, R. M.
Koch, Peter
Labosky, Jr., Peter
Meyer, R. W.
Ottone, Steven P.
Price, Eddie W.
Rosen, Howard N.
Simpson, William T.
Stier, Jeffrey C.
Warren, W. G.

**VOLUME 13
ISSUE 3- 1981**

Authors

Bosman, D. L.
Kellogg, R. M.
Moore, James S.
Oldham, Nancy D.
Rosen, Howard N.
Rowe, S.
Simpson, William T.
Taylor, Fred W.
Thomas, R. J.
Wheeler, E. A.
Wilcox, W. Wayne

**VOLUME 13
ISSUE 4- 1981**

Authors

Armstrong, J. E.
Bauch, J.
Erickson, Robert W.
Evans, Faye J.
Ezell, Andrew W.
Funk, D. T.
Highley, Terry L.
Klein, P.
Lew, Jonathan D.
McGinnes, Jr., E. A.
Quarles, Stephen L.
Seavey, Robert T.
Shigo, A. L.
Smith, D. E.
Stewart, J. Larry
Wilcox, W. Wayne
Wolter, Karl E

**VOLUME 13
ISSUE 1 – 1981**

Keywords

Charcoal
Computer simulation
Douglas-fir
Microfibril angle
Moisture content
Permeability
apparent density
capillaries
cell wall
charring
drying simulation
fire endurance
fire resistance
gas flow
hardwoods
heat transfer
kiln drying simulation
mass transfer
membrane filters
microscopy of wood
moisture movement
permeability
polarized-light microscopy
real density
softwoods
sorption
southern pine
white oak
wood cell wall

**VOLUME 13
ISSUE 2 – 1981**

Keywords

Gloeophyllum saepiarium
Poria sp.
Chloropicrin
High temperature drying
Inner bark
Labor productivity
Loblolly pine
SEM
Tulip-poplar
Wet bulb temperature
adiabatic saturation
temperature
air circulation
anatomy
bark
bulk
concentration/time value
dry bulb temperature
drying rate
earlywood
extractives
flexural properties
fumigant
fungitoxicity
gas chromatographic
analysis
handsheet
intra-increment
kiln drying
kraft pulp
latewood
moisture content
outer bark
papermaking
particle size
porosimetry
profitability
pulp
relative humidity
shrinkage
southern pine
specific gravity
survivor analysis

tearing resistance
tensile strength
wages
western hemlock

**VOLUME 13
ISSUE 3 – 1981**

Keywords

Pinus lambertiana
Anatomy
Earlywood tracheid length
Economic development
Equilibrium moisture
content
Kiln brown stain
Oak
antioxidants
cambial activity
cells per growth file
chelating agents
chemical control
dryer control
high-temperature drying
latewood tracheid length
loblolly pine
management
mountain hemlock
phosphoric acid
pit membranes
relative humidity
research
sodium azide
technological innovation
and transfer
tracheid diameter
ultrastructure
western hemlock
wood anatomy
wood identification

VOLUME 13
ISSUE 4 – 1981

Keywords

Fusarium
Juglands nigra
Pseudotsuga menziesii
Scytalidium
Trichoderma
Deuteromycetes
Douglas-fir
Hemicellulase
Moisture movement
Scotch pine
Soft-rot
anatomy
bottomland
ceiling/partition separation
compartmentalization
concentration gradient
copper-chromium-boron
(CCB)
copper-chromium-fluorine
(CCF)
decay
degradation
discoloration
enzyme purification
fiber length
fungi
glycosidase
liquefied petroleum gas
microanalysis
moisture profile
pathology
pentachlorophenol
poles
sweetgum
temperature gradient
upland
wood preservatives
wound response

VOLUME 13

ISSUE 1 – 1981

THE USE OF PERMEABILITY AND CAPILLARY THEORY TO CHARACTERIZE THE STRUCTURE OF WOOD AND MEMBRANE FILTERS. J. F. Siau, Y. Kanagawa, J. A. Petty

A TECHNIQUE FOR MEASURING FIBRIL ANGLE USING POLARIZED LIGHT. Lawrence Leney

TRANSIENT MOISTURE GRADIENT IN FIRE-EXPOSED WOOD SLAB. Robert H. White, E. L. Schaffer

A NOTE ON DENSITY CHANGE PATTERNS IN CHARRED WOOD. Bruce E. Cutter, E. Allen McGinnes

SIMSOR: A COMPUTER SIMULATION OF WATER SORPTION IN WOOD. C. Arthur Hart

ISSUE 2 – 1981

THE RELATIONSHIP OF EXTRACTIVE CONTENT TO PARTICLE SIZE DISTRIBUTION IN MILLED YELLOW-POPLAR (LIRIODENDRON TULIPIFERA L.) BARK. Steven P. Ottone, R. C. Baldwin

RELATIVE DENSITY, EQUILIBRIUM MOISTURE CONTENT, AND DIMENSIONAL STABILITY OF WESTERN HEMLOCK BARK. R. W. Meyer, R. M. Kellogg, W. G. Warren

EVALUATING HUMIDITY AT DRY BULB TEMPERATURES ABOVE THE NORMAL BOILING POINT OF WATER : A RESEARCH NOTE. Howard N. Rosen, William T. Simpson

ECONOMIES OF PLANT AND FIRM SIZE IN THE UNITED STATES PULP AND PAPER INDUSTRIES. Joseph Buongiorno, Jeffrey C. Stier, James K. Gilless

A NOTE ON EFFECTS OF KILN STICK THICKNESS AND AIR VELOCITY ON DRYING TIME OF SOUTHERN PINE 2 BY 4 AND 2 BY 6 LUMBER. Eddie W. Price, Peter Koch

A STUDY OF LOBLOLLY PINE GROWTH INCREMENTS— PART IV. PAPERMAKING PROPERTIES. Peter Labosky, Jr., Geza Ifju

A NOTE ON THE TOXICITY OF CHLOROPICRIN VAPORS TO GLOEOPHYLLUM SAEPIARIUM AND PORIA SP. IN WOOD. Barry S. Goodell

ISSUE 3 – 1981

EQUILIBRIUM MOISTURE CONTENT OF WOOD AT HIGH TEMPERATURES. William T. Simpson, Howard N. Rosen

A COMPARISON OF EARLYWOOD AND LATEWOOD TRACHEID LENGTHS OF LOBLOLLY PINE. Fred W. Taylor, James S. Moore

AN ANATOMICAL METHOD FOR DIFFERENTIATING WOODS OF WESTERN AND MOUNTAIN HEMLOCK : A RESEARCH NOTE. R. M. Kellogg, S. Rowe

ULTRASTRUCTURAL CHARACTERISTICS OF MATURE WOOD OF SOUTHERN RED OAK (QUERCUS FALCATA MICHX.) AND WHITE OAK (QUERCUS ALBA L.). E. A. Wheeler, R. J. Thomas

CONTROL OF BROWN STAIN IN SUGAR PINE WITH ENVIRONMENTALLY ACCEPTABLE CHEMICALS. Nancy D. Oldham, W. Wayne Wilcox

THE MANAGEMENT OF TECHNOLOGY TRANSFER Plenary Paper. D. L. Bosman

ISSUE 4 – 1981

ON THE DETERMINATION OF WOOD PRESERVATIVES IN THE CELL WALL OF TREATED PINE POLES USING A LASER-MICROPROBE-MASS-ANALYZER (LAMMA). P. Klein, J. Bauch

MOISTURE ADSORPTION AND TRANSPORT BY WOOD DUE TO A THERMAL GRADIENT CAUSED BY AIR-TO-AIR THERMAL DIFFERENCES. Robert W. Erickson, Robert T. Seavey, Stephen L. Quarles

VARIATION OF SWEETGUM FIBER LENGTH WITHIN AND BETWEEN UPLAND AND BOTTOMLAND SITES. Andrew W. Ezell, J. Larry Stewart

THE ROLE OF SELECTED DEUTEROMYCETES IN THE SOFT-ROT OF WOOD TREATED WITH PENTACHLOROPHENOL. Jonathan D. Lew, W. Wayne Wilcox

POLYSACCHARIDE-DEGRADING COMPLEX PRODUCED IN WOOD AND IN LIQUID MEDIA BY THE BROWN-ROT FUNGUS PORIA PLACENTA. Terry L. Highley, Karl E. Wolter, Faye J. Evans

MACROSCOPIC AND MICROSCOPIC STUDY OF COMPARTMENTALIZATION AND WOUND CLOSURE AFTER MECHANICAL WOUNDING OF BLACK WALNUT TREES. J. E. Armstrong, A. L. Shigo, D. T. Funk, E. A. McGinnes, Jr., D. E. Smith

**VOLUME 14
ISSUE 1 – 1982**

Authors

Bowyer, Jim L.
Gerhards, C. C.
Miller, J. David
Nicholas, Darrel D.
Preston, Alan F.
Rosenberg, Allen F.
Schneider, Marc H.
Stokke, Douglas
Wheeler, E. A.
Whitney, Norman J.
Wilcox, W. Wayne

**VOLUME 14
ISSUE 2- 1982**

Authors

Chang, Shang-Tzen
Feist, William C.
Hon, David N.-S.
Koch, Peter
Passialis, Constantine
Saka, Shiro
Simpson, William T.
Thomas, Richard J.
Tsoumis, George

**VOLUME 14
ISSUE 3- 1982**

Authors

Burton, James D.
Clark, Jean E.
DeGroot, Rodney C.
Kubler, Hans
Lee, Phil Woo
Schaffer, E. L.
Schneider, M. H.
Short, C. A.
Smith, Roger S.
Taylor, Fred W.

**VOLUME 14
ISSUE 4- 1982**

Authors

Aly, H. M.
Armstrong, Joseph E.
Fowler, D. P.
Harris, Robert A.
Houkal, Dana
Isebrands, J. G.
Johnson, Jay A.
Kandeel, S. A. E.
Loo, Judy
Micko, Michael M.
Owen, Donald R.
Parker, R.
Resch, H.
Schneider, M. H.
Taylor, Fred W.
Taylor, Fred W.
Wang, Eugene I. C.
Wilcox, W. Wayne

**VOLUME 14
ISSUE 1 – 1982**

Keywords

Acer rubrum
Alkylammonium
compounds
Blockboard
CCA
Moisture content
Red maple
Wood chips
allergenic fungi
building failure
chip storage
construction
decay
design
fuel chips
intervessel pitting
laminated panel strength
lumber core
mechanical properties of
wood
parenchyma pitting
pathogens
pits
temperature
termites
transmission electron
microscopy
veneer
water infiltration
white-rot
wood decay fungi

**VOLUME 14
ISSUE 2 –1982**

Keywords

Delignification
Equilibrium moisture
content
Low-grade hardwoods
Scanning electron
microscope (SEM)
chromic acid
conditioning
decorative plywood
defibration
fabricated joists
feasibility study
ferric chloride
fiber
fiber liberation
fiberboard
flakeboard
harvesting
hygroscopicity
internal bonding
kraft
lignin distribution
particleboard
particleboard
plywood
small hardwoods
soda pulping
soda/AQ
southern yellow pine
ultraviolet light
utilization
water absorption
wood products

**VOLUME 14
ISSUE 3 – 1982**

Keywords

Domestic wood fuel
Douglas-fir
Ethylene oxide
Fire retardants
Loblolly pine
Products trends
Pyrolysis
aspen
bacteria-infestation
borax-boric acid
chromated zinc chloride
dimensional stability
domestic heating
earlywood
exothermic point
fast growth
fuel chips
fungi
heat of combustion
kiln drying alternatives
kiln-drying
latewood
minalith
press-drying
pyresote
self-heating
specific gravity
spontaneous ignition
sterilization
structural plywood
thermal decomposition
thickness shrinkage
tracheid length
wood energy
wood preservatives

**VOLUME 14
ISSUE 4 –1982**

Keywords

Fraxinus americana
Larix leptolepis
Pinus oocarpa
Douglas-fir
Drying energy
Japanese larch
Marine piling
Polyploidy
Pulp properties
Ring shake
Southern pine
Tracheid length
Wood particle orientation
angular measurements
bacteria
bending
compression
degree of alignment
directional data
fiber length
fiber morphology
fir engraver beetle
flakeboard
genetic variation
handsheets
high-temperature drying
interlocking grain
juvenile wood
kiln drying
lodgepole pine
preservative treatment
provenance
scanning electron microscopy
southern pine drying
specific gravity
spiral grain
steam consumption
stiffness
strength
unbleached pulp
von Mises distribution
white ash
wood anatomy

VOLUME 14

ISSUE 1 – 1982

EFFECT OF MOISTURE CONTENT AND TEMPERATURE ON THE MECHANICAL PROPERTIES OF WOOD: AN ANALYSIS OF IMMEDIATE EFFECTS. C. C. Gerhards

EFFICACY OF A SERIES OF ALKYLAMMONIUM COMPOUNDS AGAINST WOOD DECAY FUNGI AND TERMITES. Alan F. Preston, Darrel D. Nicholas

ULTRASTRUCTURAL CHARACTERISTICS OF RED MAPLE (ACER RUBRUM L.) WOOD. E. A. Wheeler

FUNGI ON FUEL WOOD CHIPS IN A HOME. J. David Miller, Marc H. Schneider, Norman J. Whitney,

THE EFFECT OF CORE BLOCK LENGTH ON STRENGTH OF FACEGLUED BLOCKBOARD. Jim L. Bowyer, Douglas Stokke

HOW TO KEEP YOUR AWARD-WINNING BUILDING FROM ROTTING. Allen F. Rosenberg, W. Wayne Wilcox

ISSUE 2 – 1982

IMPORTANCE OF RELATIVE HUMIDITY AND TEMPERATURE CONTROL IN CONDITIONING WOOD PRODUCTS. William T. Simpson

PHOTODEGRADATION AND PHOTOPROTECTION OF WOOD SURFACES. Shang-Tzen Chang, David N.-S. Hon, William C. Feist

NON-PULP UTILIZATION OF ABOVE-GROUND BIOMASS OF MIXED-SPECIES FORESTS OF SMALL TREES. Peter Koch

FIBER SURFACE STRUCTURE AND FIBER LIBERATION IN SODA-ANTHRAQUINONE KRAFT AND SODA PULPS AS DETERMINED BY CONVENTIONAL ELECTRON MICROSCOPY. Shiro Saka, Richard J. Thomas

A METHOD FOR TESTING INTERNAL BOND OF PARTICLEBOARD. Constantine Passialis, George Tsoumis

ISSUE 3 – 1982

HEAT RELEASE IN THERMALLY DISINTEGRATING WOOD. Hans Kubler

REDRYING FIRE-RETARDANT-TREATED STRUCTURAL PLYWOOD. Phil Woo Lee, E. L. Schaffer

EFFICACY OF QUENCHED ETHYLENE OXIDE AS A STERILANT FOR WOOD AT ROOM TEMPERATURE. Jean E. Clark, Roger S. Smith

GROWTH RING CHARACTERISTICS, SPECIFIC GRAVITY, AND FIBER LENGTH OF RAPIDLY GROWN LOBLOLLY PINE. Fred W. Taylor, James D. Burton

NEW OPPORTUNITIES FOR UTILIZING CHEMICALLY TREATED WOOD. Rodney C. DeGroot, pages

1979–1980 OPERATION AND PERFORMANCE OF TWO DOMESTIC-SIZED STOKER-FED WOOD CHIP HEATING SYSTEMS. M. H. Schneider, C. A. Short

ISSUE 4 – 1982

A COMPARISON OF ENERGY REQUIREMENTS FOR KILN-DRYING SOUTHERN PINE AT DIFFERENT DRYING TEMPERATURES. Fred W. Taylor

CHARACTERIZATION OF FLAKE ORIENTATION IN FLAKEBOARD BY THE VON MISES PROBABILITY DISTRIBUTION FUNCTION. Robert A. Harris, Jay A. Johnson

THE ASSOCIATION BETWEEN RING SHAKE, WETWOOD, AND FIR ENGRAVER BEETLE ATTACK IN WHITE FIR. Donald R. Owen, W. Wayne Wilcox

GEOGRAPHIC VARIATION IN SPECIFIC GRAVITY AMONG JAPANESE LARCH FROM DIFFERENT PROVENANCES. Judy Loo, D. P. Fowler, M. H. Schneider

WINDBREAK-GROWN CASUARINA AND EUCALYPTUS TREES FOR UNBLEACHED KRAFT PULP. S. A. E. Kandeel, J.G. Isebrands, H. M. Aly

DIFFERENCES IN THE WOOD OF LODGEPOLE PINE IN ALBERTA. Fred W. Taylor, Eugene I. C. Wang, Michael M. Micko

STRENGTH AND STIFFNESS OF PRESERVATIVE-TREATED MARINE PILES. H. Resch, R. Parker,

SPIRAL GRAIN IN PINUS OCCARPA. Dana Houkal

POLYPLOIDY AND WOOD ANATOMY OF MATURE WHITE ASH, FRAXINUS AMERICANA. Joseph E. Armstrong

**VOLUME 15
ISSUE 1- 1983**

Authors

Babiak, Marian
Blankenhorn, Paul R.
Bowersox, Todd W.
Bublitz, Walter J.
Buongiorno, Joseph
Chuang, Wu-Jen
Ezell, Andrew W.
Farimani, Merhdad
Gammon, Barry W.
Hull, Jerry L.
Labosky, Jr., Peter
Laufenberg, Theodore L.
Lee, Chen Hui
Lowe, William J.
[McGinnes, Jr., E. A.
Murphey, Wayne K.
Nelson, N. D.
Nelson, Jr., Ralph M.
Phelps, J. E.
Quirk, J. Thomas
Rietveld, W. J.
Schniewind, Arno P.
Siau, John F.
Wright, Jeff A.

**VOLUME 15
ISSUE 2- 1983**

Authors

Côté, W. A.
Cox, G. S.
Fagan, G. Brent
Garcia, J. Francisco
Garrett, H. E.
Hanna, R. B.
Hofstrand, A. D.
Jung, Joseph
McGinnes, Jr., E. A.
McLain, Thomas E.
Moslemi, A. A.
Murmanis, Lidija
Murphy, Joseph F.
Phelps, John E.
River, Bryan H.
Stewart, Harold

**VOLUME 15
ISSUE 3- 1983**

Authors

Blankenhorn, Paul R.
Burkart, L. F.
Cheung, Chung K.
Einspahr, D. W.
Elder, T. J.
Eperen, R. H. Van
Fiscus, M. (Harder)
Galligan, William L.
Gray, Richard L.
Hergert, Herbert L.
Itani, Rafik Y.
Johnson, Richard A.
Kline, Donald E.
McGinnes, Jr., E. A.
Moore, Gregory R.
Murmanis, L.
Phelps, John E.
Rickey, Robert G.
Sorensen, Harold C

**VOLUME 15
ISSUE 4- 1983**

Authors

Beery, Wade H.
Blankenhorn, Paul R.
Bodig, Jozsef
Camargo, Celia R. R. de
Carter, Fairie Lyn
Cramer, S. M.
Dancik, Bruce P.
Dyer, Mary V.
Goodman, J. R.
Hart, John H.
Ifju, Geza
Ifju, Geza
Jagels, Richard
Kline, Donald E.
McLain, Thomas E.
Micko, Michael M.
Moore, Gregory R.
Petterson, Robert W.
Stewart, Harold A.
Wang, Shih-chi
Yanchuk, Alvin D.

**VOLUME 15
ISSUE 1 – 1983**

Keywords

Juglans nigra L.
Pinus attenuata
Douglas-fir [Pseudotsuga
menziesii (Mirb.) Franco]
Flakeboards
Jack pine
Kraft
Moisture movement
Paper
Sorption isotherms
Sycamore
Tanks
Type II sorption
acid hydrolysis
activation energy
adsorption
bending strength
cell lumen
cell wall
cleavage
compression parallel-to-
grain
compression perpendicular-
to-grain
derived demand
desorption
diffusion
econometrics
economies of scale
energy
ethylene
failure in bending
genetic selection
hardness
heartwood
heartwood formation
hemicellulose
holocellulose
hormones
lignin
mechanical properties
model predictions
modulus of elasticity

modulus of rupture
paper properties
paperboard
parenchyma
percent latewood
poplar
prices
ring width
sample size
sapwood
shear
shrinkage
specific gravity
static bending
statistical precision
stress-strain relations
tension parallel-to-grain
toughness
wastepaper
wood anatomy

**VOLUME 15
ISSUE 2 - 1983**

Keywords

Juglans nigra L., veneer
Douglas-fir
Larch
Parallel-laminated veneer
Planed surfaces
Scanning electron
microscopy
Spectrophotometry
Toughness
butt joints
compression parallel to the
grain
fracture mechanics
fracture paths
fracture surface
hydration
intercell failure
intrawall failure
joint spacing
lodgepole pine
microscopy
particleboard
radial shear
redwood
slope-of-grain
tangential shear
tension parallel to the grain
transwall failure
wood color
wood-adhesive bonds
wood-cement particleboard
yellow-poplar

**VOLUME 15
ISSUE 3 - 1983**

Keywords

Juglans nigra L.
Axial loads
Bastrop pine
Beams
Douglas-fir
Epoxy
Loblolly pine
Microscopy
Microspectrophotometry
Proofload
Western hemlock
Wood/bark adhesion
beams
birch
bisulfite pulping
bordered pits
cell structure
chemical composition
cofunctioning
composite structures
concomitance
construction materials
correlation
debarking
deflection
deformation
drought resistance
fasteners
fillers
floors
fractured surfaces
impregnation
joists
loads (forces)
maple
mechanics
moments
plywood
radial stress
sapwood-heartwood tori
shear parallel to grain
strength properties
stresses
veneer
wood anatomy
wood color

VOLUME 15
ISSUE 4 – 1983

Keywords

Calophyllum brasiliense
Carapa guianensis
Cedrela odorata
Diplotropis spp.
Maclura pomifera
Mezilaurus itauba
Ocotea cymbarum
Platymiscium ulei
Populus tremuloides
Michx.
Sweetia nitens
Circularity index
Dynamic mechanical
properties
Fracture toughness
Heartwood
Stress analysis
Surface quality
Tension perpendicular-to-
grain
Termite control
Wood anatomy
Wood density
cell lumen area
cell size
cell-wall area
decay resistance
elastic parameters
epoxy
extractives
image analyzer
impregnation
intraclonal variation
knife cutting
mathematical models
moisture content
nitrogen fertilization
orthogonal cutting
prediction equations
quantitative anatomy
red spruce
size distributions
specific gravity

specific gravity
stereology
strength behavior
tensile strength
torn grain
wood anatomy
wood machining
wood-polymer composites

VOLUME 15
ISSUE 1 - 1983

STRENGTH AND RELATED PROPERTIES OF KNOBCONE PINE. Arno P. Schniewind, Barry W. Gammon

A MODEL FOR SORPTION OF WATER VAPOR BY CELLULOSIC MATERIALS. Ralph M. Nelson, Jr.,

RATES OF ETHYLENE PRODUCTION BY PARENCHYMA CELLS IN BLACK WALNUT SAPWOOD. J. E. Phelps, N. D. Nelson, W. J. Rietveld, E. A. McGinnes, Jr.

ECONOMETRIC MODEL OF PRICE FORMATION IN THE UNITED STATES PAPER AND PAPERBOARD INDUSTRY. Joseph Buongiorno, Merhdad Farimani, Wu-Jen Chuang

EXPERIMENTS ON NONISOTHERMAL MOISTURE MOVEMENT IN WOOD. John F. Siau, Marian Babiak

CHARACTERIZING THE NONLINEAR BEHAVIOR OF FLAKEBOARDS. Theodore L. Laufenberg, pages

CHEMICAL RESISTANCE OF DOUGLAS-FIR FOR USE IN STORAGE TANKS. Walter J. Bublitz, Jerry L. Hull

PLANTATION CULTURE FOR ENERGY PRODUCTION—THE IMPORTANCE OF WITHIN-SPECIES SELECTION. Andrew W. Ezell, William J. Lowe, Wayne K. Murphey, Jeff A. Wright

PRECISION OF MEASURING ANATOMICAL CHARACTERISTICS IN JACK PINE. Chen Hui Lee, J. Thomas Quirk

KRAFT PULP YIELDS AND PAPER PROPERTIES OBTAINED FROM FIRST AND SECOND ROTATIONS OF THREE HYBRID POPLAR CLONES. Peter Labosky, Jr., Todd W. Bowersox, Paul R. Blankenhorn

ISSUE 2 – 1983

THE INFLUENCE OF SMALL GRAIN ANGLE VARIATION ON TOUGHNESS. G. Brent Fagan, Thomas E. McLain

MICROSCOPY OF ABRASIVE-PLANED AND KNIFE-PLANED SURFACES IN WOOD-ADHESIVE BONDS. Lidija Murmanis, Bryan H. River, Harold Stewart

AN INVESTIGATION OF THE FRACTURE OF BUTT JOINTS IN PARALLEL-LAMINATED VENEER. Joseph Jung, Joseph F. Murphy

ULTRASTRUCTURAL CHARACTERISTICS OF WOOD FRACTURE SURFACES. W. A. Côté, R. B. Hanna

EFFECT OF VARIOUS TREATMENTS AND ADDITIVES ON WOOD-PORTLAND CEMENT-WATER SYSTEMS. A. A. Moslemi, J. Francisco Garcia, A. D. Hofstrand

GROWTH-QUALITY EVALUATION OF BLACK WALNUT WOOD. PART II—COLOR ANALYSES OF VENEER PRODUCED ON DIFFERENT SITES. John E. Phelps, E. A. McGinnes, Jr., H. E. Garrett, G. S. Cox

ISSUE 3 - 1983

INFLUENCE OF SHEATHING GAPS ON WOOD FLOOR SYSTEMS. Rafik Y. Itani

MICROSCOPY OF ACID-ACTIVATED BONDING IN WOOD. L. Murmanis

GROWTH-QUALITY EVALUATION OF BLACK WALNUT WOOD. PART III—AN ANATOMICAL STUDY OF COLOR CHARACTERISTICS OF BLACK WALNUT VENEER. John E. Phelps, E. A. McGinnes, Jr.

METHOD FOR OBTAINING WOOD/BARK ADHESION MEASUREMENTS ON SMALL SAMPLES. M. (Harder) Fiscus, R. H. Van Eperen, D. W. Einspahr

IMPREGNATION OF WOOD WITH A HIGH VISCOSITY EPOXY RESIN. Gregory. R. Moore, Donald E. Kline, Paul R. Blankenhorn

ESTIMATING THE CONCOMITANCE OF LUMBER STRENGTH PROPERTIES. Richard A. Johnson, William L. Galligan

CHEMICAL COMPARISON OF TWO ECOTYPES OF LOBLOLLY PINE (PINUS TAEDA L.). T. J. Elder, L. F. Burkart

THE INFLUENCE OF SAPWOOD-HEARTWOOD CONVERSION OF BORDERED PIT TORI IN WESTERN HEMLOCK ON BISULFITE PULPING. Richard L. Gray, Robert G. Rickey, Herbert L. Hergert,

EFFECT OF AXIAL LOADS ON RADIAL STRESS IN CURVED BEAMS. Chung K. Cheung, Harold C. Sorensen

ISSUE 4 - 1983

HEARTWOOD EXTRACTIVES OF MACLURA POMIFERA AND THEIR ROLE IN DECAY RESISTANCE. Shih-chi Wang, John H. Hart,

PREDICTION OF FRACTURE TOUGHNESS OF CONIFERS. Robert W. Petterson, Jozsef Bodig

A MODEL FOR PREDICTING WOOD FAILURE WITH RESPECT TO GRAIN ANGLE IN ORTHOGONAL CUTTING. Harold A. Stewart

QUANTITATIVE WOOD ANATOMY CERTAIN GEOMETRICAL-STATISTICAL RELATIONSHIPS. Geza Ifju

MODEL FOR STRESS ANALYSIS AND STRENGTH PREDICTION OF LUMBER. S. M. Cramer, J. R. Goodman

TESTING ANTITERMITIC PROPERTIES OF BRAZILIAN WOODS AND THEIR EXTRACTS. Fairie Lyn Carter, Celia R. R. de Camargo

DYNAMIC MECHANICAL PROPERTIES OF EPOXY-POPLAR COMPOSITE MATERIALS. Gregory R. Moore, Donald E. Kline, Paul R. Blankenhorn

MORPHOMETRIC ANALYSIS APPLIED TO WOOD STRUCTURE. I. CROSS-SECTIONAL CELL SHAPE AND AREA CHANGE IN RED SPRUCE. Richard Jagels, Mary V. Dyer

INTRACLONAL VARIATION IN WOOD DENSITY OF TREMBLING ASPEN IN ALBERTA. Alvin D. Yanchuk, Bruce P. Dancik, Michael M. Micko

QUANTITATIVE WOOD ANATOMY—RELATING ANATOMY TO TRANSVERSE TENSILE STRENGTH. Wade H. Beery, Geza Ifju, Thomas E. McLai

**VOLUME 16
ISSUE 1- 1984**

Authors

Bartolomucci, John R.
Biblis, Evangelos J.
Blankenhorn, Paul R.
Bolstad, Kip
Grozdzits, George A.
Hassler, Curt C.
Ifju, Geza
Kline, Donald E.
Koran, Zoltan
Kubler, Hans
Labosky, Peter
Lee, Wu-Chung
McGinnes, Jr., E. Allen
Mizumachi, Hirochi
Moore, Gregory R.
Motohashi, Kenji
Pearson, R. G.
Quirk, J. Thomas
Rishel, Lester E.
Rosen, Howard N.
Ross, B. E.
Sakaguchi, Hiroshi
Sinclair, Steven A.
Steller, Scott D.
Tang, R. C.
Tomita, Bunichiro

**VOLUME 16
ISSUE 2- 1984**

Authors

Beall, F. C.
Buongiorno, Joseph
Chou, Jieh Jen
Conner, Anthony H.
DeGroot, William F.
Dougal, Edward F.
Elder, Thomas
Ellis, W. Dale
Foster, Daniel O.
Galligan, William L.
Green, David W.
Hans, Gunard E.
Krahmer, Robert L.
Lee, Andy W. C.
McNatt, J. Dobbin
Quirk, J. T.
Rowell, Roger M.
Rowell, Roger M.
Shafizadeh, Fred
Susott, Ronald A.
Thurmond, Michael B.
Woeste, Frank E.
Zinkel, Duane F.

**VOLUME 16
ISSUE 3- 1984**

Authors

Armstrong, James P.
Bulleit, William M.
Chiang, Su-hwa Tsai
Einspahr, D. W.
Ellis, W. Dale
Eperen, R. H. Van
Evans, James W.
Fiscus, M. L. (Harder)
Green, David W.
Gueneau, Paul
Huffman, Jacob B.
Itani, Rafik Y.
Itani, Rafik Y.
Johnson, Richard A.
Kossuth, Susan V.
MacKay, G. D. M.
Maraghechi, Khalil
Mote, Jr., C. D.
Nassar, Mamdouh M.
Obregon, Sergio A.
Roberts, Donald R.
Rowell, Roger M.
Schaffer, E. L.
Schajer, G. S.
Simpson, William T.
Sommer, Susan L.
Trenard, Yvonne
Wang, Shih-chi
Wang, Shih-Chi
White, Robert H.
Woeste, Frank E.

**VOLUME 16
ISSUE 4- 1984**

Authors

Barnes, Douglas P.
Blankenhorn, Paul R.
Cutter, Bruce E.
Ehrnrooth, Elsa M. L.
Garges, L. Dale
Gerhardt, Terry D.
Glasser, Wolfgang G.
Goodell, Barry S.
Grozdzits, George A.
Ifju, Geza
Jourdain, Charles J.
Kellogg, Robert M.
Kline, Donald E.
Kolseth, Petter
Labosky, Jr., Peter
Liu, J. Y.
Lombard, Frances F.
Moore, Gregory R.
Olson, James R.
Rials, Timothy G.
Scheffer, Theodore C.
Simpson, William T.
Sinclair, Steven A.
Snodgrass, D. V.
Turc, Carlos O.
Ward, James C.
Warren, William G.
Woeste, F. E.

**VOLUME 16
ISSUE 1 – 1984**

Keywords

Populus
Tsuga canadensis
Barkboard
Drying
Energy
Growth rate
Knot effects
Oxygen diffusion
Plywood
Specific gravity
St. Venant's Principle
Temperature dependency
Termite control
Wood failure
adhesives
balsam fir
bark extractives
bond strength
cambium
cell perimeters
cell size
cell walls
cell-wall area
cell-wall density
cell-wall thickness
cellulose pads
chipping
epoxy
extractives
fiber diameter
harvest
heat conduction
impregnation
juvenile wood
laminated beams
loblolly pine
lumens
modulus of elasticity
modulus of rupture
net heat
orientation of knots
red oak
red spruce

sheathing
silver maple
soft-woods
southern pine
specific gravity
static bending properties
steam
structural properties
sweetgum
temperature
white oak
wood preservatives
wood-polymer composites
xylem
yellow poplar

**VOLUME 16
ISSUE 2 – 1984**

Keywords

Acer rubrum
Betula papyrifera
Liquidambar styraciflua L.
Populus tremuloides
Quercus falcata
Ulmus americana
Bark
Cell-wall density
Chemical modification
Douglas-fir
EEC
Fire retardants
International trade
Pyrolysis
Roof loads
Specific gravity
Sweetgum
Wood construction
Wood-base plates
Xylan
adjustment factors
anatomy
aspen
autohydrolysis
bending
birch
bonding agents
cell-wall area
cell-wall density
cell-wall shrinkage
cell-wall voids
econometrics
elasticities
elm
epoxides
fasteners
fatty acids
flow rate
hardwoods
isocyanates
kinetics
lumber
lumber

maple
moisture content
newsprint
optometric measurements
paper
paperboard
plywood
ponderosa pine
prehydrolysis
product yields
reliability
sorption compression
southern pine
southern red oak
strength behavior
tall oil
temperature
thermal properties
thermogravimetric analysis
time
ultrastructure
water prehydrolysis
wood extract
wood substance density
wood-base panels

VOLUME 16
ISSUE 3 – 1984

Keywords

Abies pectinata D.C.
Pinus sylvestris L.
Bark
Correlation coefficient
Drying
Education
Fagus sylvatica L.
Fasteners
Fire resistance
Isocyanates
Milled wood lignin
Oleoresin
Scanning electron
microscopy
Tensioning
Trusses
Wood Science and
Technology
Wood materials
adhesion
analysis
anatomy
bark strength
bark toughness
bending strength
cell structure
circular saw
computer simulation
concomitance
connections
critical speed
decay resistance
decomposition
deflections
degradation
dimensional stability
drying defects
energy
enrollments
fibers
fire endurance
floor
framed structures

frames
hardwoods
high-temperature drying
honeycomb
infrared spectroscopy
lignin carbohydrate
complex
liquid gallium
mechanical properties
morphology
nails
natural frequency
oak
paraquat
penetration of wood
periderm
phloem
press drying
rapid drying
reinforcement
resin acids
resin soaking
roller deformation
rolling contact
rotating disc
scanning electron
micrographs
sclereids
shear forces
shear strength
sheathing
southern pine
specific gravity
stiffness
structural analysis
student recruiting
studs
tensile strength
thermal analysis
truss plates
turpentine
walls
wood

VOLUME 16
ISSUE 4 – 1984

Keywords

Algarrobo blanco
Cedro misionera
Platanus occidentalis L.
Quebracho blanco
Quebracho colorado
Cellulose fibers
Decay
Drying
Dynamic mechanical
analysis
Epoxy
Grading
Heat of combustion
Loblolly pine
MOE
MOR
Parana pine
Peterebi
SAWSIM
Shear strength
Western hemlock (Thuja
occidentalis (Raf.) Sarg.)
Wetwood
Wood quality
adiabatic calorimetry
adsorption
bacteria
balsam fir
bending strength
bow
crook
desorption
drying stresses
eccentricity
elastic strength
electric resistance
fiber length
fungi
growth increments
growth rate
handsheets
hydrogen bonds
impregnation

kiln-drying
lignin
longitudinal shrinkage
lumber value
moisture content
network structure
oak
poles
progeny test
shear test
sheet tensile strength
shrinkage
sorption isotherms
specific gravity
spruce budworm
stem characteristics
stiffness
sweep
taper
tensile tests
thermosetting polymers
usable heat content
warp
western redcedar
wood
wood grain
wood-polymer composites

VOLUME 16

ISSUE 1 – 1984

THE EFFECT OF SPECIES AND SUBSTRATE DENSITY ON THE FLEXURAL PROPERTIES OF EPOXY-IMPREGNATED BARKBOARD. John R. Bartolomucci, Gregory R. Moore, Paul R. Blankenhorn, Donald E. Kline, Lester E. Rishel

WOOD FAILURE UNDER TORSIONAL LOADING AS A FUNCTION OF TEMPERATURE. Zoltan Koran,

DIFFERENTIATION OF TRACHEIDS IN DEVELOPING SECONDARY XYLEM OF TSUGA CANADENSIS L. CARR. CHANGES IN MORPHOLOGY AND CELL-WALL STRUCTURE. George A. Grozdits, Geza Ifju

GROWTH RATE AND BENDING PROPERTIES OF SELECTED LOBLOLLY PINES. R. G. Pearson, B. E. Ross

MACROSCOPIC AND MICROSCOPIC ANALYSES OF COLOR CHANGES OF WOOD PRESSURE STEAM-DRIED ABOVE ATMOSPHERIC PRESSURE. E. Allen McGinnes, Jr., Howard N. Rosen

STRESS CONCENTRATION AROUND KNOTS IN LAMINATED BEAMS. R. C. Tang.

TEMPERATURE DEPENDENCY OF BOND STRENGTH OF POLYVINYL ACETATE EMULSION ADHESIVES FOR WOOD. Kenji Motohashi, Bunichiro Tomita, Hirochi Mizumachi, Hiroshi Sakaguchi,

PROPERTIES OF SHEATHING-GRADE PLYWOOD MADE FROM SWEETGUM AND SOUTHERN PINE. Evangelos J. Biblis, Wu-Chung Lee

MOISTURE LOSS IN ASPEN LOGGING RESIDUE. Steven A. Sinclair, Curt C. Hassler, Kip Bolstad

ROLE OF OXYGEN DIFFUSION IN SELF-HEATING OF FOREST PRODUCTS. Hans Kubler

ANTITERMITIC PROPERTIES OF CELLULOSE PADS TREATED WITH BARK EXTRACTIVES. Scott D. Steller, Peter Labosky

SHRINKAGE AND RELATED PROPERTIES OF DOUGLAS-FIR CELL WALLS. J. Thomas Quirk

ISSUE 2 – 1984

DEMAND FUNCTIONS FOR UNITED STATES FOREST PRODUCT EXPORTS TO THE EUROPEAN ECONOMIC COMMUNITY. Jieh Jen Chou, Joseph Buongiorno

EFFECT OF PROCESS CONDITIONS ON THE YIELD OF PYROLYTIC PRODUCTS FROM SOUTHERN PINE. Thomas Elder

FOREST PRODUCTS FOR BUILDING CONSTRUCTION. J. Dobbin McNatt, William L. Galligan, Gunard E. Hans

BONDING FIRE RETARDANTS TO WOOD. PART I. THERMAL BEHAVIOR OF CHEMICAL BONDING AGENTS. Roger M. Rowell, Ronald A. Susott, William F. DeGroot, Fred Shafizadeh,

CELL-WALL DENSITY OF DOUGLAS-FIR BY TWO OPTOMETRIC METHODS. J. T. Quirk

TRUNCATING CLASSICAL SOLUTIONS OF BENDING OF SQUARE WOOD-BASE PLATES. Andy W. C. Lee

ULTRASTRUCTURAL OBSERVATIONS OF PARENCHYMA AND SCLEREIDS IN DOUGLAS-FIR (PSEUDOTSUGA MENZIESII (MIRB.) FRANCO) BARK. Edward F. Dougal, Robert L. Krahmer

EFFECTS OF MOISTURE ON THE CHEMICAL MODIFICATION OF WOOD WITH EPOXIDES AND ISOCYANATES. Roger M. Rowell, W. Dale Ellis

KINETIC MODELING OF HARDWOOD PREHYDROLYSIS. PART I. XYLAN REMOVAL BY WATER PREHYDROLYSIS. Anthony H. Conner

ROOF LOADS FOR RELIABILITY ANALYSIS OF LUMBER PROPERTIES DATA. Michael B. Thurmond, Frank E. Woeste, David W. Green

TALL OIL PRECURSORS IN SWEETGUM. Daniel O. Foster, Duane F. Zinkel A NOTE ON CELL WALL AND WOOD SUBSTANCE DENSITIES. F. C. Beall

ISSUE 3 – 1984

INFLUENCE OF TRUSS PLATE CONNECTORS ON THE ANALYSIS OF LIGHT FRAME STRUCTURES. Khalil Maraghechi, Rafik, Y. Itani

ANALYSIS OF OPTIMAL ROLL TENSIONING FOR CIRCULAR SAW STABILITY. G. S. Schajer, C. D. Mote, Jr.

MORPHOLOGICAL AND BARK STRENGTH CHARACTERISTICS IMPORTANT TO WOOD/BARK ADHESION IN HARDWOODS. D. W. Einspahr, R. H. Van Eperen, M. L. (Harder) Fiscus

REACTION OF ISOCYANATES WITH SOUTHERN PINE WOOD TO IMPROVE DIMENSIONAL STABILITY AND DECAY RESISTANCE. W. Dale Ellis, Roger M. Rowell

THE STRUCTURE AND FORMATION OF MELALEUCA BARK. Su-hwa Tsai Chiang, Shih-chi Wang

REPLICATE FIRE ENDURANCE TESTS OF AN UNPROTECTED WOOD JOIST FLOOR ASSEMBLY. Robert H. White, E. L. Schaffer, Frank E. Woeste

REINFORCEMENT OF WOOD MATERIALS: A REVIEW. William M. Bulleit

ENERGY VALUE OF PARAQUAT-TREATED AND RESIN-SOAKED LOBLOLLY PINE. Susan V. Kossuth, Donald R. Roberts, Jacob B. Huffman, Shih-Chi Wang

PENETRATION PATHWAYS OF LIQUID GALLIUM IN WOOD SEEN BY SCANNING ELECTRON MICROSCOPY. Yvonne Trenard, Paul Gueneau

MAINTAINING LUMBER QUALITY IN PRESS DRYING BY MANIPULATING SAWING PATTERNS. William T. Simpson

INVESTIGATION OF THE PROCEDURE FOR ESTIMATING CONCOMITANCE OF LUMBER STRENGTH PROPERTIES. David W. Green, James W. Evans, Richard A. Johnson

MECHANISM OF THERMAL DECOMPOSITION OF LIGNIN. Mamdouh M. Nassar, G. D. M. MacKay,

NONLINEAR RACKING ANALYSIS OF NAILED WALLS. Rafik Y. Itani, Sergio A. ObregonWOOD

SCIENCE CURRICULA: A PLAN FOR IMPROVED ENROLLMENT. Susan L. Sommer, James P. Armstrong

ISSUE 4 – 1984

A STUDY OF LOBLOLLY PINE GROWTH INCREMENTS—PART V. EFFECTS OF CHEMICAL AND MORPHOLOGICAL FACTORS ON TENSILE BEHAVIOR OF PAPER. Peter Labosky, Jr., Geza Ifju, George A. Grozdits,

MACHINE STRESS RATING (MSR) OF GREEN DOUGLAS-FIR. D. V. Snodgrass, F. E. Woeste

WOOD PROPERTY VARIATION AMONG FORTY-EIGHT FAMILIES OF AMERICAN SYCAMORE. Charles J. Jourdain, James R. Olson

EFFECT OF EPOXY IMPREGNATION ON THE MOE AND MOR OF INTACT AND FAILED YELLOW-POPLAR (*LIRIODENDRON TULIPIFERA* L.) SAPWOOD BEAMS. Gregory R. Moore, L. Dale Garges, Paul R. Blankenhorn, Donald E. Kline

GROSS HEAT OF COMBUSTION OF LIVING AND SPRUCE BUDWORM-KILLED BALSAM FIR. Douglas P. Barnes, Steven A. Sinclair

MECHANISM OF CROOK DEVELOPMENT IN LUMBER DURING DRYING. William T. Simpson, Terry D. Gerhardt

CHARACTERIZING WOOD COMPONENTS AS NETWORK POLYMERS BY DYNAMIC MECHANICAL ANALYSIS. Timothy G. Rials, Wolfgang G. Glasser

FUNGI AND DECAY IN WESTERN REDCEDAR UTILITY POLES. Theodore C. Scheffer, Barry S. Goodell, Frances F. Lombard

THE TENSILE TESTING OF SINGLE WOOD PULP FIBERS IN AIR AND IN WATER. Elsa M. L. Ehrnrooth, Petter Kolseth

NEW SHEAR STRENGTH TEST FOR SOLID WOOD. J. Y. Liu

SORPTION AND SHRINKAGE STUDIES OF SIX ARGENTINE WOODS. Carlos O. Turc, Bruce E. Cutter,

EVALUATING WESTERN HEMLOCK STEM CHARACTERISTICS IN TERMS OF LUMBER VALUE.

Robert M. Kellogg, William G. Warren

INFLUENCE OF WETWOOD ON PULSED-CURRENT RESISTANCES IN LUMBER BEFORE AND DURING KILN-DRYING. James C. Ward

**VOLUME 17
ISSUE 1- 1985**

Authors

Barnes, Douglas P.
Biblis, E. J.
Blankenhorn, Paul R.
Chang, Shang-Tzen
El-Lakany, M. H.
El-Miligy, A. A.
El-Morshedy, M. M.
El-Osta, M. Lotfy M.
Govett, Robert L.
Hale, M. E.
Hon, David N.-S.
Ito, Takaaki
Kamiya, Fumio
Kandeel, S. E.
Kawashima, Misako
Kuklewski, Kenneth M.
Kydon, D. W.
Levi, Michael P.
Lombard, Frances F.
Maeda, Takayoshi
Morrell, Jeffrey J.
Peemoeller, H.
Price, Eddie W.
Rishel, Lester E.
Rybicky, Jaroslav
Schneider, M. H.
Shamoun, Shamoun F.
Sharp, A. R.
Sinclair, Steven A.
Terracina, Fred
Tsuji, Kozo
Wang, C. J. K.
Zabel, Robert A.
Zabel, Robert A.

**VOLUME 17
ISSUE 2- 1985**

Authors

Beaumont, Olivier
Blankenhorn, Paul R.
Boone, R. Sidney
Bowersox, Todd W.
Brebner, K. I.
Cheng, Jia-Chen
Elder, T. J.
Feist, W. C.
Harun, Jalaludden
Haygreen, John G.
Kamiya, Fumio
Kuklewski, Kenneth M.
Labosky, Jr., Peter
Lee, Andy W. C.
Leney, Lawrence
Liu, Zhihua
Liu, Jen Y.
Maeglin, Robert R.
Moschler, Jr., William W.
Murphey, Wayne K.
Nassar, Mamdouh M.
Perng, W. R.
Schneider, M. H.
Schniewind, Arno P.
Siripatanadilok, Somkid
Stimely, Gwen L.
Vincent, Lawrence W.
Williams, R. S.
Woods, Frank W.
Worley, S. D.

**VOLUME 17
ISSUE 3- 1985**

Authors

Baldwin, Robert C.
Bendtsen, B. Alan
Blankenhorn, Paul R.
Bowersox, Todd W.
Carvell, K. L.
Choong, Elvin T.
Doyle, J.
Ebermann, R.
Goodell, Barry S.
Griffith, Michael C.
Hamilton, J. R.
Harun, Jalaluddin
Hoyle, Jr., Robert J.
Itani, Rafik Y.
James, William L.
Kuklewski, Kenneth M.
Labosky, Jr., Peter
Lee, Andy W. C.
Nadler, Kirk C.
Nix, L. E.
Resch, Helmuth
Ruvo, Alf de
Salmén, Lennart
Stich, K.
Stimely, Gwen L.
Streisel, Robert C.
Thomas, C. K.
Villiers, K.
Walker, J. C. F.
Wetzel, David M.

**VOLUME 17
ISSUE 4- 1985**

Authors

Bendtsen, B. Alan
Blankenhorn, Paul R.
Blankenhorn, Paul R.
Booker, T. A.
Carpenter, Stanley B.
Caulfield, D. F.
Chen, Peter Y. S.
Conner, Anthony H.
Crist, J. B.
Cutter, B. E.
DeGroot, Rodney C.
Einspahr, D. W.
Elder, T. J.
Gibson, David G.
Harris, Robert A.
Haygreen, John G.
Helmer, Wayne A.
Isebrands, J. G.
Krahmer, Robert L.
Lee, Andy W. C.
Libkie, Kimball
MacKay, G. D. M.
Mjöberg, P. J.
Nassar, Mamdouh M.
Olson, James R.
Phelps, J. E.
Resch, Helmuth
Samson, Marcel
Senft, John F.
Springer, Edward L.
Stimely, Gwen L.
Sturos, J. A.
Thompson, Warren S.
Winter, R.

VOLUME 17
ISSUE 1 – 1985

Keywords

Alternaria
Casuarina cunninghamiana
Chaetomium
Phialocephala
Phialophora
American beech
Balsam fir
Basidiomycetes
Beams
Composite plywood
Decay
Deflection
Formaldehyde release
Plywood
Red maple
Soft rot
Weathering
Wood
analytical method
anatomical damage
aspen
chemical analysis
chromium trioxide
compression
compression perpendicular
to the grain
core
creosote
decay patterns
deformation
dimension lumber
earlywood
extraction
fasteners
ferric chloride
flakeboard
flakeboard
formic acid
gamma radiation
infrared and ultraviolet
spectrophotometers
kinetics
latewood

loads
loblolly pine
mechanical properties
microfungi
microscopy
nonlinear analysis
nuclear magnetic resonance
(NMR)
particleboard
pentachlorophenol
property changes
restricted diffusion
soft rot
southern pine
southern pine beetle
southern pine plywood
spruce budworm
static bending
strand
sweetgum
tensile strength
tensile strength loss
test
toluene
utility poles
veneer
weight loss

VOLUME 17
ISSUE 2 – 1985

Keywords

Pinus caribaea Mor.
Populus
Populus hybrids
Tsuga heterophylla
Aspen wood
Bagasse
Barks
Beams
Beta-methyl glucopyranoside
CCA-treating
Compression drying
Compression wood
DTA
Douglas-fir
Kiln-drying
Pyrolysis
Southern pine
TGA
Weathering
across-ring variation
air-drying
alpha-cellulose
anatomy
around-stem variation
ash
beech
bending
buckling
chemical constituents
chromic acid
chromium nitrate
columns
combustion
compression
creep
cyclic environment
deflection
deformation
diffusion
dimensional stability
duration of load
equilibrium moisture content
extractives
failure
fasteners
fiber length
fibril angle

flow
foxtails
glueline shear
gross heat of combustion
growth stresses
holocellulose
impregnation
inorganic salts
lignin
lignin content
lignin plasticization
loads
microfibril angle
modified wood
molecular orbital calculations
nonlinear analysis
opposite wood
particle size
permeability
plywood
pressure
protonation
pyrolysis
red maple (*Acer rubrum*)
red oak (*Quercus rubra*)
red pine (*Pinus resinosa*)
relative humidity
rice hulls
rice straw
shagbark hickory (*Carya ovata*)
temperature
tracheid length
treatability
tyloses
water repellency
white pine (*Pinus strobus*)
wood
wood anatomy
wood chips
wood density
wood-polymer combinations

VOLUME 17
ISSUE 3 – 1985

Keywords

Acer rubrum
Carya ovata
Lenzites trabea
Pinus resinosa
Pinus strobus
Populus maximowiczii ×
trichocarpa
Populus hybrids
Quercus robur
Quercus rubra
Ball
Bark extractives
Beams
Brinell
Cell walls
Cement excelsior board
Dielectric properties
Douglas-fir
Incipient decay
Janka
Kiln drying
Meyer
Monnin
Peroxidase distribution
Portland cement
Red oak
Southern pine
Staining
advance reproduction
air velocity
bending properties
cellulose
cellulose fibers
cement/wood ratio
clones
compression
conductance
cone
creep
cylinder
deflection
dielectric constant

differential scanning
calorimetry (DSC)
diffusion
dormant season
elastic strength
fungi
hardness
heat
hemicelluloses
humidity
hybrid poplar
iron
lignins
mechanical stress
models
oak
relative creep
resistance
seasonal variation
site
solar power
southern pine
tension
tension wood
termites
thermal analysis
tracheid differentiation
volcano
wedge
white oak
wood
wood formation

VOLUME 17
ISSUE 4 – 1985

Keywords

Paulownia tomentosa
Populus hybrid
Beneficiation
Compression
Creep rupture
Douglas-fir
EMC
Inorganic salts
Machine stress-rating
Microfibril angle
Products research
Pyrolysis
Solar energy
White pine
Within-tree variation
Xylan
absolute reaction rates
absorption refrigeration
aspen (Populus
tremuloides)
bending rupture
birch (Betula papyrifera)
brown rot
cell walls
char
compression damage
compression strength
dehumidification drying
dielectric
duration of load
economic analysis
elm (Ulmus americana)
extractive content
fiber damage
fiber length
flame retardation
grading machines
gross heat of combustion
growth rate
hardness
hardwoods
hydrochloric acid
infrared analysis

kiln drying
kinetics
kraft pulp
lumber
lumber drying
maple (Acer rubrum)
material properties
microscopy
modulus of rupture
permanent strain
prehydrolysis
pulp viscosity
pulpwood
pyrolysis
radio-frequency/vacuum
rate of loading
raw material quality
scanning electron
microscopy
shear
southern pine
southern red oak (Quercus
falcata)
southern yellow pine
specific gravity
static bending
strength loss
stress-strain behavior
tensile strength
university research
utilization research
vacuum airlift segregation
(VAS)
whole-tree chips
wood
wood combustion
wood properties

VOLUME 17

ISSUE 1 – 1985

MATHEMATICAL DESCRIPTION OF THE CHANGE IN PROPERTIES OF CASUARINA WOOD UPON EXPOSURE TO GAMMA RADIATION. 1. CHANGES IN THE COMPRESSIVE AND TENSILE STRENGTH. M. Lotfy M. El-Osta, A. A. El-Miligy, S. E. Kandeel, M. H. El-Lakany, M. M. El-Morshedy

COMPARISON OF SELECTED PHYSICAL AND MECHANICAL PROPERTIES OF RED MAPLE (ACER RUBRUM L.) AND ASPEN (POPULUS GRANDIDENTATA MICHX.) FLAKEBOARD. Kenneth M. Kuklewski, Paul R. Blankenhorn, Lester E. Rishel

A CHEMICAL AND MICROSCOPIC STUDY OF DECAYED EARLYWOOD AND LATEWOOD OF LOBLOLLY PINE KILLED BY THE SOUTHERN PINE BEETLE. Shamoun F. Shamoun, Michael P. Levi,

KINETICS FOR DESICCATOR, JAR AND ALIKE TESTS FOR FORMALDEHYDE RELEASE FROM PARTICLEBOARD. Jaroslav Rybicky

MECHANICAL PROPERTIES OF SMALL CLEAR SPECIMENS AND VISUALLY GRADED LUMBER FROM LIVING AND SPRUCE BUDWORM-KILLED BALSAM FIR. Douglas P. Barnes, Steven A. Sinclair, Robert L. Govett

COMPOSITE PLYWOOD WITH SOUTHERN PINE VENEER FACES AND ORIENTED STRAND CORE FROM SWEETGUM AND SOUTHERN PINE. E. J. Biblis

CREEP BEHAVIOR OF FLAKEBOARDS MADE WITH A MIXTURE OF SOUTHERN SPECIES. Eddie W. Price

FUNGI ASSOCIATED WITH DECAY IN TREATED SOUTHERN PINE UTILITY POLES IN THE EASTERN UNITED STATES. Robert A. Zabel, Frances F. Lombard, C. J. K. Wang, Fred Terracina

PHOTOPROTECTION OF WOOD SURFACES BY WOOD-ION COMPLEXES. David N.-S. Hon, Shang-Tzen Chang

ANALYTICAL METHOD OF ACTIVE INGREDIENT IN GLUE-LINE-TREATED PLYWOOD. Takayoshi Maeda, Misako Kawashima, Takaaki Ito, Kozo Tsuji

STUDY OF RESTRICTED DIFFUSION IN WOOD. H. Peemoeller, M. E. Hale, M. H. Schneider, A. R. Sharp, D. W. Kydon

ANALYTICAL STUDIES ON THE NONLINEAR BENDING BEHAVIOR OF NAILED LAYERED COMPONENTS: PART I. NAILED LAYERED BEAMS. Fumio Kamiya

WOOD STRENGTH AND WEIGHT LOSSES CAUSED BY SOFT ROT FUNGI ISOLATED FROM TREATED SOUTHERN PINE UTILITY POLES. Jeffrey J. Morrell, Robert A. Zabel

ISSUE 2 - 1985

COMPARISON OF SELECTED FUEL AND CHEMICAL CONTENT VALUES FOR SEVEN POPULUS HYBRID CLONES. Paul R. Blankenhorn, Todd W. Bowersox, Kenneth M. Kuklewski, Gwen L. Stimely
Wayne K. Murphey

CREEP BUCKLING OF SMALL, SLENDER WOOD COLUMNS UNDER CYCLIC ENVIRONMENT. Jia-Chen Cheng, Arno P. Schniewind

ANALYTICAL STUDIES ON THE NONLINEAR BENDING BEHAVIOR OF NAILED LAYERED COMPONENTS PART II. NAILED STRESSED-SKIN COMPONENTS. Fumio Kamiya

WOOD MODIFIED BY INORGANIC SALTS: MECHANISM AND PROPERTIES. I. WEATHERING RATE, WATER REPELLENCY, AND DIMENSIONAL STABILITY OF WOOD MODIFIED WITH CHROMIUM (III) NITRATE VERSUS CHROMIC ACID. R.S. Williams, W. C. Feist

THE APPLICATION OF MOLECULAR ORBITAL CALCULATIONS TO WOOD CHEMISTRY. II. THE PROTONATION OF BETA-METHYL GLUCOPYRANOSIDE. T. J. Elder, S. D. Worley

EFFECT OF CCA-TREATING AND AIR-DRYING ON THE PROPERTIES OF SOUTHERN PINE LUMBER AND PLYWOOD. Andy W. C. Lee

DRYING RATES OF WOOD CHIPS DURING COMPRESSION DRYING. Zhihua Liu, John G. Haygreen,

FLASH PYROLYSIS PRODUCTS FROM BEECH WOOD. Olivier Beaumont

HIGH-TEMPERATURE DRYING AND EQUALIZING: EFFECTS ON STRESS RELIEF IN YELLOW-POPLAR LUMBER. Robert R. Maeglin, Jen Y. Liu, R. Sidney Boone

COMPRESSION WOOD IN WESTERN HEMLOCK TSUGA HETEROPHYLLA (RAF.) SARG.. Somkid Siripatanadilok, Lawrence Leney

KINETIC STUDIES ON THERMAL DEGRADATION OF NONWOOD PLANTS. Mamdouh M. Nassar,

CHEMICAL CONSTITUENTS OF FIVE NORTHEASTERN BARKS. Jalaludden Harun, Peter Labosky, Jr.,

ASPEN WOOD ANATOMY AND FLUID TRANSPORT. W. R. Perng, K. I. Brebner, M. H. Schneider,

FIBER LENGTH IN NORMAL AND FOXTAIL PINUS CARIBAEA MOR.. William W. Moschler, Jr., Frank W. Woods, Lawrence W. Vincent

ISSUE 3 - 1985

PRIMARY CREEP IN DOUGLAS-FIR BEAMS OF COMMERCIAL SIZE AND QUALITY. Robert J. Hoyle, Jr., Michael C. Griffith, Rafik Y. Itani

DETECTION OF FUNGAL DEGRADATION AT LOW WEIGHT LOSS BY DIFFERENTIAL SCANNING CALORIMETRY. Robert C. Baldwin, Robert C. Streisel

ANTITERMITIC AND ANTIFUNGAL PROPERTIES OF SELECTED BARK EXTRACTIVES. Jalaluddin Harun, Peter Labosky, Jr.

A MODEL FOR THE PREDICTION OF FIBER ELASTICITY. Lennart Salmén, Alf de Ruvo

EFFECTS OF ROTATION, SITE, AND CLONE ON THE CHEMICAL COMPOSITION OF POPULUS HYBRIDS. Paul R. Blankenhorn, Todd W. Bowersox, Kenneth M. Kuklewski, Gwen L. Stimely

EFFECT OF CEMENT/WOOD RATIO ON BENDING PROPERTIES OF CEMENT-BONDED SOUTHERN PINE EXCELSIOR BOARD. Andy W. C. Lee

DOES MECHANICAL STRESS AFFECT THE DIELECTRIC PROPERTIES OF WOOD?. William L. James, INDENTATION HARDNESS OF WOOD. J. Doyle, J. C. F. Walker

STAINING OF TIMBER IN THE MOUNT ST. HELENS MUDFLOWS. Barry S. Goodell, Helmuth Resch, B. Alan Bendtsen

TENSION WOOD FORMATION FOLLOWING RELEASE OF UPLAND OAK ADVANCE REPRODUCTION. J. R. Hamilton, C. K. Thomas, K. L. Carvell

DISTRIBUTION AND SEASONAL VARIATION OF WOOD PEROXIDASE ACTIVITY IN OAK (QUERCUS ROBUR). R. Ebermann, K. Stich

TRACHEID DIFFERENTIATION IN SOUTHERN PINES DURING THE DORMANT SEASON. L. E. Nix, K. Villiers

MATHEMATICAL MODELING OF THE DIFFUSION OF WATER IN WOOD DURING DRYING. Kirk C. Nadler, Elvin T. Choong, David M. Wetzal

ISSUE 4 - 1985

SPECIFIC GRAVITY, FIBER LENGTH, AND EXTRACTIVE CONTENT OF YOUNG PAULOWNIA. James R. Olson, Stanley B. Carpenter

STUDIES ON THE MECHANISM OF FLAME RETARDATION IN WOOD. Mamdouh M. Nassar, G. D. M. MacKay

COMPRESSION OF WOOD WITH SUPERIMPOSED SMALL SINUSOIDAL OSCILLATIONS. PART I. ROOM TEMPERATURE. R. Winter, P. J. Mjöberg

COMPUTER SIMULATION OF A NEW METHOD TO DRY LUMBER USING SOLAR ENERGY AND ABSORPTION REFRIGERATION. Wayne A. Helmer, Peter Y. S. Chen

EFFECTS OF SPECIES, SPECIMEN SIZE, AND HEATING RATE ON CHAR YIELD AND FUEL PROPERTIES. Gwen L. Stimely, Paul R. Blankenhorn

FINITE ELEMENT MODEL FOR PREDICTING MODULUS OF ELASTICITY OF LUMBER MEASURED BY STRESS-GRADING MACHINES. Marcel Samson

A CHEMICAL KINETICS APPROACH TO THE DURATION-OF-LOAD PROBLEM IN WOOD. D. F. Caulfield

EARLY DETECTION OF BROWN ROT DECAY IN DOUGLAS-FIR AND SOUTHERN YELLOW PINE BY INFRARED SPECTROPHOTOMETRY. David G. Gibson, Robert L. Krahmer, Rodney C. DeGroot

WOOD AND PAPER PROPERTIES OF VACUUM AIRLIFT SEGREGATED JUVENILE POPLAR WHOLE-TREE CHIPS. J. E. Phelps, J.G. Isebrands, D. W. Einspahr, J. B. Crist, J. A. Sturos.

KINETIC MODELING OF HARDWOOD PREHYDROLYSIS. PART II. XYLAN REMOVAL BY DILUTE HYDROCHLORIC ACID PREHYDROLYSIS. Anthony H. Conner, Kimball Libkie, Edward L. Springer

PROPERTIES OF WHITE PINE LUMBER DRIED BY RADIO-FREQUENCY/VACUUM PROCESS AND CONVENTIONAL KILN PROCESS. Robert A. Harris, Andy W. C. Lee

PROPERTIES OF CHAR PRODUCED FROM PYROLYSIS OF SOUTHERN PINE. T. J. Elder, T. A. Booker, B. E. Cutter

MEASURING MICROFIBRILLAR ANGLES USING LIGHT MICROSCOPY. John F. Senft, B. Alan Bendtsen

FOREST PRODUCTS RESEARCH AT U.S. UNIVERSITIES IN 1982. Helmuth Resch, Paul R. Blankenhorn, John G. Haygreen, Warren S. Thompson

**VOLUME 18
ISSUE 1- 1986**

Authors

Avramidis, Stavros
Babos, Károly
Bao, Fucheng
Bendtsen, B. A.
Bilgesu, Ali
Blankenhorn, Paul R.
Bowersox, Todd W.
Chow, Poo
DeBonis, A. Louis
DeGroot, Rodney C.
Eguiluz-Piedra, T.
Goodell, Barry S.
Graham, Robert D.
Green, David W.
Green, David W.
Janowiak, John J.
Krahmer, Robert L.
Krueger, G. P.
Krzysik, Andrzej
Kuster, Thomas A.
Labosky, Jr., Peter
Laufenberg, T. L.
Link, Carol L.
MacKay, G. D. M.
McLain, Thomas E.
Murmanis, Lidija
Nassar, Mamdouh M.
Ossenbruggen, Paul J.
Peters, Mark A.
Price, Eddie W.
River, Bryan H.
Rowell, Roger M.
Rowlands, R. E.
Senft, John
Shigo, Alex L.
Siau, John F.
Snook, Steven K.
Stewart, Harold A.
Thurmond, Michael B.
Van Deweghe, R. P.
Wilkins, A. P.
Winter, R.
Woeste, Frank E.
Yang, Kung-Chi
Youngquist, John A.
Zobel, B. J.

**VOLUME 18
ISSUE 2- 1986**

Authors

Avramidis, Stavros
Bao, Fucheng
Bendtsen, B. A.
Chang, Sun Joseph
Conner, Anthony H.
Cunningham, R. B.
Dodd, Richard S.
Fan, L. T.
Geyer, Wayne A.
James, William L.
Kim, K. Y.
Kline, D. E.
Kuo, Mon-lin
Lorenz, Linda F.
Manwiller, Floyd G.
Murmanis, Lidija
Myers, Gary C.
Siau, John F.
Singh, Satish K.
Walawender, Walter P.
Wang, Paul C.
Ward, James C.
Wingate-Hill, R.
Woeste, F. E.
Youngquist, John A.

**VOLUME 18
ISSUE 3- 1986**

Authors

Armstrong, James P.
Barnes, H. M.
Cramer, Steven M.
Eckard, James J.
Erickson, John R.
Fernandez, E. C.
Gammon, Barry
Gibson, Mark D.
Goodman, James R.
Hoyle, Jr., Robert J.
Itani, Rafik Y.
Kamp, B. J. van der
Laver, Murray L.
Lee, Chen Hui
McMillin, Charles W.
Murmanis, Lidija
Myers, Gary C.
Nautiyal, J. C.
Samson, Marcel
Schniewind, Arno P.
Shoulders, Eugene
Singh, B. K.
Steinhagen, H. Peter
Walton, David R.
Youngquist, John A

**VOLUME 18
ISSUE 4- 1986**

Authors

Bamber, R. K.
Boyd, Stephen J.
Fang, Henry Hai-Loong
Gebremedhin, K. G.
Idei, Toshinaga
Irish, W. W.
Keenan, Frederick J.
Kellison, Robert C.
Kyokong, Buhnum
Laver, Murray L.
Lowerts, George
McMahon, T. A.
Moore, G. A.
Okamoto, Yukie
Passialis, C.
Wheeler, E. A.
Wilkins, A. P.
Yoshizawa, Nobuo

VOLUME 18
ISSUE 1 – 1986

Keywords

Paulownia tomentosa
Pinus tecunumanii
Abrasive planing
Accelerated aging
Analytical models
Balsam fir
Black spruce
Broken fibers
Compression
Douglas-fir
Fiber-reinforced
Flakeboards
Floor loads
Hybrid poplar
Kevlar®
Nonisothermal diffusion
Pentachlorophenol
Plantation grown
Sunspot activity
X-ray analysis
activated moisture content
activation energy of
diffusion
adhesive
adjustment factors
anatomical properties
annual ring width
bending
blind pit
bordered pit pair
brittle heart
cell walls
chemical potential
chemical treatment
chloropicrin
collapse
composites
cracking
decay
decay-control
depth of cut
dimension lumber
dimensional stability

eastern cottonwood
energy dispersive
exterior particleboard
failure
feed speed
fiber damage
forecasting
fumigant
geographic variation
glass
glueline
graphite
grit size
half-bordered pit pair
hard maple
hardwood composite
inorganic salts
internal bond
juvenile wood
laminated-veneer lumber
loblolly pine
lumber
maceration
management strategies
mass spectroscopy
mature wood
mechanical properties
moisture content
papermaking
physical property
preservatives
pulp
pyrolysis
red oak
reliability
reliability analysis
residue
roof loads
scanning electron
microscopy (SEM)
shear strength
simple pit pair
sinusoidal oscillations
soil sites
southern yellow pine
specific gravity

strength
sunspot maximums and
minimums
surface quality
thickness swell
thin-layer chromatography
tylosis wall
vanillin
waferboard
wind
wood
wood properties
yellow poplar

VOLUME 18
ISSUE 2 – 1986

Keywords

Araucaria cunninghamii
Eucalyptus regnans
Pinus radiata
Pinus resinosa
Quercus falcata Michx.
Bacterial wetwood
Chinese woods
Cottonwood
Dielectric properties
Fiber length
Hankinson Formula
Hardboards
NMR imaging
Osgood Formula
Permeability
Prehydrolysis
S3 layer
Stochastic
acetic acid prehydrolysis
aspen
autohydrolysis
automation
birch
capillary structure
chemical treatment
classification
compression
compression rate
continuous monitoring
delignification
digitizing
dog-boned
dry-formed
drying
electrode design
electron microscopy
embedding
energy input
fluidized bed
fluorescence microscopy
grain angle
kinetics
lengthwise modeling

longitudinal gas
permeability
lumber drying
measurement
microfibrillar orientation
modeling
modulus of elasticity
(MOE)
moisture content
moisture gradients
moisture loss
optical methods
orientation
pine
projection systems
resin distribution
sapwood
shift reaction
southern pine
southern red oak
specimen thickness
spruce
steam gasification
tar cracking
temperature dependence
wart formation
warts
water prehydrolysis
wet-formed
white fir
wood structure

**VOLUME 18
ISSUE 3 – 1986**

Keywords
Pinus muricata
Pinus radiata
Beams
Bishop pine
Canadian lumber
Douglas-fir bark
Hardboards
Heat transfer computer
program
Machine stress-rating
Moisture content
Monterey pine
Preservatives
Red pine
Specific gravity-mechanical
property relationship
Strength prediction
Thujaplicin
Trends
bending strength
branch
chemical composition
compression strength
creep
decay resistance
deflection
demand
dry-formed
electron microscopy
export
extractives
failure modeling
federal support
fiber length
fibril angle
forest products
forestry
fracture mechanics
funding
glucomannan
grading machines
hemicellulose
holocellulose

humidity
import
kiln-drying
knot effects
loblolly pine
longleaf pine
low-point modulus of
elasticity
lumber
lumber strength
market analysis
mathematical models
mechanical properties
modulus of elasticity
nonlinear heat conduction
outlook
pentachlorophenol
phase change
pressure treatment
provenance
relative creep
resin distribution
root
sample size
shortleaf pine
site
slash pine
southern pine
species comparison
specific gravity
statistical precision
steam-conditioning
steaming
stem
structure
supply
thawing model
utilization research
western redcedar
wet-formed
wood products
yellow-poplar
zinc naphthenate

**VOLUME 18
ISSUE 4 - 1986**

Keywords
Eucalyptus pilularis
Liriodendron tulipifera L.
Pinus patula
Pseudotsuga menziesii
n-hexane wax
Bark/wood bond
Cambium
Ceiling diaphragm
Cleavage strength
Douglas-fir bark
Glue joints
Increment cores
J-integral
Sterol esters
barrier zones
campesterol
chip/bark segregation
compression wood
deep beam
diaphragm strength
discoloration and decay
failure mode
fracture toughness
geotropic response
growth stress
gymnosperms
in-plane loading
laminated wood
load-deflection
metal sheathing
nonlocal theory
seasonal variation
shear strength
sitosterol
trembling aspen
wax esters
wood anatomy
wood-adhesive joint
wounding
xylem growth
yellow-poplar

VOLUME 18

ISSUE 1 – 1986

EFFECT OF INORGANIC SALTS ON PRODUCT COMPOSITION DURING PYROLYSIS OF BLACK SPRUCE. Mamdouh M. Nassar, Ali Bilgesu, G. D. M. MacKay

COMPRESSION OF WOOD WITH SUPERIMPOSED SMALL SINUSOIDAL OSCILLATIONS. PART II: HIGH TEMPERATURE. R. Winter

MECHANICAL AND ANATOMICAL PROPERTIES IN INDIVIDUAL GROWTH RINGS OF PLANTATION-GROWN EASTERN COTTONWOOD AND LOBLOLLY PINE. B. A. Bendtsen, John Senft,

FIBER-REINFORCED WOOD COMPOSITES. R. E. Rowlands, R. P. Van Deweghe, T. L. Laufenberg, G. P. Krueger

SEM X-RAY MICROANALYSIS OF TRACHEID CELL WALLS IN SOUTHERN YELLOW PINE SAPWOOD TREATED WITH WATER-DISPERSIBLE PENTACHLOROPHENOL. Rodney C. DeGroot, Thomas A. Kuster

GEOGRAPHIC VARIATION IN WOOD PROPERTIES OF PINUS TECUNUMANII. T. Eguiluz-Piedra, B. J. Zobel

THE SUNSPOT ACTIVITY CYCLE AND THE FORMATION OF THE ANNUAL RING WIDTH IN SOME WOOD SPECIES. Károly Babos

EXPERIMENTS IN NONISOTHERMAL DIFFUSION OF MOISTURE IN WOOD. John F. Siau, Fucheng Bao, Stavros Avramidis

DIMENSIONAL STABILITY OF ACETYLATED ASPEN FLAKEBOARD. John A. Youngquist, Andrzej Krzysik, Roger M. Rowell

THE INTERNAL BOND AND SHEAR STRENGTH OF HARDWOOD VENEERED PARTICLEBOARD COMPOSITES. Poo Chow, John J. Janowiak, Eddie W. Price

SURFACE AND SUBSURFACE CHARACTERISTICS RELATED TO ABRASIVE-PLANING CONDITIONS. Lidija Murmanis, Bryan H. River, Harold A. Stewart

THE ULTRASTRUCTURE OF PITS IN PAULOWNIA TOMENTOSA. Kung-Chi Yang, pages 118–126.

BOUND CHLORINATED RESIDUE IN CHLOROPICRIN-TREATED DOUGLAS-FIR. Barry S. Goodell, Robert L. Krahmer, Robert D. Graham

PREDICTING THE EFFECT OF MOISTURE CONTENT ON THE FLEXURAL PROPERTIES OF SOUTHERN PINE DIMENSION LUMBER. David W. Green, Carol L. Link, A. Louis DeBonis, Thomas E. McLain

PULP AND PAPERMAKING PROPERTIES OF A HYBRID POPLAR CLONE GROWN UNDER FOUR MANAGEMENT STRATEGIES AND TWO SOIL SITES. Steven K. Snook, Peter Labosky, Jr., Todd W. Bowersox, Paul R. Blankenhorn

POTENTIAL FAILURE OF A DECAYED TREE UNDER WIND LOADING. Paul J. Ossenbruggen, Mark A. Peters, Alex L. Shigo

FLOOR LOADS FOR RELIABILITY ANALYSIS OF LUMBER PROPERTIES DATA. Michael B. Thurmond, Frank E. Woeste, David W. Green

FACTORS AFFECTING THE OCCURRENCE OF BROKEN FIBERS IN MACERATED WOOD A RESEARCH NOTE. A. P. Wilkins

ISSUE 2 – 1986

FLUORESCENCE MICROSCOPY OF HARDBOARDS. Lidija Murmanis, Gary C. Myers, John A. Youngquist

PERMEABILITY AND CAPILLARY STRUCTURE OF CHINESE WOODS. Fucheng Bao, John F. Siau, Stavros Avramidis

STOCHASTIC MODEL FOR MODULUS OF ELASTICITY OF LUMBER. D. E. Kline, F. E. Woeste, B. A. Bendtsen

MORPHOLOGICAL AND CHEMICAL CHARACTERISTICS OF THE WARTY LAYER IN RED PINE (PINUS RESINOSA AIT.). Mon-lin Kuo, Floyd G. Manwiller

KINETIC MODELING OF HARDWOOD PREHYDROLYSIS. PART III. WATER AND DILUTE ACETIC ACID PREHYDROLYSIS OF SOUTHERN RED OAK. Anthony H. Conner, Linda F. Lorenz

THE INTERACTION OF ELECTRODE DESIGN AND MOISTURE GRADIENTS IN DIELECTRIC MEASUREMENTS ON WOOD. William L. James

FIBER LENGTH MEASUREMENT SYSTEMS: A REVIEW AND MODIFICATION OF AN EXISTING METHOD. Richard S. Dodd,

THE EFFECT OF WETWOOD ON LUMBER DRYING TIMES AND RATES: AN EXPLORATORY EVALUATION WITH LONGITUDINAL GAS PERMEABILITY. James C. Ward

NUCLEAR MAGNETIC RESONANCE IMAGING OF WOOD. Paul C. Wang, Sun Joseph Chang

COMPRESSION DRYING OF SAPWOOD. R. Wingate-Hill, R. B. Cunningham

STEAM GASIFICATION OF COTTONWOOD (BRANCHES) IN A FLUIDIZED BED. Satish K. Singh, Walter P. Walawender, L. T. Fan, Wayne A. Geyer

A NOTE ON THE HANKINSON FORMULA. K. Y. Kim

ISSUE 3 – 1986

STRENGTH AND RELATED PROPERTIES OF BISHOP PINE II. PROPERTIES OF JUVENILE WOOD FROM YOUNG STEMS OF VARIOUS PROVENANCES. Arno P. Schniewind, Barry GammonELECTRON

MICROSCOPY STUDY OF HARDBOARDS. Lidija Murmanis, John A. Youngquist, Gary C. Myers

A NOTE ON THE EFFECT OF ALCOHOL-BENZENE EXTRACTIVES ON JUVENILE WOOD SPECIFIC GRAVITY IN RED PINE Chen Hui Lee

AN ECONOMETRIC ANALYSIS OF MARKETS FOR CANADIAN LUMBER. B. K. Singh, J. C. Nautiyal,

TREATMENT OF PEELER CORES WITH WATER-DISPERSIBLE PRESERVATIVE FORMULATIONS. H. M. Barnes

TAXONOMIC AND GROSS ANATOMICAL INFLUENCES ON SPECIFIC GRAVITY–MECHANICAL PROPERTY RELATIONSHIPS. David R. Walton, James P. Armstrong

EFFECTS OF HEARTWOOD INHABITING FUNGI ON THUJAPLICIN CONTENT AND DECAY RESISTANCE OF WESTERN REDCEDAR (THUJA PLICATA DONN.). B. J. van der Kamp

MOISTURE CONTENT AND SPECIFIC GRAVITY OF THE FOUR MAJOR SOUTHERN PINES UNDER THE SAME AGE AND SITE CONDITIONS. Mark D. Gibson, Charles W. McMillin, Eugene Shoulders,

DOUGLAS-FIR BARK. II. ISOLATION AND CHARACTERIZATION OF A GLUCOMANNAN. E. C. Fernandez, Murray L. Laver

FAILURE MODELING: A BASIS FOR STRENGTH PREDICTION OF LUMBER. Steven M. Cramer, James R. Goodman

COMPUTERIZED FINITE-DIFFERENCE METHOD TO CALCULATE TRANSIENT HEAT CONDUCTION WITH THAWING. H. Peter Steinhagen

CREEP OF DOUGLAS FIR BEAMS DUE TO CYCLIC HUMIDITY FLUCTUATIONS. Robert J. Hoyle, Jr., Rafik Y. Itani, James J. Eckard

PREDICTED AND ACTUAL PERFORMANCE OF TWO LABORATORY STRESS-GRADING MACHINES EMPLOYING DIFFERENT SUPPORT CONDITIONS. Marcel Samson

TRENDS AND OUTLOOK FOR FEDERAL SUPPORT FOR UTILIZATION RESEARCH. John R. Erickson

ISSUE 4 – 1986

FRACTURE BEHAVIOR OF ADHESIVE JOINTS IN POPLAR. Buhnum Kyokong, Frederick J. Keenan, Stephen J. Boyd

BARK/WOOD BOND STRENGTH AND ITS ASSOCIATION WITH MATERIAL AND ENVIRONMENTAL VARIABLES. G. A. Moore, T. A. McMahon

CHARACTERISTICS OF WOUND-ASSOCIATED WOOD OF YELLOW-POPLAR (*LIRIODENDRON TULIPIFERA* L.). George Lowerts, E. A. Wheeler, Robert C. Kellison

DOUGLAS-FIR BARK. III. STEROL AND WAX ESTERS OF THE n-HEXANE WAX. Murray L. Laver, Henry Hai-Loong Fang

ULTIMATE LOAD-DEFLECTION CHARACTERISTICS AND FAILURE MODES OF CEILING DIAPHRAGMS FOR FARM BUILDINGS. K. G. Gebremedhin, W. W. Irish

RIGHTING MOVEMENT AND XYLEM DEVELOPMENT IN TILTED YOUNG CONIFER TREES. Nobuo Yoshizawa, Yukie Okamoto, Toshinaga Idei

A NEW METHOD FOR DETERMINATION OF GLUE JOINT SHEAR-STRENGTH IN LAMINATED WOOD. C. Passialis

DIMENSIONAL CHANGE WITH TIME OF GREEN INCREMENT CORES TAKEN FOR GROWTH STRESS MEASUREMENT. A. P. Wilkins, R. K. Bamber

**VOLUME 19
ISSUE 1- 1987**

Authors

Akhtar, Mohammad N.
Blankenhorn, Paul R.
Chou, Chun
Gardner, Douglas J.
Harless, Thomas E. G.
Hornicsar, Carole A.
Itani, Rafik Y.
Karnasudirdja, Suparman
Ladd, Douglas S.
Little, James K.
Mitchell, Philip H.
Miyakawa, Hidetoshi
Olson, James R.
Polensek, Anton
Rink, George
Seale, R. Dan
Short, Paul H.
Simpson, William T.
Soltis, Lawrence A.
Stringer, Jeffrey W.
Taylor, Fred W.
Wagner, Francis G.
Webb, David A.

**VOLUME 19
ISSUE 2- 1987**

Authors

Argent, R. M.
Bastendorff, Kenneth M.
Beall, Frank C.
Brown, C. L.
Feist, William C.
Gerhards, C. C.
Geyer, W. A.
Johnson, Jr., Millard W.
Link, C. L.
Moslemi, A. A.
Murmanis, L. L.
Myers, G. C.
Nix, L. E.
Pfister, Stephen C.
Polensek, Anton
Sachs, Irving B.
Sell, Juergen
Urbanik, Thomas J.
Walawender, W. P.
Youngquist, J. A.

**VOLUME 19
ISSUE 3- 1987**

Authors

Chen, Peter Y. S.
Green, D. W.
Groom, Leslie
Helmer, Wayne A.
Hong, Zhongli
Hse, Chung Y.
Ifju, Geza
Lee, Andy W. C.
Marin, L. A.
McLain, Thomas E.
McLeod III, John A.
Mitchell, Philip H.
Mize, Carl W.
Phillips, Douglas R.
Polensek, Anton
Robison, Terry L.
Shepard, Robert K.
Smulski, Stephen J.
Tarbell, K. A.
Taylor, Fred W.
Woeste, F. E.

**VOLUME 19
ISSUE 4- 1987**

Authors

Avramidis, Stavros
DeGroot, Rodney C.
Ellingwood, B.
Ellis, W. D.
Hendrickson, E.
Idei, Toshinaga
Ifju, Geza
Krueger, G. P.
Kuroda, Naohiro
Kutscha, Norman P.
Larson, D. S.
Laufenberg, T. L.
LeVan, S. L.
Link, Carol L.
Morrell, Jeffrey J.
Murphy, J.
Nakao, Tetsuya
Okano, Takeshi
Ringe, James M.
Rowell, R. M.
Rowlands, R. E.
Sandberg, L. B.
Siau, John F.
Singh, T.
Smulski, Stephen J.
Steele, Philip H.
Stephens, R. Scott
Susott, R. A.
Wengert, Eugene M.
White, Robert H.
Yang, K. C.
Yoshizawa, Nobuo

VOLUME 19
ISSUE 1 – 1987

Keywords

Juglans nigra L.
Shorea negrosensis Foxw.
Black locust
Damping
Impact bending
Incising
Ligulate tip
Nails
Particleboard
Southern pine
Strain
beams
composite
connections
damping
defect size
density
density profile
drying
energy
energy absorption
energy capacity
extractive content
fasteners
fatigue
fiber length
floors
grain angle
heartwood area
heritability
juvenile wood
laser
luminance
moisture content
moisture movement
nailed joints
nonrigid
permeability
plywood
red oak
simulation modeling
slip
specific gravity

stiffness
strength
testing
timber
vessel arrangement
vessel element
wood

VOLUME 19
ISSUE 2 – 1987

Keywords

Ulmus pumila
Acousto-ultrasonics
Douglas-fir
Duration of load
Heat treatment
Hexamethyldisilazane
treatment
Nail joints
Plates
Resin
Siberian elm
Southern pine
Wood-cement panels
accelerated weathering
air-drying
bending
bending strength
biomass yield
bonding
buckling
calorific value
cellular kinetics
compression wood
constant load
corrugated fiberboard
cumulative damage model
cyclic loading
damping
dimensional stability
distribution
edgewise compression
elastic stability
epoxy
erosion
fiber length
fibers
fibrils
friction
gasification
glueline curing
glueline thickness
gypsum wall-board
hardboard

hardwood pulp
hardwoods
internal bond
load history
lumber
material failure
microfibrils
microscopy
modulus of elasticity
modulus of rupture
paper
paper-machine-drying
plywood
ramp load
residual strength
scanning electron
microscopy
softwoods
specific gravity
static strength
stiffness
strength properties
time
tracheid differentiation
ultrasonics
weathering
wood energy

VOLUME 19
ISSUE 3 – 1987

Keywords

Alnus
Cement/wood ratio
Hardboard
High-temperature drying
Lumber strength
Portland cement
Proof loading
Red spruce
Solar energy
Strength ratio
Wood quality
acoustic emissions
air-dried and cold-stored wood
alcohol/benzene soluble extractables
bending
calcium chloride
compressive strength
cylindrical compression sample
drying energy
drying model
fiber length
genetic improvement
glass fiber
heat pump
hickory
hydration temperature
hydration time
lignin
lumber
lumber defects
mechanical properties
modulus of rupture
moisture content variation
pallet lumber
proof test
proportional limit
reinforced wood composite
reliability
simulation
soil drainage class

southern pine
southern red oak
specific gravity
strength
sweetgum
tension
ultimate deflection
visual stress rating
white oak
wood drying
wood fiber
yellow-poplar

VOLUME 19
ISSUE 4 – 1987

Keywords

Aspergillus niger
Poria placenta
Azaconazole
BOF
Compression wood
Diffusion
Flame retardant
Folpet
Gross heat of combustion
Hardboard
Hardwoods
Least squares
Modulus of rigidity
Molecular weight
Northwest Territories
Parallel-laminated veneer (PLV), laminated veneer lumber (LVL), joints, butt joints, stress analysis, design, reinforcement
Product line planning
Sapwood
Stochastic live loads
Wood density
bioassays
boreal forest
chlorothalonil
computer decisions
copper naphthenate
copper-8 quinolinolate
creep
creep rupture
damage accumulation
diafiltration
diethylchlorophosphate
differentiation
duration of load
dynamic plate shear
flakeboard
floor loads
flux direction
glass fiber
growth rings

gymnosperms
heartwood
heating values
helical ridges and cavities
helical thickenings
iodopropynyl
butylcarbamate
isothiazolone
lignification
lignin
load history
load modeling
lumber yield
moisture content
multiple objectives
phenolic resin
phenylphosphonic dichloride
prairie provinces
product policy
pyrolysis
quaternary ammonium compounds
reinforced wood composite
relative humidity
sawing
sawmilling
secondary wall
soil-block test
southern pine
structural engineering
technology assessment
thermogravimetry
torsional vibration
value added
weighted nonlinear least squares
western Canada
wood
wood adhesive
wood fiber
wood-based panels
zinc naphthenate

VOLUME 19

ISSUE 1 - 1987

EFFECTS OF CREOSOTE AND CCA ON MOISTURE MOVEMENT IN SOUTHERN PINE AND RED OAK. Carole A. Hornicsar, Paul R. Blankenhorn, David A. Webb

LASER INCISING TO INCREASE DRYING RATE OF WOOD. William T. Simpson

PREDICTING DAMPING OF SEMI-RIGID GLUED T-BEAMS. Mohammad N. Akhtar, Rafik Y. Itani

IMPACT BENDING FATIGUE OF WOOD. Hidetoshi Miyakawa

DAMPING AND STIFFNESS OF NAILED JOINTS: RESPONSE TO DRYING. Chun Chou, Anton Polensek,

RADIAL AND VERTICAL VARIATION IN STEM PROPERTIES OF JUVENILE BLACK LOCUST (ROBINIA PSEUDOACACIA). Jeffrey W. Stringer, James R. Olson

ANGLE TO GRAIN STRENGTH OF DOWEL-TYPE FASTENERS. Lawrence A. Soltis, Suparman Karnasudirdja, James K. Little

A MODEL TO PREDICT THE DENSITY PROFILE OF PARTICLEBOARD. Thomas E. G. Harless, Francis G. Wagner, Paul H. Short, R. Dan Seale, Philip H. Mitchell, Douglas S. Ladd

HEARTWOOD COLOR AND QUANTITY VARIATION IN A YOUNG BLACK WALNUT PROGENY TEST. George Rink

OBSERVATIONS ON THE LIGULATE TIP. Douglas J. Gardner, Fred W. Taylor

ISSUE 2 – 1987

DAMPING IN NAILED JOINTS OF LIGHT-FRAME WOOD BUILDINGS. Anton Polensek, Kenneth M. Bastendorff

CELLULAR KINETICS OF COMPRESSION WOOD FORMATION IN SLASH PINE. L. E. Nix, C. L. Brown

BUCKLING OF AXIALLY LOADED, LONG RECTANGULAR PAPERBOARD PLATES. Millard W. Johnson, Jr., Thomas J. Urbanik

A CUMULATIVE DAMAGE MODEL TO PREDICT LOAD DURATION CHARACTERISTICS OF LUMBER. C. C. Gerhards, C. L. Link

THE INFLUENCE OF CEMENT/WOOD RATIO AND CEMENT TYPE ON BENDING STRENGTH AND DIMENSIONAL STABILITY OF WOOD-CEMENT COMPOSITE PANELS. A. A. Moslemi, Stephen C. Pfister

BIOMASS PROPERTIES AND GASIFICATION BEHAVIOR OF 7-YEAR-OLD SIBERIAN ELM. W. A. Geyer, R. M. Argent, W. P. Walawender

WEATHERING BEHAVIOR OF DIMENSIONALLY STABILIZED WOOD TREATED BY HEATING UNDER PRESSURE OF NITROGEN GAS. William C. Feist, Juergen Sell

RETAINING RAISED FIBRILS AND MICROFIBRILS ON OAK FIBER SURFACES. Irving B. Sachs

ACOUSTO-ULTRASONIC MONITORING OF GLUELINE CURING. Frank C. Beall

RESIN DISTRIBUTION IN HARDBOARD: EVALUATED BY INTERNAL BOND STRENGTH AND FLUORESCENCE MICROSCOPY. J. A. Youngquist, G. C. Myers, L. L. Murmanis

ISSUE 3 – 1987

SPECIFIC GRAVITY AND FIBER LENGTH VARIATION IN A EUROPEAN BLACK ALDER PROVENANCE STUDY. Terry L. Robison, Carl W. Mize

WOOD PROPERTIES OF RED SPRUCE IN MAINE ON SOILS OF THREE DRAINAGE CLASSES. Robert K. Shepard

DRYING PINE LUMBER AT VERY HIGH TEMPERATURES AND AIR VELOCITIES. Fred W. Taylor, Philip H. Mitchell

MODEL DEVELOPMENT AND ECONOMIC EVALUATION OF A SENSIBLE HEAT STORAGE UNIT UTILIZED IN A SOLAR-DEHUMIDIFICATION LUMBER DRYING SYSTEM. Wayne A. Helmer, Peter Y. S. Chen

EFFECT OF CEMENT/WOOD RATIOS AND WOOD STORAGE CONDITIONS ON HYDRATION TEMPERATURE, HYDRATION TIME, AND COMPRESSIVE STRENGTH OF WOOD-CEMENT MIXTURES. Andy W. C. Lee, Zhongli Hong, Douglas R. Phillips, Chung Y. Hse

EVALUATION OF BENDING STRENGTH RATIOS FOR EASTERN OAK PALLET LUMBER. John A. McLeod III, Thomas E. McLain

PROOF LOADING TO ASSURE LUMBER STRENGTH. F. E. Woeste, D. W. Green, K. A. Tarbell, L. A. Marin

NONDESTRUCTIVE PREDICTION OF LOAD-DEFLECTION RELATIONS FOR LUMBER. Leslie Groom, Anton Polensek

FLEXURAL BEHAVIOR OF GLASS FIBER REINFORCED HARDBOARD. Stephen J. Smulski, Geza Ifju

ISSUE 4 – 1987

EVALUATION OF MODULUS OF RIGIDITY BY DYNAMIC PLATE SHEAR TESTING. Tetsuya Nakao, Takeshi Okano

GROWTH RING CONTRAST ENHANCEMENT AND THE DIFFERENTIATION OF SAPWOOD AND HEARTWOOD ZONES. K.C. Yang

SOME STRUCTURAL AND EVOLUTIONARY ASPECTS OF COMPRESSION WOOD TRACHEIDS.

Nobuo Yoshizawa, Toshinaga Idei

EFFECT OF RESIN MOLECULAR WEIGHT ON BONDING FLAKEBOARD. R. Scott Stephens, Norman P. Kutscha

WOOD DENSITY VARIATIONS IN THIRTEEN CANADIAN TREE SPECIES. T. Singh

USE OF THE DOMINANCE CONCEPT FOR MATCHING RAW MATERIAL GRADES OF DOUGLAS-FIR TO LUMBER PRODUCTION OBJECTIVES. James M. Ringe

INITIAL LOOK AT OPPORTUNITIES FOR OPTIMIZING LUMBER VOLUME USING BOF DECISIONS FOR HARDWOOD SAWING. Philip H. Steele, Eugene M. Wengert

BIOASSAYING WOOD PRESERVATIVES WITH ASPERGILLUS NIGER. Jeffrey J. Morrell

STATISTICAL DETERMINATION OF PRESERVATIVE THRESHOLD RETENTION IN SOIL BLOCK TESTS. Carol L. Link, Rodney C. DeGroot

EXPERIMENTS IN NONISOTHERMAL DIFFUSION OF MOISTURE IN WOOD. PART II.. Stavros Avramidis, Naohiro Kuroda, John F. Siau

BUTT JOINT REINFORCEMENT IN PARALLEL-LAMINATED VENEER (PLV) LUMBER. D. S. Larson, L. B. Sandberg, T.L. Laufenberg, G. P. Krueger, R. E. Rowlands

CREEP BEHAVIOR OF GLASS FIBER REINFORCED HARDBOARD. Stephen J. Smulski, Geza Ifju

THERMAL DEGRADATION PROPERTIES OF WOOD REACTED WITH DIETHYLCHLOROPHOSPHATE OR PHENYLPHOSPHONIC DICHLORIDE AS POTENTIAL FLAME RETARDANTS. W. D. Ellis, R. M. Rowell, S. L. LeVan, R. A. Susott

EFFECT OF LIGNIN CONTENT AND EXTRACTIVES ON THE HIGHER HEATING VALUE OF WOOD. Robert H. White

DAMAGE ACCUMULATION IN WOOD STRUCTURAL MEMBERS UNDER STOCHASTIC LIVE LOADS. J. Murphy, B. Ellingwood, E. Hendrickson

**VOLUME 20
ISSUE 1- 1988**

Authors

Aplin, E. Nicholas
Bahri, Sonya
Barrett, J. David
Berg, John C.
Blankenhorn, Paul R.
Bowersox, Todd W.
Chien, Po-Liang
DiCola, Maria L.
Dietz, Mark G.
Dobriyal, P. B.
Dodd, Richard S.
Evans, James W.
Gerhards, C. C.
Green, David W.
Hodgson, Kevin T.
Hse, Chung-Yun
Kumar, Satish
Kuo, Mon-lin
Kuroda, N.
Liu, C. J.
Luo, Siquan
McClelland, John F.
Morrell, Jeffrey J.
Olson, James R.
Pereira, Helena
Schmidt, Elmer L.
Shen, Qingbiao
Siau, J. F.
Singh, Man Mohan
Sliker, Alan
Smith, F. W.
Stover, Lee R.
Strauss, Charles H.
Tian, Ye
Voulgaridis, E.
Walker, Nancy K.
Walker, R. D.
Zahora, Andrew R.
Zandbergs, J. G.

**VOLUME 20
ISSUE 2- 1988**

Authors

Burkart, Leonard F.
Chauret, G.
Conners, T. E.
DeGroot, Rodney C.
Ellingwood, Bruce R.
Hendrickson, Erik M.
Imamura, Yuji
James, William L.
Keith, C. T.
Liu, C. J.
MacPeak, Malcolm D.
McLain, T. E.
Michell, Anthony J.
Morrell, Jeffrey J.
Murphy, Joseph F.
Olson, James R.
Rensi, Giuseppe
Rowell, Roger M.
Shen, Qingbiao
Smith, Susan M.
Tian, Ye
Weintraub, Andrés
Youngquist, John A.

**VOLUME 20
ISSUE 3- 1988**

Authors

Avramidis, Stavros
Boone, R. S.
Collie, Stephen T.
Dougal, E. F.
Elder, Thomas J.
Gardner, Douglas J.
Gerhards, C. C.
Kessler, Kevin R.
Labosky, Jr., Peter
Loferski, Joseph R.
McLain, Thomas E.
Mitchell, Philip H.
Mitchoff, M. E.
Morrell, J. J.
Moschler, Jr., W. W.
Sachs, Irving B.
Wiemann, Michael C.
Williamson, G. Bruce
Winandy, J. E.

**VOLUME 20
ISSUE 4- 1988**

Authors

Bailey, John A.
Bayoumi, Abdel E.
Cheung, Chung K.
Chow, Poo
Corden, M. E.
Evans, P. D.
Itani, Rafik Y.
Kuo, Mon-lin
Lebow, S.
Lee, Harry W.
Lucas, E. Babajide
McNabb, Jr., Harold S.
Morrell, J. J.
Morrell, J. J.
Polensek, Anton
Sexton, C. M.
Steinhagen, H. Peter
Stewart, John S.
Stokke, Douglas D.

VOLUME 20
ISSUE 1 – 1988

Keywords

Eucalyptus globulus Labill.
Pinus radiata
Populus
Poria placenta
Air permeability
Closed-tube bioassay
Compliance
Douglas-fir
Finite elements
Flexural properties
Hardwoods
Infrared spectroscopy
Pilodyn
Poisson's ratio
Reynolds number
Site
Static strength
Washburn theory
Water repellents
Wetting
Wilhelmy technique
Wood densitometry
X-radiation
X-ray densitometry
Young's modulus
absorbency
age
atomic parameters
attenuation coefficients
bending
biomass components
chemical composition
composite permeability
constant load
contact angle
decayed wood samples
density variation
diffusion
duration of load
dynamic wettability
field exposure
flexural stiffness
fluff pulp

fracture prediction
fumigant
grade
hardwoods
imbibition
lumber
macerated wood elements
management
mathematical models
methylisothiocyanate
modulus of elasticity
modulus of rupture
moisture content
moment capacity
natural resin
nonlinear flow
oak wood
penetration absorption
permeability
photoacoustic spectroscopy
ponderosa pine
preservatives
pulp fibers
pulping
rate of loading
rate of swelling
residues
self-sizing
sensitivity
site
softwoods
specific gravity
strain
strength tests
stress
suitability indices
time
transmission probability
variability
waferboard
wicking flow
wood density
wood sections
wood structure
wood with defects

VOLUME 20
ISSUE 2 – 1988

Keywords

Coniophora puteana
Gloeophyllum trabeum
Phialophora
Sequoia sempervirens
Buildings
CCA penetration
Chemical modification
Finite elements
Frustrated multiple internal
reflectance
Hydrogenation
Kiln drying
Optimal X-ray energy
Pentachlorophenol
Redwood
Wood physics
acetylation
aspen
bark chemistry
bimodularity
breaking radius
brown-rot
cooling tower
damage accumulation
design
differential transmission
probability
duration of load
dynamic programming
flakeboard
fungi
hydrogenolysis
infrared spectra
jack pine
limit states
loads
longitudinal compression
strength
maximum radiation
resolution
mechanical properties
moisture gradients
needle incision

optimization
phenolic acids
preservatives
probability
reliability
research needs
snow
soft rot decay
statistics
strength
stress-strain curves
structural engineering
tooth incision
white spruce
wood
wood anatomy
wood decay
wood densitometry
wood density
wood surfaces
yellow-poplar

VOLUME 20
ISSUE 3 – 1988

Keywords

Hampea appendiculata
Heliocarpus appendiculatus
Ochroma pyramidale
Pinus taeda
CCA
CCA pentachlorophenol
Douglas-fir
Gamma radiation
Gel time
Hexamethyldisilazane
treatment
Mechanical properties
Preservatives
Pulp
Red alder
Repeated loads
Wood pallets
Wood specific gravity
analog models
attenuation coefficients
bending
bending strength
bonding
chromated copper arsenate
copper 8 quinolinolate
creosote
deflection
densitometer calibration
fibrils
growth-ring characteristics
gypsy moth-killed trees
heating
hydrolysis
hygroscopicity
kiln-drying
lumber
matrix structural analysis
microfibrils
oxidation
papermaking
phenol-formaldehyde resin
pioneer
pith

preservative treatment
preservatives
recycled fibers
red maple
red maple
red oak
redrying
scanning electron
microscopy
semi-rigid joints
soil block test
southern pine
spring elements
static strength
stiffness loss
strength loss
strength properties
stress
stress level
succession
surface activation
sustained constant loads
sweetgum
thermal degradation
thiocyanomethylthiobenzot
hiazole
time
treatments
ultrasonic energy
waterborne preservatives
white oak
within-tree variation
zinc naphthenate

VOLUME 20
ISSUE 4 – 1988

Keywords

Gloephyllum trabeum
Populus deltoides
Poria carbonica
Poria carbonica
Poria placenta
Cassia
Diaphragms
Douglas-fir
Fumigants
Heat transfer model
Mylone®
Radiata pine
Tool wear
brown rot
buffers
cell-wall structure
cemented carbides
deformations
enthalpy method
eucalyptus
extractives
finite element methods
finite-difference technique
fuelwood
fumigants
gliridicia
gmelina
green wood
hardwood
heat content
internal decay
juvenile wood
lignin
logheating
methylisothiocyanate
models
nonlinear systems
pH
phase change model
polarizing microscopy
polysaccharides
remedial treatment

scanning electron
microscopy
shear wall
short-rotation
simulation
solubility
tetracarpidium
thawing model
tridipam
utility poles
weathering
weight loss
wood decay

VOLUME 20
ISSUE 1 – 1988

DYNAMIC WETTABILITY PROPERTIES OF SINGLE WOOD PULP FIBERS AND THEIR RELATIONSHIP TO ABSORBENCY. Kevin T. Hodgson, John C. Berg

PILODYN EVALUATION OF TREATED WAFERBOARD IN FIELD EXPOSURE. Elmer L. Schmidt, Mark G. Dietz

THEORETICAL WOOD DENSITOMETRY: I. MASS ATTENUATION EQUATIONS AND WOOD DENSITY MODELS. C. J. Liu, James R. Olson, Ye Tian, Qingbiao Shen

CALCULATION OF WOOD DENSITY VARIATION FROM X-RAY DENSITOMETER DATA. Nancy K. Walker, Richard S. Dodd

A METHOD FOR PREDICTING NON-SHEAR COMPLIANCES IN THE RT PLANE OF WOOD. Alan Sliker

INFLUENCE OF PERMEABILITY ON PULPING BEHAVIOR OF TROPICAL INDIAN HARDWOODS. Satish Kumar, Man Mohan Singh, P. B. Dobriyal, Sonya Bahri

PROTECTION OF OAK WOOD (*Quercus conferta* Kit.) FROM LIQUID WATER UPTAKE WITH WATER REPELLENTS. E. Voulgaridis,

EFFECTS OF MANAGEMENT STRATEGY AND SITE ON SELECTED PROPERTIES OF FIRST ROTATION POPULUS HYBRID NE-388. Paul R. Blankenhorn, Todd W. Bowersox, Charles H. Strauss, Gwen L. Stimely, Lee R. Stover, Maria L. DiCola

VARIABILITY IN THE CHEMICAL COMPOSITION OF PLANTATION EUCALYPTS (*EUCALYPTUS GLOBULUS* LABILL.). Helena Pereira

A NOTE ON THE SENSITIVITY OF A CLOSED-TUBE BIOASSAY TO VOLATILE METHYLISOTHIOCYANATE RESIDUES IN FUMIGANT-TREATED WOOD. Andrew R. Zahora, Jeffrey J. Morrell

FINITE ELEMENT FRACTURE PREDICTION FOR WOOD WITH KNOTS AND CROSS GRAIN. J. G. Zandbergs, F. W. Smith

PREDICTING THE EFFECT OF MOISTURE CONTENT ON THE FLEXURAL PROPERTIES OF DOUGLAS-FIR DIMENSION LUMBER. David W. Green, James W. Evans, J. David Barrett, E. Nicholas Aplin

APPLICATIONS OF INFRARED PHOTOACOUSTIC SPECTROSCOPY FOR WOOD SAMPLES. Mon-lin Kuo, John F. McClelland, Siquan Luo, Po-Liang Chien, R. D. Walker, Chung-Yun Hse

EFFECT OF GRADE ON LOAD DURATION OF DOUGLAS-FIR LUMBER IN BENDING. C. C. Gerhards

EVIDENCE OF NONLINEAR FLOW IN SOFTWOODS FROM WOOD PERMEABILITY MEASUREMENTS. N. Kuroda, J. F. Siau

ISSUE 2 – 1988

THE EFFECT OF HIGH PRESSURE HYDROGENATION ON SOUTHERN PINE BARK CHEMISTRY. Malcolm D. MacPeak, Leonard F. Burkart

THEORETICAL WOOD DENSITOMETRY: II. OPTIMAL X-RAY ENERGY FOR WOOD DENSITY MEASUREMENT. James R. Olson, C. J. Liu, Ye Tian, Qingbiao Shen

ANATOMICAL STUDIES OF CCA PENETRATION ASSOCIATED WITH CONVENTIONAL (TOOTH) AND WITH MICRO (NEEDLE) INCISING. C. T. Keith, G. Chauret

COMPARISONS OF PENTACHLOROPHENOL FORMULATIONS IN SOIL-BLOCK TESTS. Rodney C. DeGroot

USING DYNAMIC PROGRAMMING TO OBTAIN EFFICIENT KILN-DRYING SCHEDULES. Giuseppe Rensi, Andrés Weintraub

MODELING MOISTURE GRADIENT EFFECTS ON BENDING PROPERTIES. T. E. Conners, T. E. McLain

FUNGI COLONIZING REDWOOD IN COOLING TOWERS: IDENTITIES AND EFFECTS ON WOOD PROPERTIES. Jeffrey J. Morrell, Susan M. Smith

LOAD DURATION AND PROBABILITY BASED DESIGN OF WOOD STRUCTURAL MEMBERS. Bruce R. Ellingwood, Erik M. Hendrickson, Joseph F. Murphy

STRENGTH TESTS ON ACETYLATED ASPEN FLAKEBOARDS EXPOSED TO A BROWN-ROT FUNGUS. Roger M. Rowell, John A. Youngquist, Yuji Imamura

NOTE ON A TECHNIQUE FOR OBTAINING INFRARED SPECTRA OF TREATED WOOD SURFACES. Anthony J. Michell

RESEARCH NEEDS IN WOOD PHYSICS: A BROAD OVERVIEW. William L. James

ISSUE 3 – 1988

CALIBRATION PROCEDURE FOR A DIRECT SCANNING DENSITOMETER USING GAMMA RADIATION. W. W. Moschler, Jr., E.F. Dougal

ANALYSIS OF RACKED WOOD PALLETS. Joseph R. Loferski, Thomas E. McLain, Stephen T. Collie,

IRREVERSIBLE PROPERTY CHANGES OF SMALL LOBLOLLY PINE SPECIMENS HEATED IN AIR, NITROGEN, OR OXYGEN Philip H. Mitchell

HEXAMETHYLDISILAZANE TREATMENT TO RESTORE STRENGTH OF RECYCLED FIBER. Irving B. Sachs

EXTREME RADIAL CHANGES IN WOOD SPECIFIC GRAVITY IN SOME TROPICAL PIONEERS. Michael C. Wiemann, G. Bruce Williamson

THE EFFECTS OF CCA PRESERVATIVE TREATMENT AND REDRYING ON THE BENDING PROPERTIES OF 2 × 6 SOUTHERN PINE LUMBER. J. E. Winandy, R. S. Boone

A NOTE ON LOAD DURATION OF DOUGLAS-FIR 2 BY 4S UNDER REPEATED LOADS. C. C. Gerhards

LABORATORY DECAY RESISTANCE OF PRESERVATIVE-TREATED RED ALDER. M. E. Mitchoff, J. J. Morrell

SURFACE ACTIVATION TREATMENT OF WOOD AND ITS EFFECT ON THE GEL TIME OF PHENOL-FORMALDEHYDE RESIN. Douglas J. Gardner, Thomas J. Elder

PULP AND PAPERMAKING PROPERTIES OF GYPSY MOTH-KILLED TREES. Kevin R. Kessler, Peter Labosky, Jr.

EXPERIMENTS ON THE EFFECT OF ULTRASONIC ENERGY ON THE ABSORPTION OF PRESERVATIVES BY WOOD. Stavros Avramidis

ISSUE 4 – 1988

MICROSCOPY OF PROGRESSIVE DECAY OF COTTONWOOD BY THE BROWN-ROT FUNGUS GLOEOPHYLLUM TRABEUM. Mon-lin Kuo, Douglas D. Stokke, Harold S. McNabb, Jr.

ENTHALPY METHOD TO COMPUTE RADIAL HEATING AND THAWING OF LOGS. H. Peter Steinhagen, Harry W. Lee

THE EFFECT OF pH DECOMPOSITION OF MYLONE® (DAZOMET) AND TRIDIPAM TO FUNGITOXIC METHYLISOTHIOCYANATE IN WOOD. J. J. Morrell, C. M. Sexton, S. Lebow

FUEL CHARACTERISTICS OF SELECTED FOUR-YEAR-OLD TREES IN NIGERIA. Poo Chow, E. Babajide Lucas

CHARACTERISTICS OF WOOD DIAPHRAGMS: EXPERIMENTAL AND PARAMETRIC STUDIES. Chung K. Cheung, Rafik Y. Itani, Anton Polensek

THE EFFECTS OF CEMENTED CARBIDE BINDER COMPOSITION ON TOOL WEAR ENCOUNTERED IN SURFACING GREEN LUMBER. Abdel E. Bayoumi, John S. Stewart, John A. Bailey

EVALUATING POTENTIAL DECAY CONTROL AGENTS WITH A SMALL BLOCK TEST. M. E. Corden, J. J. Morrell

A NOTE ON ASSESSING THE DETERIORATION OF THIN WOOD VENEERS DURING WEATHERING.
P. D. Evans

**VOLUME 21
ISSUE 1- 1989**

Authors

Choong, Elvin T.
Choong, Elvin T.
Chow, Poo
Fogg, Peter J.
Fogg, Peter J.
Glasser, Wolfgang G.
Goodell, Barry S.
Imamura, Yuji
Ji, Zhendong
Kawai, Shuichi
Morrell, Jeffrey J.
Norimoto, Misato
Pollock, Carolyn B.
Rials, Timothy G.
Rolfe, G. L.
Rowell, Roger M.
Schneider, M. H
Smulski, Stephen J.
Steele, Philip H.
Wagner, Francis G.
Zahora, Andrew R.
Zheng, Yage
Zhou, Ph.D. candidate, Lei

**VOLUME 21
ISSUE 2- 1989**

Authors

Barofsky, E.
Barofsky, D. F.
Blankenhorn, Paul R.
Bush, Robert J.
Chen, George C.
Choong, Elvin T.
Cunningham, M. J.
Fogg, Peter J.
Foo, L. Y.
Hemingway, R. W.
Karchesy, J. J.
Keey, R. B.
Kerdemelidis, C.
Labosky, Jr., Peter
Labosky, Jr., Peter
Leichti, Robert J.
Liu, Jen Y.
Nicholls, David
Oriaran, Taiye Philips
Ouensanga, Alex
Phelps, John E.
Rink, George
Rowell, Roger M.
Royse, Daniel J.
Shoulders, Eugene
Sinclair, Steven A.
Stover, Lee R.
Tang, R. C.

**VOLUME 21
ISSUE 3- 1989**

Authors

Beall, Frank C.
Blankenhorn, Paul R.
Dillard, D. A.
Dougal, Edward F.
Hoag, Michael L.
Humphrey, Philip E.
Kamke, F. A.
Kang, Hoyang
Kasal, B.
Kirk, Linda S.
Koch, Peter
Kossuth, Susan V.
Labosky, Jr., Peter
LeVan, Susan L.
McLain, Thomas E.
McRae, Deborah D.
Moschler, William W.
Ostman, Larry J.
Parker, William J.
Put, T. A. C. M. van der
Resch, Helmuth
Sliker, Alan
Woeste, Frank E.
Wojcik, Mark E.
Wolcott, M. P.

**VOLUME 21
ISSUE 4- 1989**

Authors

Cramer, S. M.
Dillard, David A.
Ellis, W. D.
Fridley, Kenneth J.
Hartley, Ian D.
Holzer, Siegfried M.
Humphrey, Philip E.
Leatham, Gary F.
Loferski, Joseph R.
McDonald, K. A.
Morrell, Jeffrey J.
Myers, Gary C.
Ostman, Larry J.
Rowell, R. M.
Sachs, Irving B.
Schneider, Marc H.
Soltis, Lawrence A.
Tang, R. C.
Zahora, Andrew R.

**VOLUME 21
ISSUE 1 – 1989**

Keywords
Abies balsamifera
Baldcypress
Carbon
Chloropicrin
Creep
Darcy's Law
Dimensional stability
Douglas-fir
Log breakdown
Methylisothiocyanate
Polymer blends
Ultrastructure
acetylation
adsorption
air permeability
anatomy
balsam fir
cant sawing
cellulose derivatives
decay resistance
desorption
diffusion
dry-process hardboard
encapsulate
energy
extractive content
fluid flow
fumigant
gel
glass transition temperature
hardwoods
hydrogen
laminated timber
lignin
log sawing algorithm
mechanical properties
moisture content
oriented strandboard
particleboard
phase behavior
plantation
plywood
poles

preservative
radial position
shrinkage
specific gravity
tree height
tupelo-gum
wetwood
wood
wood anatomy
wood-type

**VOLUME 21
ISSUE 2 – 1989**

Keywords
Coriolus versicolor
Gloeophyllum trabeum
Juglans nigra L
Pinus radiata
Biopulping
Condensed tannins
Diffusion
Diffusion coefficient
Flakeboard
I-beams
Longleaf pine
Periodic acid
Productivity
Specific gravity
Sugar cane fiber
bark chemicals
capillarity
cellulose
chemical pretreatments
composite wood assemblies
construction moisture
creep
diffusion equation
fast atom bombardment
fertilization
fiber-saturation
fungi
hard maple
hardwood
hemicellulose
latewood percentage
lignin
load duration
lumber
lumber-drying curve
mass spectrometry
moisture concentration
moisture content
moisture in wood
moisture transport
moment method
narrow-sense heritability
oyster mushroom

pentosan
percent heartwood
percent luminance
production
red oak
rings per inch
sawmills
shiitake
shrinkage
slash pine
sodium periodate
softwood
specific gravity
stalk
sulfonate derivatives
surface emission coefficient
termite resistance
thinning
transport coefficients
tree height
water potential
wood
wood chips
wood-type

**VOLUME 21
ISSUE 3 – 1989**

Keywords

Pinus taeda L.
Acousto-ultrasonics
Bending
Bolted joints
Cellulose
Douglas-fir lumber
Drying
Poisson's ratio
Transverse compression
Truss plates
Turpentine
Wood
Young's modulus
activation energy
aspen
bonding
compliance
composites
compression
compression testing
computer simulation
design optimization
dimensional stability
epoxy
ethylene
fatty acids
flakeboard
gamma densitometer
glueline thickness
growth-ring characteristics
heat of combustion
internal bond
joint gaps
lignin
mannan
material behavior
mechano-sorptive effect
moisture changes
moisture measurement
nail withdrawal
pyrolysis
red maple
resin acids

rosin acids
serviceability
strain
stress
surface effects
tensile loading
thinning
timber
ultrasonics
visco-hydro-elasticity
wafer technique
wood
xylan

**VOLUME 21
ISSUE 4 – 1989**

Keywords

Phanerochaete
chrysosporium Burds.
Bolted joints
Creep
Douglas-fir
Flame retardant
Load-duration
Lumber tensile strength
Methylisothiocyanate
WPC
Wood polymer composite
X-ray scanning
aspen
basidiomycetes
bending
biopulping
bolt deflection
cell-wall degradation
creep buckling
creep models
creep-rupture
diisocyanate
erosion troughs
failure
finite element
fracture
fungal bore holes
geometrical model
long-term predictions
lumber
modeling
moisture content
phosphonate
pyrolysis
resistivity
rule of mixtures model
temperature
thermal degradation
thermogravimetry
time-dependent modeling
white-rot fungi
wood
wood degradation

wood-deformation
mechanisms

VOLUME 21

ISSUE 1 – 1989

CHARACTERIZATION OF WETWOOD FROM FOUR BALSAM FIR TREES. M. H Schneider, Lei Zhou, Ph.D. candidate

VARIATION IN SHRINKAGE PROPERTIES OF SECOND-GROWTH BALDCYPRESS AND TUPELO-GUM. Elvin T. Choong, Peter J. Fogg, Carolyn B. Pollock

CARBON AND HYDROGEN CONTENTS OF SHORT-ROTATION BIOMASS OF FIVE HARDWOOD SPECIES. Poo Chow, G. L. Rolfe

EVALUATION OF ENCAPSULATED AND GELLED CHLOROPICRIN FORMULATIONS FOR USE IN WOOD POLES. Barry S. Goodell

CREEP FUNCTIONS FOR WOOD COMPOSITE MATERIALS. Stephen J. Smulski
DIFFUSION AND SORPTION OF THE FUMIGANT METHYLISOTHIOCYANATE IN DOUGLAS-FIR WOOD. Andrew R. Zahora, Jeffrey J. Morrell

DIMENSIONAL STABILITY, DECAY RESISTANCE, AND MECHANICAL PROPERTIES OF VENEER-FACED LOW-DENSITY PARTICLEBOARDS MADE FROM ACETYLATED WOOD. Roger M. Rowell, Yuji Imamura, Shuichi Kawai, Misato Norimoto

MULTIPHASE MATERIALS WITH LIGNIN. VI. EFFECT OF CELLULOSE DERIVATIVE STRUCTURE ON BLEND MORPHOLOGY WITH LIGNIN. Timothy G. Rials, Wolfgang G. Glasser

TWO-DIMENSIONAL GEOMETRIC THEORY FOR MAXIMIZING LUMBER YIELD FROM LOGS. Yage Zheng, Francis G. Wagner, Philip H. Steele, Zhendong Ji

EFFECT OF SPECIMEN LENGTH ON LONGITUDINAL GAS PERMEABILITY IN HARDWOODS. Peter J. Fogg, Elvin T. Choong

ISSUE 2 – 1989

VARIATION OF FIBER COMPOSITION IN SUGAR CANE STALKS. Alex Ouensanga

ISOTHERMAL MOISTURE TRANSFER COEFFICIENTS IN PINUS RADIATA ABOVE THE FIBER-SATURATION POINT, USING THE MOMENT METHOD. M. J. Cunningham, R. B. Keey, C. Kerdemelidis,

LABOR PRODUCTIVITY IN SAWMILLS OF THE EASTERN AND SOUTHEASTERN UNITED STATES. Robert J. Bush, Steven A. Sinclair

A NEW METHOD FOR SEPARATING DIFFUSION COEFFICIENT AND SURFACE EMISSION COEFFICIENT. Jen Y. Liu

COMPARATIVE PERFORMANCE OF LONG-TERM LOADED WOOD COMPOSITE I-BEAMS AND SAWN LUMBER. Robert J. Leichti, R. C. Tang

FAST ATOM BOMBARDMENT MASS SPECTROMETRY OF CONDENSED TANNIN SULFONATE DERIVATIVES. J. J. Karchesy, L. Y. Foo, R. W. Hemingway, E. Barofsky, D. F. Barofsky

FUNGAL AND TERMITE RESISTANCE OF WOOD REACTED WITH PERIODIC ACID OR SODIUM PERIODATE. George C. Chen, Roger M. Rowell

SELECTED CHEMICAL MODIFICATIONS OF RED OAK AND HARD MAPLE FLAKES FOR FLAKEBOARD MANUFACTURING. Paul R. Blankenhorn, Peter Labosky, Jr., Lee R. Stover, David Nicholls

VARIATION IN HEARTWOOD AND SAPWOOD PROPERTIES AMONG 10-YEAR-OLD BLACK WALNUT TREES. George Rink, John E. Phelps

LIGNIN DEGRADATION CAPABILITIES OF PLEUROTUS OSTREATUS, LENTINULA EDODES AND PHANEROCHAETE CHRYSOSPORIUM. Taiye Philips Oriaran, Peter Labosky, Jr., Daniel J. Royse

EFFECT OF CULTURAL TREATMENT AND WOOD-TYPE ON SOME PHYSICAL PROPERTIES OF LONGLEAF AND SLASH PINE WOOD. Elvin T. Choong, Peter J. Fogg, Eugene Shoulders

ISSUE 3 – 1989

DRYING DOUGLAS-FIR LUMBER: A COMPUTER SIMULATION. Helmuth Resch, Hoyang Kang, Michael L. Hoag

THEORETICAL EXPLANATION OF THE MECHANO-SORPTIVE EFFECT IN WOOD. T. A. C. M. van der Put

ACOUSTO-ULTRASONIC MONITORING OF GLUELINE CURING. PART II. GEL AND CURE TIME. Frank C. Beall

BOLTED TIMBER CONNECTIONS. PART I. A WAFER TECHNIQUE TO MODEL WOOD DEFORMATION AROUND BOLTS. Philip E. Humphrey, Larry J. Ostman.
MEASUREMENT OF THE SMALLER POISSON'S RATIOS AND RELATED COMPLIANCES FOR WOOD. Alan Sliker

PARAQUAT AND CEPA STIMULATION OF OLEORESIN PRODUCTION IN LODGEPOLE PINE CENTRAL STUMP-ROOT SYSTEM. Susan V. Kossuth, Peter Koch

EFFECT OF GAP SIZE ON PERFORMANCE OF METAL-PLATED JOINTS IN COMPRESSION. Linda S. Kirk, Thomas E. McLain, Frank E. Woeste

KINETIC PROPERTIES OF THE COMPONENTS OF DOUGLAS-FIR AND THE HEAT OF COMBUSTION OF THEIR VOLATILE PYROLYSIS PRODUCTS. William J. Parker, Susan L. LeVan,

COMPARISON OF RED MAPLE (ACER RUBRUM L.) AND ASPEN (POPULUS GRANDIDENTATA MICHX) 3-LAYERED FLAKEBOARDS. Mark E. Wojcik, Paul R. Blankenhorn, Peter Labosky, Jr.

DENSITY AND GROWTH RING CHARACTERISTICS OF PINUS TAEDA L. FOLLOWING THINNING. William W. Moschler, Edward F. Dougal, Deborah D. McRae

TESTING SMALL WOOD SPECIMENS IN TRANSVERSE COMPRESSION. M. P. Wolcott, B. Kasal, F. A. Kamke, D. A. Dillard

ISSUE 4 – 1989

BIOMECHANICAL PULPING OF ASPEN CHIPS BY PHANEROCHAETE CHRYSOSPORIUM: FUNGAL GROWTH PATTERN AND EFFECTS ON WOOD CELL WALLS. Irving B. Sachs, Gary C. Myers, Gary F. Leatham

THE INFLUENCE OF WOOD MOISTURE CONTENT ON THE FUNGITOXICITY OF METHYLISOTHIOCYANATE IN DOUGLAS-FIR HEARTWOOD. Andrew R. Zahora, Jeffrey J. Morrell,

BOLTED TIMBER CONNECTIONS: PART II. BOLT BENDING AND ASSOCIATED WOOD DEFORMATION. Philip E. Humphrey, Larry J. Ostman

FLAME-RETARDANT TREATMENT OF WOOD WITH A DIISOCYANATE AND AN OLIGOMER PHOSPHONATE. W. D. Ellis, R.M. Rowell

A REVIEW OF CREEP IN WOOD: CONCEPTS RELEVANT TO DEVELOP LONG-TERM BEHAVIOR PREDICTIONS FOR WOOD STRUCTURES. Siegfried M. Holzer, Joseph R. Loferski, David A. Dillard,

PREDICTING LUMBER TENSILE STIFFNESS AND STRENGTH WITH LOCAL GRAIN ANGLE MEASUREMENTS AND FAILURE ANALYSIS. S. M. Cramer, K. A. McDonald

MODELLING DIRECT CURRENT RESISTIVITY OF WOOD POLYMER COMPOSITES. Ian D. Hartley, Marc H. Schneider

THERMAL EFFECTS ON LOAD-DURATION BEHAVIOR OF LUMBER. PART I. EFFECT OF CONSTANT TEMPERATURE. Kenneth J. Fridley, R. C. Tang, Lawrence A. Soltis

**VOLUME 22
ISSUE 1- 1990**

Authors

Bhat, K. M.
Bhat, K. V.
Campbell, Alton G.
Chaubey, B. B.
Cutter, Bruce E.
DeGroot, Rodney C.
Dhamodaran, T. K.
Dobriyal, P. B.
Falk, Robert H.
Guyette, Richard P.
Kim, Wae-Jung
Koch, Peter
Kumar, Satish
Laufenberg, Theodore L.
LeVan, Susan L.
Leichti, Robert J.
Link, Carol L.
Morrell, Jeffrey J.
Moschler, Jr., William W.
Sexton, Camille M.
Sharma, R. P.
Simpson, William T.
Sinclair, Steven A.
Smith, Paul M.
Tang, Yi-fu
Winandy, Jerrold E.
Winistorfer, Paul M.

**VOLUME 22
ISSUE 2- 1990**

Authors

Baldwin, Robert C.
Chen, George C.
Cramer, Steven M.
Ellis, W. Dale
Fortes, M. A.
Fridley, Kenneth J.
Labosky, Jr., Peter
McDonald, Kent
Miller, D. B.
Milota, Michael R.
Morrell, J. J.
Pereira, Helena
Rosa, M. Emília
Rowell, Roger M.
Shi, Rugeng
Soltis, Lawrence A.
Stahl, Douglas C.
Steele, Philip H.
Tang, R. C.
Wagner, Francis G.
Wilson, James B.
Zhang, Jie

**VOLUME 22
ISSUE 3- 1990**

Authors

Akande, John A.
Blankenhorn, Paul R.
Erickson, Robert W.
Hofmann, Klaus
Kersavage, Paul C.
Koch, Peter
Krajewski, Krzysztof J.
Kyanka, George H.
Meimban, Roger J.
Milota, Michael R.
Peralta, Perry
Quarles, Stephen L.
Savsar, Mehmet
Shaler, Stephen M.
Simpson, William T.
Skaar, Chris
Tang, Yifu
Thornton, John D.
Tschernitz, John L.
Wany, Jerzy
Wiedenbeck, Janice K.

**VOLUME 22
ISSUE 4- 1990**

Authors

Akande, John A.
Brunner, Charles C.
Butler, David A.
Chen, Peter Y. S.
Christiansen, Alfred W.
Dillard, D. A.
Flibotte, S.
Funck, James W.
Hailey, J. R. T.
Hailey, Joseph R. T.
Hanna, Robert B.
Kamke, F. A.
Kyanka, George H.
MacKay, A. L.
MacKay, Alexander L.
Menon, R. S.
Osborne, C. F.
Peachey, T. C.
Quick, Jeff J.
Shaw, Gilbert B.
Wolcott, M. P.
Workman, Jr., Edward C.

**VOLUME 22
ISSUE 1 – 1990**

Keywords

Eucalyptus
Juniperus virginiana L.
Pinus contorta
Trichoderma harzianum
Trichoderma polysporum
latifolia
murrayana
Acid hydrolysis
Basidiomycetes
Biological control
Box plots
CCA
Consumer Awareness
Program
Douglas-fir
Drying
redcedar
Gamma densitometry
Hardwoods
I-beams
I-joist
Wood density
age effect
alpha-cellulose
ash
censored data
chemical variation
composite I-beam
composite wood assemblies
densitometry
density
extractives
fiber length
fire retardants
heartwood
holocellulose
lignin
nonparametric statistics
pH
penetration indices
ply-web beam
plywood
prefabricated I-beam

press drying
pressure treatment
schedules
risk
safety
sap
sapwood
soil
southern pine
stem height
strength
structural component
thermal degradation
treatability
treated lumber
warp
within-tree variation
wood decay

**VOLUME 22
ISSUE 2 – 1990**

Keywords

BOF position
Cork
Douglas-fir
Drying curves
Fiber orientation
Fluorophenyl isocyanates
Fumigants
Load-duration
Log length
Red oak
Vapam®
damage model
decomposition
defoliation
design parameters
finite elements
fracture
fungal resistance
gypsy moth
heat transfer
hot water treatment of cork
log taper
lumber
lumber tensile strength
mass transfer
methyl fluorophenyl
carbarnates
modified wood
moisture content
preservation
sawing patterns
southern pine
temperature

**VOLUME 22
ISSUE 3 – 1990**

Keywords

Serpula lacrymans
CCA
Drying
Flakeboard
Hardwoods
MOE
Nonisothermal moisture
movement
Permeability
Ray
Wood drying
agar-block method
brown rot
creep
decay weight loss
edging
edging products
elevation
fracture toughness
heartwood
high-temperature drying
kiln modeling
latitude
loblolly pine
lodgepole pine
model prediction
modeling
moisture
moisture profile
press drying
rates of drying
sapwood
sawmill
shrinkage
simulation
sorption
southern pine
specific gravity
statistical estimation
toxicity data
white rot

VOLUME 22
ISSUE 4 – 1990

wood composites
wood polymers

Keywords

Bjerkandera adusta
Populus tremuloides
Trametes versicolor
Cedar
Cell wall
Drying
Optical scanning
SEM
Smooth
TEM
Underfire/overfire air
Viscoelasticity
Western red cedar
adhesive
automation
bonding
color models
combustion efficiency
density gradient
distance transform
drying
environmental conditions
extractives
firing rate
flakeboard
heartwood
imaging
inactivation
machine vision
mechanism
moisture content
moisture profiles
parenchyma
pressing
proton magnetic resonance
review
sapwood
spectral reflectance
split
sulfur dioxide
transwall
volatile matter
wettability

VOLUME 22

ISSUE 1 – 1990

PRESSURE IMPREGNATION OF HARDWOODS: TREATMENT SCHEDULES FOR EASY-TO-TREAT INDIAN HARDWOODS. Satish Kumar, R. P. Sharma, P. B. Dobriyal, B. B. Chaubey

EVALUATION OF A BIOLOGICAL AGENT FOR CONTROLLING BASIDIOMYCETE ATTACK OF DOUGLAS-FIR AND SOUTHERN PINE. Jeffrey J. Morrell, Camille M. Sexton

CHEMICAL VARIATION IN LODGEPOLE PINE WITH SAPWOOD/HEARTWOOD, STEM HEIGHT, AND VARIETY. Alton G. Campbell, Wae-Jung Kim, Peter Koch

DIRECT SCANNING DENSITOMETRY: AN EFFECT OF SAMPLE HETEROGENEITY AND APERTURE AREA. William W. Moschler, Jr., Paul M. Winistorfer

EMPIRICAL MODEL TO CORRELATE PRESS DRYING TIME OF LUMBER TO PROCESS AND MATERIAL VARIABLES. William T. Simpson, Yi-fu Tang

WOOD DENSITY AND FIBER LENGTH OF EUCALYPTUS GRANDIS GROWN IN KERALA, INDIA. K. M. Bhat, K. V. Bhat, T. K. Dhamodaran

PREFABRICATED WOOD COMPOSITE I-BEAMS: A LITERATURE REVIEW. Robert J. Leichti, Robert H. Falk, Theodore L. Laufenberg

PRODUCT AWARENESS AND PHYSICAL RISK PERCEPTIONS OF CONSUMERS OF TREATED LUMBER. Steven A. Sinclair, Paul M. Smith

PREDICTING EFFECTIVENESS OF WOOD PRESERVATIVES FROM SMALL SAMPLE FIELD TRIALS. Carol L. Link, Rodney C. DeGroot

A NOTE ON SAP pH IN EASTERN REDCEDAR (JUNIPERUS VIRGINIANA L.). Bruce E. Cutter, Richard P. Guyette

EFFECTS OF FIRE RETARDANT TREATMENTS ON WOOD STRENGTH: A REVIEW. Susan L. LeVan, Jerrold E. Winandy

ISSUE 2 – 1990

INTERACTIONS BETWEEN SODIUM N-METHYLDITHIOCARBAMATE AND DOUGLAS-FIR HEARTWOOD. D. B. Miller, J.J. Morrell

INFLUENCE OF LOG LENGTH AND TAPER ON ESTIMATION OF HARDWOOD BOF POSITION. Rugeng Shi, Philip H. Steele, Francis G. Wagner

EFFECTS OF HOT WATER TREATMENT ON THE STRUCTURE AND PROPERTIES OF CORK. M. Emília Rosa, M. A. Fortes, Helena Pereira

FUNGAL RESISTANCE OF SOUTHERN PINE IMPREGNATED WITH METHYL FLUOROPHENYL

CARBAMATES OR REACTED WITH FLUOROPHENYL ISOCYANATES. George C. Chen, Roger M. Rowell, W. Dale Ellis

MODELING THE EFFECT OF OUT-OF-PLANE FIBER ORIENTATION IN LUMBER SPECIMENS. Douglas C. Stahl, Steven M. Cramer, Kent McDonald

ANALYSIS OF THE FLUIDIZED BED DRYING OF WOOD PARTICLES. Michael R. Milota, James B. Wilson

THERMAL EFFECTS ON LOAD-DURATION BEHAVIOR OF LUMBER. PART II: EFFECT OF CYCLIC TEMPERATURE. Kenneth J. Fridley, R. C. Tang, Lawrence A. Soltis
CHEMICAL COMPOSITION OF GYPSY MOTH-KILLED RED OAK. Peter Labosky, Jr., Robert C. Baldwin, Jie Zhang

ISSUE 3 – 1990

AIR PERMEABILITY, SHRINKAGE, AND MOISTURE SORPTION OF LODGEPOLE PINE STEMWOOD. Janice K. Wiedenbeck, Klaus Hofmann, Perry Peralta, Chris Skaar, Peter Koch.

COMPOSITE MODEL PREDICTION OF ELASTIC MODULI FOR FLAKEBOARD. Stephen M. Shaler, Paul R. Blankenhorn

DETERMINATION OF FUNGITOXIC VALUE OF PRESERVATIVES IN LABORATORY WOOD-BLOCK TESTS. Jerzy Wany, Krzysztof J. Krajewski, John D. Thornton

A MATHEMATICAL ANALYSIS TO DETERMINE THE VOLUME OF RESIDUES AND LUMBER PRODUCED IN THE SAWMILL EDGING PROCESS. Paul C. Kersavage, Mehmet Savsar, Roger J. Meimban

EVALUATION OF TENSILE FRACTURE IN ASPEN USING FRACTOGRAPHIC AND THEORETICAL METHODS. John A. Akande, George H. Kyanka

CORRELATION OF LOBLOLLY PINE DRYING RATES AT HIGH TEMPERATURE. Michael R. Milota, John L. Tschernitz

EXAMPLES OF NONISOTHERMAL MOISTURE MOVEMENT IN WOOD. Stephen L. Quarles, Robert W. Erickson

PERPENDICULAR-TO-GRAIN RHEOLOGICAL BEHAVIOR OF LOBLOLLY PINE IN PRESS DRYING. Yifu Tang, William T. Simpson

ISSUE 4 – 1990

FUNDAMENTALS OF FLAKEBOARD MANUFACTURE: VISCOELASTIC BEHAVIOR OF THE WOOD COMPONENT. M. P. Wolcott, F. A. Kamke, D. A. Dillard.

PROTON MAGNETIC RESONANCE OF WESTERN RED CEDAR. S. Flibotte, R. S. Menon, A. L. MacKay, J. R. T. Hailey

COMBUSTION AND EMISSION CHARACTERISTICS OF SAWDUST-COAL FINE PELLETS. Peter Y. S. Chen, Edward C. Workman, Jr.

THE MEASUREMENT OF WOOD CELL PARAMETERS USING THE DISTANCE TRANSFORM. T. C. Peachey, C. F. Osborne

RADIAL MOISTURE PROFILES OF CEDAR SAPWOOD DURING DRYING: A PROTON MAGNETIC RESONANCE STUDY. Jeff J. Quick, Joseph R. T. Hailey, Alexander L. MacKay

USING COLOR IN MACHINE VISION SYSTEMS FOR WOOD PROCESSING. Charles C. Brunner, Gilbert B. Shaw, David A. Butler, James W. Funck

DEVELOPMENT OF LONGITUDINAL SPLIT FAILURE IN WHITE-ROTTED ASPEN (POPULUS TREMULOIDES MICHX.). John A. Akande, George H. Kyanka, Robert B. Hanna

HOW OVERDRYING WOOD REDUCES ITS BONDING TO PHENOL-FORMALDEHYDE ADHESIVES: A CRITICAL REVIEW OF THE LITERATURE. PART I. PHYSICAL RESPONSES. Alfred W. Christiansen

**VOLUME 23
ISSUE 1- 1991**

Authors

Armstrong, James P.
Campbell, Alton G.
Christiansen, Alfred W.
Ellis, Simon C.
Ellis, W. Dale
Feist, William C.
Fridley, Kenneth J.
Green, David W.
Heatwole, Edwin L.
Hoag, M. L.
Keany, Francis M.
Krahmer, R. L.
Patterson, David W.
Ritter, David C.
Rowell, Roger M.
Rowell, Roger M.
Sliker, Alan
Smulski, Stephen J.
Sneckenberger, John E.
Soltis, Lawrence A.
Steiner, Paul R.
Tang, R. C.
Woeste, Frank E.
Zhang, Wenjie

**VOLUME 23
ISSUE 2- 1991**

Authors

Achmadi, Suminar S.
Adams, Darius M.
Anagnost, Susan E.
Blankenhorn, Paul R.
Blatner, Keith A.
Brebner, Keith I.
Choong, Elvin T.
Donaldson, L. A.
Feist, William C.
Gatchell, Charles J.
Goulet, Marcel
Govett, Robert L.
Hartley, Ian D.
Hazenber, G.
Hernández, Roger
Hesterman, Nathan D.
Jélvez, Arnaldo
Kubler, Hans
Labosky, Jr., Peter
Lin, Ya-Lih
Liu, C. J.
Maness, Thomas C.
Nicholls, David L.
Patterson, David W.
Rowell, Roger M.
Schmidt, Elmer L.
Schneider, Marc H.
Sinclair, Steven A.
Stureson, Fredrik N.
Tian, Ye
Wang, C. J. K.
Yang, K. C.
Youngquist, John A.
Zabel, Robert A.

**VOLUME 23
ISSUE 3- 1991**

Authors

Alexiou, P. N.
Amburgey, Terry L.
Berg, John C.
Berg, John C.
Blanchette, Robert A.
Blankenhorn, Paul R.
Cease, Kory R.
Cutter, Bruce E.
Forsyth, Paul G.
Gerhards, Charles C.
Green, David W.
Janowiak, John J.
Krause, Gary F.
Kretschmann, David E.
Labosky, Jr., Peter
Leatham, Gary F.
McGinnes, Jr., E. Allen
Omolodun, Olayinka O.
Oriaran, Taiye Philips
Pellerin, Roy F.
Rice, Robert W.
Sachs, Irving B.
Schuchardt, David R.
Wilkins, A. P.
Wiryana, Surya
Youngs, Robert L.

**VOLUME 23
ISSUE 4- 1991**

Authors

Barrett, J. D.
Bender, Donald A.
Bowyer, Jim
Bowyer, Jim L.
Chiang, Y. J.
Hyatt, John A.
Labosky, Jr., Peter
Lau, Wilson
Miller, D. P.
Morrell, J. J.
Moslemi, A. A.
Moslemi, Ali
Newbill, M. A.
Rahman, M. U.
Rowell, Roger M.
Rowell, Jeffrey S.
Rowlands, R. E.
Royse, Daniel J.
Samson, Marcel
Schneider, Marc H.
Sebastian, Leslie P.
Seepersad, Johnny
Sexton, C. M.
Smith, Ian
Smulski, Stephen
Sotomayor-Castellanos, JR.
Taylor, Steven E.
Thomas, Richard
Youngquist, John A.
Zhang, Jie
Zhou, Hui

**VOLUME 23
ISSUE 1 – 1991**

Keywords

Acetylation
Bagasse
Drying
Hankinson's equation
Load-duration
Lumber
Nondestructive evaluation
Nondestructive testing
Phenol-formaldehyde
Polychromatic X-ray
Shear modulus
Southern pine
accelerated weathering
acetylation
acidity
adhesive
aspen
attenuation
bending
bonding
carbon dioxide
cellulose acetate
characteristic impedance
compression
compression test
equilibrium moisture
content
extraction
extractives
failure
fiberboards
flow measurement
hardwood
hardwood properties
hem-fir
inactivation
lumber
mechanism
mechanical properties
methyl methacrylate
modulus of rigidity
moisture content
moisture sorption

molecular weight
oxidation
ponderosa pine
proof test
proofloading
relative humidity
review
scanning electron
microscopy
softwoods
southern pine
strength properties
stress wave
stress wave modulus
stress wave velocity
supercritical
tension
tension test
ultraviolet degradation
water swelling
wettability
wood
wood density

**VOLUME 23
ISSUE 2 – 1991**

Keywords

Populus tremuloides
Acetylation
CCA
Chemical pulp fibers
Combustion
Decay
Douglas-fir
Extractives
Furniture
Hardwood species
Mechanical tests
Moisture sorption
Pacific Rim markets
Phenol formaldehyde
Sapwood/heartwood width
Sawmill planning
Stem profile
Wood chips
Wood polymer composite
(WPC)
accelerated weathering
adsorption
air supply
annual ring
aspen
basal area
basidiomycetes
bigtooth aspen
black cherry
compliance coefficient
compression
decomposition
desorption
dimensional stability
discriminant analysis
energy loss
fiber saturation point
fiberboard
flakeboard
flue gases
glueline continuity
hardwoods
heating

latewood
linear programming
marketing
maximum moisture content
mechanical properties
microflora
microfungi
moisture
moisture changes
moisture diffusion
natural weathering
normalization
paints
parenchyma viability
penta and oil
pit apertures
plate twist
polarized light microscopy
process control
product development
promotion
red oak
shrinkage
soft rot
stains
standard-size blanks
static bending
perpendicular to the grain
sugar maple
surface roughness
swelling
tension perpendicular to the
grain
torsion
tree age
tropical woods
ultimate tensile stress
urea formaldehyde
utility poles
weighting
yellow-poplar

**VOLUME 23
ISSUE 3 – 1991**

Keywords

Phanerochaete
chrysosporium
Bending creep
Descriptive anatomy
Growth stress
Hardwoods
Iosipescu
Lucas-Washburn theory
Microscopy
Modulus of rupture
Moisture gradients
Red oak
Wicking
absorbency
biomechanical pulping
biopulping
biotechnology
cell dimensions
cell-wall deformation
coefficient of variation
controlled and uncontrolled
environments
creep modeling
deflection
design criteria
drying
extractive content
fiber swelling
gel blocking
in-plane
load duration
lumber grade
mechanical pulp
microscopy
modulus of elasticity
moisture profiles
papermaking
red oak
relative creep
sapstain
scanning electron
microscopy
shear strength

slip plane
specific gravity
superabsorbents
transmission electron
microscopy
transverse
ultimate compression stress
ultimate tensile stress
white-rot fungi
wood beams
wood composites
wood engineering
wood particle size

**VOLUME 23
ISSUE 4 – 1991**

Keywords

Phanerochaete
chrysosporium
Pinus caribaea
Aspen
Bending properties
Bolted joints
Caribbean pine
Composites
Douglas-fir
Education
Forest products research
Fumigants
Lignin
Moisture content
Structural lumber
academic programs
acetylation
bending
bending modulus of
elasticity
cellulose
compression strength
core wood
drying defects
employment
equilibrium moisture
content
exotherm
extractives
failure theories
fiberboards
finite elements
hemicellulose
hydration
juvenile wood
ketene
knot area
laminating lumber
lignin
mechanical fasteners
modulus of elasticity
modulus of rupture

moiré
nonlinearity
pH
red oak
research funding
shear modulus of elasticity
small clears
sodium n-
methyldithiocarbamate
softwood lumber
spatial variability
specific gravity
stochastic
strain gages
strength properties
structural lumber
tensile strength
testing
university research
water swelling
wood chips
wood decay
wood science and
technology

VOLUME 23

ISSUE 1 – 1991

ALLOWABLE BENDING STRENGTH ENHANCEMENT OF 2 BY 4 LUMBER BY TENSION AND COMPRESSION PROOFLOADING. Edwin L. Heatwole, Frank E. Woeste, David W. Green

FIBERBOARDS MADE FROM ACETYLATED BAGASSE FIBER. Roger M. Rowell, Francis M. Keany,

POLYCHROMATIC X-RAY ATTENUATION CHARACTERISTICS AND WOOD DENSITOMETRY APPLICATIONS. M. L. Hoag, R.L. Krahmer.

COMPARISON OF THREE EQUATIONS FOR PREDICTING STRESS WAVE VELOCITY AS A

FUNCTION OF GRAIN ANGLE. James P. Armstrong, David W. Patterson, John E. Sneckenberger

RELATIONSHIP OF STRESS WAVE- AND STATIC BENDING-DETERMINED PROPERTIES OF FOUR NORTHEASTERN HARDWOODS. Stephen J. Smulski

MEASURING SHEAR MODULI IN WOOD WITH SMALL TENSION AND COMPRESSION SAMPLES. Wenjie Zhang, Alan Sliker

HOW OVERDRYING WOOD REDUCES ITS BONDING TO PHENOL-FORMALDEHYDE ADHESIVES: A CRITICAL REVIEW OF THE LITERATURE. PART II. CHEMICAL REACTIONS. Alfred W. Christiansen

CHARACTERIZATION OF CHEMICAL PROPERTIES AND FLOW PARAMETERS OF POWDERED PHENOL-FORMALDEHYDE RESINS. Simon C. Ellis, Paul R. Steiner

SUPERCRITICAL CARBON DIOXIDE EXTRACTION OF SOUTHERN PINE AND PONDEROSA PINE. David C. Ritter, Alton G. Campbell

MOISTURE EFFECTS ON LOAD-DURATION BEHAVIOR OF LUMBER. PART I. EFFECT OF CONSTANT RELATIVE HUMIDITY. Kenneth J. Fridley, R. C. Tang, Lawrence A. Soltis

MOISTURE SORPTION AND ACCELERATED WEATHERING OF ACETYLATED AND METHACRYLATED ASPEN. William C. Feist, Roger M. Rowell, W. Dale Ellis

ISSUE 2 – 1991

THE EFFECTS OF MILD CHEMICAL EXTRACTIONS ON THE DIMENSIONAL STABILITY OF UF AND PF BONDED RED OAK FLAKEBOARD. David L. Nicholls, Paul R. Blankenhorn, Peter Labosky, Jr.

INDICATORS AND SIGNIFICANCE OF AIR SUPPLY IN THE COMBUSTION OF WOOD FOR HEAT. Hans Kubler

SWELLING OF A CELL LUMEN FILLED AND A CELL-WALL BULKED WOOD POLYMER COMPOSITE IN WATER. Marc H. Schneider, Keith I. Brebner, Ian D. Hartley

TESTING GLUELINE CONTINUITY IN STANDARD-SIZE HARDWOOD BLANKS BY MECHANICAL METHODS. David W. Patterson, Nathan D. Hesterman, Charles J. Gatchell

EFFECT OF EXTRACTIVES ON MOISTURE SORPTION AND SHRINKAGE IN TROPICAL WOODS. Elvin T. Choong, Suminar S. Achmadi

INFLUENCE OF MOISTURE SORPTION ON THE STRENGTH OF SUGAR MAPLE WOOD IN TANGENTIAL TENSION. Marcel Goulet, Roger Hernández

UNITED STATES CONSUMERS' VIEWS ON READY-TO-ASSEMBLE FURNITURE. Fredrik N. Stureson, Steven A. Sinclair

SOFT-ROT CAPABILITIES OF THE MAJOR MICROFUNGI, ISOLATED FROM DOUGLAS-FIR POLES IN THE NORTHEAST. Robert A. Zabel, C. J. K. Wang, Susan E. Anagnost

AN ANALYSIS OF THE MARKET POTENTIAL OF CHILEAN HARDWOODS. Arnaldo Jélvez, Keith A. Blatner, Robert L. Govett

RELATIONSHIP BETWEEN TREE AGE AND SAPWOOD/HEARTWOOD WIDTH IN POPULUS TREMULOIDES MICHX. K.C. Yang, G. Hazenberg

EFFECTS OF COMPRESSION ON PARENCHYMA CELL VIABILITY, INITIAL HEATING, AND MICROFLORA OF ASPEN FUEL CHIPS. Ya-Lih Lin, Elmer L. Schmidt

WEATHERING AND FINISH PERFORMANCE OF ACETYLATED ASPEN FIBERBOARD. William C. Feist, Roger M. Rowell, John A. Youngquist

THEORETICAL WOOD DENSITOMETRY: III. MEAN DENSITY AND DENSITY VARIATION ON STEM CROSS-SECTIONS. C.J. Liu, Ye Tian

THE USE OF PIT APERTURES AS WINDOWS TO MEASURE MICROFIBRIL ANGLE IN CHEMICAL PULP FIBERS. L.A. Donaldson

THE COMBINED OPTIMIZATION OF LOG BUCKING AND SAWING STRATEGIES. Thomas C. Maness, Darius M. Adams

ISSUE 3 – 1991

KRAFT PULP AND PAPERMAKING PROPERTIES OF PHANEROCHAETE CHRYSOSPORIUM DEGRADED RED OAK. Taiye Philips Oriaran, Peter Labosky, Jr., Paul R. Blankenhorn

ONE- AND TWO-DIMENSIONAL MOISTURE PROFILES IN RED OAK. Robert W. Rice, Robert L. Youngs

LIQUID TRANSPORT IN COMPOSITE CELLULOSE—SUPERABSORBENT FIBER NETWORKS. David R. Schuchardt, John C. Berg

RELATIONSHIP BETWEEN FIBER CELL-WALL DEFORMATIONS AND LONGITUDINAL GROWTH STRAIN: A RESEARCH NOTE. A. P. Wilkins, P. N. Alexiou

EFFECT OF WOOD PARTICLE SIZE ON FUNGAL GROWTH IN A MODEL BIOMECHANICAL PULPING PROCESS. Irving B. Sachs, Robert A. Blanchette, Kory R. Cease, Gary F. Leatham

MICROSCOPIC CHARACTERIZATION OF NONMICROBIAL GRAY SAPSTAIN IN SOUTHERN HARDWOOD LUMBER. Paul G. Forsyth, Terry L. Amburgey

BENDING CREEP AND LOAD DURATION OF DOUGLAS-FIR 2 BY 4S UNDER CONSTANT LOAD. Charles C. Gerhards

IOSIPESCU SHEAR TEST APPARATUS APPLIED TO WOOD COMPOSITES. John J. Janowiak, Roy F. Pellerin

WOOD QUALITY IN HILDEGARDIA BARTERI (MAST.) KOSSERN—AN AFRICAN TROPICAL PIONEER SPECIES. Olayinka O. Omolodun, Bruce E. Cutter, Gary F. Krause, E. Allen McGinnes

LUMBER PROPERTY RELATIONSHIPS FOR ENGINEERING DESIGN STANDARDS. David W. Green, David E. Kretschmann

THE TRANSPORT OF WATER IN WET-FORMED NETWORKS OF CELLULOSE FIBERS AND POWDERED SUPERABSORBENT. Surya Wiryana, John C. Berg

ISSUE 4 – 1991

BENDING STRENGTH AND STIFFNESS OF CARIBBEAN PINE FROM TRINIDAD AND TOBAGO. Marc H. Schneider, Leslie P. Sebastian, Johnny Seepersad

WOOD-CEMENT COMPOSITES: EFFECT OF MODEL COMPOUNDS ON HYDRATION CHARACTERISTICS AND TENSILE STRENGTH. D. P. Miller, A. A. Moslemi

FACTORS INFLUENCING BENDING PROPERTIES OF WHITE SPRUCE LUMBER. Hui Zhou, Ian Smith,

STOCHASTIC MODEL FOR LOCALIZED TENSILE STRENGTH AND MODULUS OF ELASTICITY IN

LUMBER. Steven E. Taylor, Donald A. Bender

CONSTANT BENDING METHOD FOR DETERMINING MODULUS OF ELASTICITY OF LUMBER IN STRUCTURAL SIZE. Marcel Samson, J. R. Sotomayor-Castellanos

LIGNIN BIODEGRADATION OF NITROGEN SUPPLEMENTED RED OAK (QUERCUS RUBRA) WOOD CHIPS WITH TWO STRAINS OF PHANEROCHAETE CHRYSOSPORIUM. Peter Labosky, Jr., Jie Zhang, Daniel J. Royse

COMPRESSION STRENGTH ADJUSTMENTS FOR MOISTURE CONTENT IN DOUGLAS-FIR STRUCTURAL LUMBER. J.D. Barrett, Wilson Lau


DIMENSIONAL STABILITY OF ASPEN FIBERBOARD MADE FROM ACETYLATED FIBER. Roger M. Rowell, John A. Youngquist, Jeffrey S. Rowell, John A. Hyatt

STRESS AND FAILURE ANALYSIS OF DOUBLE-BOLTED JOINTS IN DOUGLAS-FIR AND SITKA SPRUCE. M. U. Rahman, Y.J. Chiang, R. E. Rowlands

CONTROLLING DECAY FUNGI IN DOUGLAS-FIR HEARTWOOD WITH PELLETIZED SODIUM N-METHYLDITHIOCARBAMATE. C. M. Sexton, J. J. Morrell, M. A. Newbill

FOREST PRODUCTS RESEARCH AT U.S. UNIVERSITIES IN 1988–1989. Stephen Smulski, Jim Bowyer, Richard Thomas, Ali Moslemi

UNDERGRADUATE EDUCATION FOR THE FOREST PRODUCTS INDUSTRY. Jim L. Bowyer



**VOLUME 24
ISSUE 1- 1992**

Authors

Au, Khuan C.
Boardman, Byron E.
Carino, Honorio
Ellingwood, Bruce
Fridley, Kenneth J.
Gertjeansen, Roland O.
Gril, Joseph
Itani, Rafik Y.
Kroll, Robert E.
Kuster, Thomas A.
LaFave, Kelly
Ladisch, Christine M.
McCabe, George P.
Meimban, Roger J.
Mendoza, Guillermo A.
Norimoto, Misato
Phelps, John E.
Quarles, Stephen L.
Ritter, David C.
Rosowsky, David
Rowell, Roger M.
Senft, John F.
Soltis, Lawrence A.
Steiner, Paul R.
Tang, R. C.
Vick, Charles B.
Workman, Jr., Edward C.

**VOLUME 24
ISSUE 2- 1992**

Authors

Avramidis, Stavros
Beaudoin, Michel
Bender, Donald A.
Bendtsen, B. Alan
Chen, George C.
Cutter, Bruce E.
Dobriyal, P. B.
Foliente, Greg C.
Gebremedhin, K. G.
Guyette, Richard P.
Henderson, Gray S.
Hernández, Roger E.
Jorgensen, M. C.
Koubaa, Ahmed
Kretschmann, David E.
Kubler, Hans
Kumar, Satish
Lam, Frank
Lee, George
McLain, Thomas E.
McLain, Thomas E.
Occeña, Luis G.
Pearson, Ronald G.
Poliquin, Jean
Richburg, Brent A.
Tang, Yifu
Woelfel, C. B.
Zalph, Barry L.

**VOLUME 24
ISSUE 3- 1992**

Authors

Arnold, Martin
Behm, H. D.
Bender, D. A.
Blankenhorn, Paul R.
Blankenhorn, Paul R.
Bowersox, Todd W.
Bowersox, Todd W.
Bucur, Voichita
Chen, George C.
Chin, Peter P. S.
Clemons, Craig
Cubbage, Frederick W.
Cutter, Bruce C.
Darrow, William Kevin
Dawson-Andoh, B. E.
DiCola, Maria L.
DiCola, Maria L.
Dost, William A.
George, Milon F.
Hammett, III, A. L.
Hazenber, G.
Hernandez, R.
Kessler, Kevin R.
Kessler, Kevin R.
Kilmer, William R.
Kline, K. S.
Lemaster, Richard L.
Luppold, William G.
Morrell, J. J.
Rabiej, R. J.
Richburg, B. A.
Rowell, Roger M.
Schniewind, Arno P.
Stover, Lee R.
Stover, Lee R.
Strauss, Charles H.
Strauss, Charles H.
Yang, K. C.
Yeh, Borjen
Young, Raymond A.

**VOLUME 24
ISSUE 4- 1992**

Authors

Au, Khuan C.
Conners, Terrance E.
Feist, William C.
Fridley, Kenneth
Gertjeansen, Roland O.
Hon, David N.-S.
Janowiak, John J.
Larntz, Kinley
Manville, John F.
Marcin, Thomas C.
Medvecz, Patrick J.
Morrell, Jeffrey J.
Nault, Jason R.
Pellerin, Roy F.
Peralta, Perry N.
Rosowsky, David
Sinclair, Steven A.
Trinka, Mark W.
Urbanik, Thomas J.

VOLUME 24
ISSUE 1 – 1992

Keywords

Populus balsamifera L.
Acoustic emission
Balsam poplar
Buildings (codes)
CCA preservative
Colorimetry
Load-duration (creep-rupture)
PRF
Paraformaldehyde
Phenolic adhesives
Process simulation
Rheology
SEM (scanning electron microscopy)
Trusses
Wood properties
anatomy
black walnut veneer
chemical modification
composite action
connections
creep
damage models
defect detection
delamination resistance
design (buildings)
dimensional stability
drying
drying defects
duration of load
economic performance
failure
fine hardwoods
gelatinous fibers
gelation reactivity
limit states
load
load sharing
lumber
machine breakdown
mechanical interlocking
bonds

moisture content
probability theory
relative humidity
reliability
roofs
southern pine
strength
structural engineering
surface checking
texture
titration
veneer grading
wood
wood quality

VOLUME 24
ISSUE 2 – 1992

Keywords

Dendrocalamus strictus
Gloeophyllum trabeum
Populus × euramericana
Bamboo
Beam
Beam strength
CCA
Eastern redcedar
ICP
Load-slip
Log breakdown
NAA
Para-toluene sulfonyl chloride
Reliability-based design
Residential heating
SB distribution
Ultimate tensile stress
Ultrasound
Weibull distribution
Wood density
air pollution
beam design
combustion efficiency
cylinders
decision automation
end effects
fillet
finite element modeling
flue gasses
fungal resistance
glulam
hardwood
heat transfer
hybrid variation
inorganics
intraclonal variation
juvenile wood
loblolly pine
lognormal distribution
lumber
mechanical properties
metal plate

modeling
modified wood
modulus of elasticity
notch
para-toluene sulfonyl isocyanate
pattern-directed inferencing
pellet furnace
penetration index
plantation
reliability
simulation
soil types
stiffness
strength
strength measurement
strength prediction
structure
tensile strength
treatability
wood beam
wood design
wood engineering
wood joint

VOLUME 24
ISSUE 3 – 1992

Keywords

1,6-diisocyanatohexane
Gloeophyllum trabeum
Picea glauca
Picea mariana
Pinus elliottii
Pinus taeda
Populus
Trichoderma harzianum
Clamping pressure
Cross-linked wood
Esterification
Hardboard
Hardwood lumber
manufacturers
Heart shake
J-integral
Laser scanning
Simulation
Site
Spacing
Structural flakeboards
Wood decay
acetic anhydride
acoustic emission
anisotropy
aspen
biological control
boron
chemical composition
composites
diffusible preservatives
dimensional stability
elastic constants
elasticity
export market participation
fluoride
fracture
fracture mechanics
fracture toughness
freezing
fungal resistance
glued-laminated
glueline strength

glueline testing
glulam beams
heartwood thickness
intensive culture
loblolly pine
logistical regression
management
mechanical properties
modeling
moisture content
optimum clamp pressure
orthotropic wood structure
percentage of wood failure
plasticity
reliability
rotation
sapwood thickness
specific gravity
strain energy release rate
surface profiles
ultrasound
weathering
wood bonding
wood surface erosion

VOLUME 24
ISSUE 4 – 1992

Keywords

Attribute analysis
Creep rupture
Diffuse reflectance
spectroscopy
Diffusion
Douglas-fir
FTIR
Oriented strandboard
Plates
Shear moduli
Young's modulus
bimodular
buckling
cellulose
central composite design
chloropicrin
classification
compression
conifers
damage models
discoloration
elastic stability
failure mechanisms
fibers
fractional factorial
fumigant
furniture substrate materials
heartwood
hemicelluloses
hydroperoxide
infrared spectroscopy
lignin
load duration
mechanical properties
modulus of elasticity
moisture content
new products
paper
plate bending tests
radicals
reconstituted wood material
red oak
reflectance

reliability
response surface
methodology
sequential experimentation
shear modulus
simultaneous optimization
southern yellow pine
spaceboard
species
tension
torsional stiffness
wood

VOLUME 24
ISSUE 1 – 1992

ACOUSTIC EMISSION ASSOCIATED WITH OAK DURING DRYING. Stephen L. Quarles

ANATOMICAL AND PHYSICAL PROPERTIES OF BALSAM POPLAR (POPULUS BALSAMIFERA L.) IN MINNESOTA. Robert E. Kroll, David C. Ritter, Roland O. Gertjansen, Khuan C. Au

RHEOLOGICAL PROPERTIES OF CHEMICALLY MODIFIED WOOD: RELATIONSHIP BETWEEN DIMENSIONAL AND CREEP STABILITY. Misato Norimoto, Joseph Gril, Roger M. Rowell

MECHANICAL INTERLOCKING OF ADHESIVE BONDS TO CCA-TREATED SOUTHERN PINE—A SCANNING ELECTRON MICROSCOPIC STUDY. Charles B. Vick, Thomas A. Kuster

RELIABILITY OF WOOD SYSTEMS SUBJECTED TO STOCHASTIC LIVE LOADS. David Rosowsky, Bruce Ellingwood

VESSEL AREA STUDIES IN BLACK WALNUT (JUGLANS NIGRA L.). John E. Phelps, Edward C. Workman, Jr.

INTEGRATING ECONOMIC PERFORMANCE AND PROCESS SIMULATION MODELS IN EVALUATING SAWMILL DESIGN ALTERNATIVES. Roger J. Meimban, Guillermo A. Mendoza, Honorio Carino

DETERMINATION OF PARAFORMALDEHYDE REACTIVITY AND ITS RELATIONSHIP TO PRF RESIN GELATION. Paul R. Steiner

COMPREHENSIVE LOAD DISTRIBUTION MODEL FOR WOOD TRUSS ROOF ASSEMBLIES. Kelly LaFave, Rafik Y. Itani

MOISTURE EFFECTS ON LOAD-DURATION BEHAVIOR OF LUMBER. PART II. EFFECT OF CYCLIC RELATIVE HUMIDITY. Kenneth J. Fridley, R. C. Tang, Lawrence A. Soltis

COLORIMETRIC ANALYSIS IN GRADING BLACK WALNUT VENEER. Byron E. Boardman, John F. Senft, George P. McCabe, Christine M. Ladisch

ISSUE 2 – 1992

TREATABILITY AND FLOW PATH STUDIES IN BAMBOO. PART I. DENDROCALAMUS STRICTUS NEES.. Satish Kumar, P. B. Dobriyal

LOAD-SLIP CHARACTERISTICS OF METAL PLATE CONNECTED WOOD JOINTS TESTED IN TENSION AND SHEAR. K. G. Gebremedhin, M. C. Jorgensen, C. B. Woelfel

INORGANIC CONCENTRATIONS IN THE WOOD OF EASTERN REDCEDAR GROWN ON DIFFERENT SITES. Richard P. Guyette, Bruce E. Cutter, Gray S. Henderson

OXYGEN SENSOR FOR CONTROL OF WOOD COMBUSTION: A REVIEW. Hans Kubler

INTERCLONAL, INTRACLONAL AND WITHIN-TREE VARIATION IN WOOD DENSITY OF POPLAR HYBRID CLONES. Michel Beaudoin, Roger E. Hernández, Ahmed Koubaa, Jean Poliquin

EFFECT OF ULTRASONIC VIBRATION ON CONVECTIVE HEAT TRANSFER BETWEEN WATER AND WOOD CYLINDERS. Frank Lam, Stavros Avramidis, George Lee

FUNGAL RESISTANCE OF LOBLOLLY PINE REACTED WITH PARA-TOLUENE SULFONYL CHLORIDE OR ISOCYANATE. George C. Chen

STRENGTH OF END-NOTCHED WOOD BEAMS: A CRITICAL FILLET HOOP STRESS APPROACH. Greg C. Foliente, Thomas E. McLain

HARDWOOD LOG BREAKDOWN DECISION AUTOMATION. Luis G. Occeña

ULTIMATE TENSILE STRESS AND MODULUS OF ELASTICITY OF FAST-GROWN PLANTATION LOBLOLLY PINE LUMBER. David E. Kretschmann, B. Alan Bendtsen,

STRENGTH OF WOOD BEAMS WITH FILLETED INTERIOR NOTCHES: A NEW MODEL. Barry L. Zalph, Thomas E. McLain

EFFECT OF JUVENILE WOOD AND CHOICE OF PARAMETRIC PROPERTY DISTRIBUTIONS ON RELIABILITY-BASED BEAM DESIGN. Yifu Tang, Ronald G. Pearson

LOCALIZED TENSILE STRENGTH AND MODULUS OF ELASTICITY OF E-RELATED LAMINATING GRADES OF LUMBER. Brent A. Richburg, Donald A. Bender

ISSUE 3 – 1992

HEART SHAKE IN SOUTH AFRICAN-GROWN PINUS ELLIOTTII. William Kevin Darrow

FREEZING OF WATER IN HARDBOARD: ABSENCE OF CHANGES IN MECHANICAL PROPERTIES. Milon F. George, Bruce C. Cutter, Peter P. S. Chin

THE EFFECT OF CLAMPING PRESSURE AND ORTHOTROPIC WOOD STRUCTURE ON STRENGTH OF GLUED BONDS. R.J. Rabiej, H. D. Behm

EFFECTS OF MANAGEMENT STRATEGY AND SITE ON SPECIFIC GRAVITY OF A POPULUS HYBRID CLONE. Paul R. Blankenhorn, Todd W. Bowersox, Charles H. Strauss, Kevin R. Kessler, Lee R. Stover, William R. Kilmer, Maria L. DiCola

CHEMICAL COMPOSITION OF SECOND ROTATION POPULUS HYBRID NE-388. Paul R. Blankenhorn, Todd W. Bowersox, Charles H. Strauss, Kevin R. Kessler, Lee R. Stover, Maria L. DiCola

SURFACE CHARACTERIZATION OF WEATHERED WOOD USING A LASER SCANNING SYSTEM. Martin Arnold, Richard L. Lemaster, William A. Dost

PROBABILISTIC MODELING OF GLUED-LAMINATED TIMBER BEAMS. R. Hernandez, D. A. Bender, B. A. Richburg, K. S. Kline

FUNGAL DECAY RESISTANCE AND DIMENSIONAL STABILITY OF LOBLOLLY PINE REACTED WITH 1,6-DIISOCYANATOHEXANE. George C. Chen

A LOGISTICAL REGRESSION MODEL OF SOUTHERN HARDWOOD LUMBER EXPORT PARTICIPATION. A. L. Hammett, III, Frederick W. Cabbage, William G. Luppold

IMPACT OF SPACINGS ON SAPWOOD AND HEARTWOOD THICKNESS IN PICEA MARIANA (MILL.) B.S.P. AND PICEA GLAUCA (MOENCH.) VOSS. K. C. Yang, G. Hazenberg

ANISOTROPY CHARACTERIZATION OF STRUCTURAL FLAKEBOARDS WITH ULTRASONIC METHODS. Voichita Bucu

ISSUE 4 – 1992

EFFECT OF IN-PLANE SHEAR MODULUS OF ELASTICITY ON BUCKLING STRENGTH OF PAPERBOARD PLATES. Thomas J. Urbanik

DETERMINANT ATTRIBUTE ANALYSIS: A TOOL FOR NEW WOOD PRODUCT DEVELOPMENT. Mark W. Trinko, Steven A. Sinclair, Thomas C. Marcin

SHEAR MODULI DETERMINATION USING TORSIONAL STIFFNESS MEASUREMENTS. John J. Janowiak, Roy F. Pellerin

STOCHASTIC DAMAGE ACCUMULATION AND RELIABILITY OF WOOD MEMBERS. David Rosowsky, Kenneth Fridley

WOOD AS A BIMODULAR MATERIAL. Terrance E. Conners, Patrick J. Medvecz.

DIFFERENTIATION OF SOME CANADIAN CONIFEROUS WOODS BY COMBINED DIFFUSE AND SPECULAR REFLECTANCE FOURIER TRANSFORM INFRARED SPECTROMETRY. Jason R. Nault, John F. Manville

USE OF RESPONSE SURFACE METHODOLOGY TO MAXIMIZE PAPER BIRCH UTILIZATION IN A THREE-LAYER, TWO-SPECIES ORIENTED STRANDBOARD. Khuan C. Au, Roland O. Gertjejansen, Kinley Larntz

STEADY-STATE DIFFUSION OF CHLOROPICRIN IN DOUGLAS-FIR HEARTWOOD. Perry N. Peralta, Jeffrey J. Morrell

HYDROPEROXIDATION IN PHOTOIRRADIATED WOOD SURFACES. David N.-S. Hon, William C. Feist

**VOLUME 25
ISSUE 1- 1993**

Authors

Bechtel, F. K.
Carrasco, F.
Christiansen, Alfred W.
Fern, Edward F.
Green, David W.
Hansen, Bruce G.
Hernández, Roger E.
Krahmer, Robert L.
Kreber, Bernhard
Lebow, S. T.
Lowell, Eini C.
McDonald, Kent A.
Morrell, J. J.
Morrell, Jeffrey J.
Morrell, J. J.
Rui, Chen
Sinclair, Steven A.
Sliker, Alan
Vick, Charles B.
Yu, Ying

**VOLUME 25
ISSUE 2- 1993**

Authors

Abdel-Gadir, A. Yassin
Abdel-Gadir, A. Yassin
Clemons, Craig M.
Davis, John R.
Demessie, E. Sahle
Dobriyal, P. B.
Feist, William C.
Geimer, Robert L.
Gertjeansen, Roland O.
Hansen, Bruce G.
Hon, David N.-S.
Ilic, Jugo
Krahmer, R. L.
Krahmer, R. L.
Kroll, Robert E.
Kumar, Satish
Levien, Keith L.
McKimmy, M. D.
McKimmy, M. D.
Morrell, Jeffrey J.
Ng, Harry
Peralta, Perry N.
Ritter, David C.
Sinclair, Steven A.
Skaar, Christen
Smith, Susan M.
Wells, Peter
Wood, Jr., James E.

**VOLUME 25
ISSUE 3- 1993**

Authors

Abdel-Gadir, A. Yassin
Akitsu, Hiroshi
Beall, Frank C.
Beauregard, Robert
Biernacki, Jacek M.
Dolan, James D.
Dougal, Edward F.
Ellis, Simon
Ellis, W. Dale
Harless, Thomas E. G.
Inoue, Masafumi
Kalkert, Robert E.
Krahmer, Robert L.
Mongeau, Jean-Pierre
Morooka, Toshiro
Morrell, Jeffrey J.
Norimoto, Misato
Norimoto, Misato
Rowell, Roger M.
Rowell, Roger M.
Samson, Marcel
Tanahashi, Mitsuhiko
Winandy, Jerrold E.
Woeste, Frank E.
Yang, Jun Li

**VOLUME 25
ISSUE 4- 1993**

Authors

Abdel-Gadir, A. Yassin
Corden, Malcolm E.
Dai, Chunping
Endo, Masatoshi
Fortes, M. A.
Green, David W.
Inoue, Masafumi
Kawai, Shuichi
Kennedy, Robert W.
Krahmer, Robert L.
Larsson, Pia
Lichtenberg, Rebecca S.
McDonald, Kent A.
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Norimoto, Misato
Norimoto, Misato
Ogata, Shigeyuki
Park, Won-Kyu
Rosa, M. Emília
Rowell, Roger M.
Rowell, Roger M.
Rowell, Roger M.
Sexton, Camille M.
Sexton, Camille M.
Steiner, Paul R.
Telewski, Frank W.
Wright, Jeffery A.
Yano, Hiroyuki

VOLUME 25
ISSUE 1 – 1993

Keywords

Bacillus subtilis
Basidiomycetes
Bioprotection
CCA-treated wood
Density
Douglas-fir heartwood
Furfural yield
Moisture sorption
Office furniture
Phenol-formaldehyde
adhesive
Poisson's ratio
Red alder
Red oak
Repeatability
Sodium n-
methyldithiocarbamate
X-ray densitometry
Young's modulus
adhesive cure
adsorption
antibiotics
arsenic
bending
brown rot
chromated copper arsenate
(CCA) preservative
chromium
compliance coefficient
compression parallel to the
grain
continuous unit
copper
decomposition
desorption
differential scanning
calorimetry
estimating methods
fumigants
fungal stain
hardwoods
mass balance
mechanical grading

mechanical properties
methylisothiocyanate
moisture content
plate twisting tests
price
protoplasts
quality
regeneration
repeated measurements
residual error
service
shear modulus
shrinkage
steam heating
sugar maple
tensile tests
tension parallel to the grain
thermal balance
tropical woods
ultimate compression stress
white rot
yield divergence

VOLUME 25
ISSUE 2 – 1993

Keywords

Balsam poplar
Determinant attributes
Douglas-fir
ESR
G-layer
Gamma-ray attenuation
Hardwoods
Nonequilibrium
thermodynamics
Soret effect
Supercritical fluid
Thermoplastic
bending stiffness
bending strength
cellulose
compression molding
creosote
density
electron spin resonance
fiberboard
flow path
gelatinous fiber
gelatinous layer
hemicelluloses
intra-ring characteristics
juvenile wood
lignin
machining
mature wood
mechanical properties
moisture content
moisture transport
nitrite
nitroso
nonisothermal
oriented strandboard
penetration
penetration index
polypropylene
pressure treatment
purchasing executives
ring density correlations

scanning electron
microscopy
service
shrinkage
sulfinic acid
sulfite radical
sulfonate ester
sulfonyl radical
tension wood
thermal diffusion
treatability
variation among families
variation among
provenances
waferizing
water-borne salts
wax
wood densitometry

VOLUME 25
ISSUE 3 – 1993

Keywords

Eucalyptus regnans F.v. Muell
Acousto-ultrasonics
Compressed wood
Decay
Douglas-fir
Flame retardant
Fyrol 51
Fyrol 6
Log model
Logs
Percentage of broken fiber pieces (PBFP)
Static
Vibrational properties
Waferboard
Wood density
accuracy
adhesive bond
amplitude
brittleheart
brown rot
chemical modification
damping
decay resistance
demarcation
dynamic
dynamic Young's modulus
fluorescence microscopy
frequency
growth ring angle
heating
hygroscopicity
internal friction
isophorone diisocyanate
juvenile wood
knots
mathematical
representation
mature wood
mechanical properties
modulus of elasticity
moisture

organophosphorus esters
orthotropy
permanent fixation
phenol-formaldehyde
physical properties
resin efficiency
scanning
steaming
stress-grading
structural lumber
vibration
wood
wood chemistry
wooden floors

VOLUME 25
ISSUE 4 – 1993

Keywords

Eucalyptus grandis
Acetylation
Cork
Dendrochronology
Dimensional stabilization
Douglas-fir
Melamine-formaldehyde
Model
Poisson distribution
Red maple
Staining
Wood decay
acetylation
acoustical properties
bacteria
bending
bioprotection
bonded area
breaking radius
clones
composites
compressed wood
compression
compression parallel to grain
diffusion
dimensional change
flake
fungi
genetic variation
image analysis
impact bending
internal friction
juvenile-mature wood
demarcation
mechanical grading
mechanical properties
microdensitometry
moisture
pH
permanent fixation
pressing
random flake mat

recovery of set
specific dynamic Young's modulus
stabilization
surface hardness
tension parallel to grain
tracheid morphology
transverse compression
void volume
water absorption
wood density
wood strength

VOLUME 25

ISSUE 1 – 1993

EFFECTS OF LEAN IN RED ALDER TREES ON WOOD SHRINKAGE AND DENSITY. Eini C. Lowell, Robert L. Krahmer

ELASTIC CONSTANTS FOR HARDWOODS MEASURED FROM PLATE AND TENSION TESTS. Alan Sliker, Ying Yu

ABILITY OF SELECTED BACTERIAL AND FUNGAL BIOPROTECTANTS TO LIMIT FUNGAL STAIN IN PONDEROSA PINE SAPWOOD. Bernhard Kreber, J. J. Morrell

INVESTIGATION OF THE MECHANICAL PROPERTIES OF RED OAK 2 BY 4'S. David W. Green, Kent A. McDonald

ESTIMATING RESIDUAL ERROR BY REPEATED MEASUREMENTS. F. K. Bechtel

PRODUCTION OF FUNGAL PROTOPLASTS FROM SELECTED WOOD-DEGRADING FUNGI. Chen Rui, Jeffrey J. Morrell

INDUSTRIAL FOREST PRODUCT QUALITY: AN EMPIRICAL TEST OF GARVIN'S EIGHT QUALITY DIMENSIONS. Steven A. Sinclair, Bruce G. Hansen, Edward F. Fern

CURE OF PHENOL-FORMALDEHYDE ADHESIVE IN THE PRESENCE OF CCA-TREATED WOOD BY DIFFERENTIAL SCANNING CALORIMETRY. Charles B. Vick, Alfred W. Christiansen

METHYLISOTHIOCYANATE FUMIGANT CONTENT OF DOUGLAS-FIR HEARTWOOD AT VARIOUS MOISTURE LEVELS AFTER TREATMENT WITH SOLID SODIUM N-METHYLDITHIOCARBAMATE. S. T. Lebow, J. J. Morrell

PRODUCTION OF FURFURAL BY DILUTE-ACID HYDROLYSIS OF WOOD: METHODS FOR CALCULATING FURFURAL YIELD. F. Carrasco

INFLUENCE OF MOISTURE SORPTION ON THE COMPRESSIVE PROPERTIES OF HARDWOODS. Roger E. Hernández

ISSUE 2 – 1993

SUPERCRITICAL FLUID (SCF) TREATMENT: ITS EFFECT ON BENDING STRENGTH AND STIFFNESS OF PONDEROSA PINE SAPWOOD. Susan M. Smith, E. Sahle Demessie, Jeffrey J. Morrell, Keith L. Levien, Harry Ng

EXPERIMENTS ON STEADY-STATE NONISOTHERMAL MOISTURE MOVEMENT IN WOOD. Perry N. Peralta, Christen Skaar

INTERACTION OF SULFUR DIOXIDE AND NITRIC OXIDE WITH PHOTOIRRADIATED WOOD SURFACES. David N.-S. Hon, William C. Feist

THE RELATIONSHIP BETWEEN PURCHASE DECISIONS AND QUALITY ASSESSMENT OF OFFICE FURNITURE. Steven A. Sinclair, Bruce G. Hansen

MOISTURE CONTENT IN DRYING WOOD USING DIRECT SCANNING GAMMA-RAY DENSITOMETRY. John R. Davis, Jugo Ilic, Peter Wells

DENSITY RANGE OF COMPRESSION-MOLDED POLYPROPYLENE-WOOD COMPOSITES. Robert L. Geimer, Craig M. Clemons, James E. Wood, Jr.

INTRA-RING VARIATIONS IN MATURE DOUGLAS-FIR TREES FROM PROVENANCE PLANTATIONS. A. Yassin Abdel-Gadir, R.L. Krahmer, M. D. McKimmy

RELATIONSHIPS BETWEEN INTRA-RING VARIABLES IN MATURE DOUGLAS-FIR TREES FROM PROVENANCE PLANTATIONS. A. Yassin Abdel-Gadir, R. L. Krahmer, M. D. McKimmy

P
ENETRATION INDICES OF HARDWOODS: A QUANTITATIVE APPROACH TO DEFINE TREATABILITY. Satish Kumar, P. B. Dobriyal

ZONES OF GELATINOUS FIBERS IN POPULUS BALSAMIFERA L.. David C. Ritter, Robert E. Kroll, Roland O. Gertjejansen

ISSUE 3 – 1993

EFFECT OF RESIN PARTICLE SIZE ON WAFERBOARD ADHESIVE EFFICIENCY. Simon Ellis
DETERMINATION OF PERCENTAGE OF BROKEN FIBER PIECES IN MACERATED BRITTLEHEART MATERIAL. Jun Li Yang, Edward F. Dougal

STEAM OR HEAT FIXATION OF COMPRESSED WOOD. Masafumi Inoue, Misato Norimoto, Mitsuhiko Tanahashi, Roger M. Rowell

PYROLYSIS, LEACH RESISTANCE, HYGROSCOPICITY, AND DECAY RESISTANCE OF WOOD TREATED WITH ORGANOPHOSPHORUS ESTERS IN COMBINATION WITH ISOPHORONE DIISOCYANATE. W. Dale Ellis

ESTIMATING THE AGE OF DEMARCATION OF JUVENILE AND MATURE WOOD IN DOUGLAS-FIR. A. Yassin Abdel-Gadir, Robert L. Krahmer

EFFECT OF HUMIDITY ON VIBRATIONAL PROPERTIES OF CHEMICALLY MODIFIED WOOD. Hiroshi Akitsu, Misato Norimoto, Toshiro Morooka, Roger M. Rowell.

SOFTWOOD LOG SHAPE MODELLING WITH SHADOW SCANNERS. Jean-Pierre Mongeau, Robert Beauregard, Thomas E. G. Harless

RELATIONSHIP BETWEEN INCIPIENT DECAY, STRENGTH, AND CHEMICAL COMPOSITION OF DOUGLAS-FIR HEARTWOOD. Jerrold E. Winandy, Jeffrey J. Morrell

DEVELOPMENT OF AN ACOUSTO-ULTRASONIC SCANNING SYSTEM FOR NONDESTRUCTIVE EVALUATION OF WOOD AND WOOD LAMINATES. Jacek M. Biernacki, Frank C. Beall

METHOD FOR ASSESSING THE EFFECT OF KNOTS IN THE CONVERSION OF LOGS INTO STRUCTURAL LUMBER. Marcel Samson

THE CURRENT STATUS OF ANALYSIS AND DESIGN FOR ANNOYING WOODEN FLOOR VIBRATIONS. Robert E. Kalkert, James D. Dolan, Frank E. Woeste

ISSUE 4 – 1993

FUNGAL STAINING OF PONDEROSA PINE SAPWOOD: EFFECTS OF WOOD PRECONDITIONING AND BIOPROTECTANTS. Jeffrey J. Morrell, Camille M. Sexton

MEASURING MAXIMUM LATEWOOD DENSITY BY IMAGE ANALYSIS AT THE CELLULAR LEVEL. Won-Kyu Park, Frank W. Telewski

WOOD DENSITY OF FOUR-YEAR-OLD CLONES OF EUCALYPTUS GRANDIS FROM SIXTEEN TRIALS IN COLOMBIA. Jeffery A. Wright, Masatoshi Endo.

WATER ABSORPTION BY CORK. M. Emília Rosa, M. A. Fortes

COMPRESSION BEHAVIOR OF RANDOMLY FORMED WOOD FLAKE MATS. Chunping Dai, Paul R. Steiner

STABILITY OF ACETYLATED WOOD TO ENVIRONMENTAL CHANGES. Roger M. Rowell, Rebecca S. Lichtenberg, Pia Larsson

MECHANICAL PROPERTIES OF RED MAPLE STRUCTURAL LUMBER. David W. Green, Kent A. McDonald

ASSESSING FUNGAL DECAY OF WOOD BY SMALL-SCALE TOUGHNESS TESTS. Camille M. Sexton, Malcolm E. Corden, Jeffrey J. Morrell

GENETIC VARIATION IN THE AGE OF DEMARCATION BETWEEN JUVENILE AND MATURE WOOD IN DOUGLAS-FIR. A. Yassin Abdel-Gadir, Robert L. Krahmer

STABILIZATION OF ACOUSTICAL PROPERTIES OF WOODEN MUSICAL INSTRUMENTS BY ACETYLATION. Hiroyuki Yano, Misato Norimoto, Roger M. Rowell

FIXATION OF COMPRESSED WOOD USING MELAMINE-FORMALDEHYDE RESIN. Masafumi Inoue, Shigeyuki Ogata, Shuichi Kawai, Roger M. Rowell, Misato Norimoto

REFLECTIONS ON THE PRACTICE OF WOOD SCIENCE AND TECHNOLOGY. Robert W. Kennedy

**VOLUME 26
ISSUE 1- 1994**

Authors

Avramidis, Stavros
Carnieri, Celso
Cha, Jae Kyung
Cronshaw, Dave
Dubois, Joël
Dunningham, Elizabeth
Ellis, Simon
Fimbel, Robert A.
Freedland, Cassia
Gavinho, Luciano
Gleisner, Roland L.
Groom, Kevin M.
Gunderson, Dennis E.
Hart, C. Arthur
Hess, Sabine
Holzer, Siegfried M.
Kuera, Bohumil
Leichti, Robert J.
Liu, Jen Y.
Loferski, Joseph R.
Mendoza, Guillermo A.
Morrell, Jeffrey J.
Pearson, Ronald G.
Pearson, Ronald G.
Plackett, David V.
Plackett, David
Rowell, Roger M.
Rowell, Roger M.
Samarasinghe, Sandhya
Schaffer, Erwin L.
Schneider, Marc H.
Simonson, Rune
Simpson, William T.
Sjaastad, Espen O.
Sliker, Alan
Tang, Yifu
Wadsö, Lars
Weigel, Timothy
Yu, Ying
Zahn, John J.
Zhang, Wenjie

**VOLUME 26
ISSUE 2- 1994**

Authors

Adams, W. T.
Allen, Robert M.
Brunner, Charles C.
DiCarlo, Daniel
Gui, Young Q.
Gupta, Rakesh
Hiatt, Evelyn N.
Hon, David N.-S.
Humphrey, Philip E.
Issa, Camille A.
Jeihooni, Asghar
Johnson, Stephen E.
Jones, E. William
Kamke, Frederick A.
Kline, D. Earl
Krahmer, Robert L.
Krahmer, Robert L.
Kumar, Satish
Kuo, Mon-lin
Lebow, Patricia K.
Maristany, Alberto G.
Mize, Carl W.
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Prasad, T. R. Narayana
Rui, Chen
Sarfo, James S.
Simpson, William T.
Taylor, Fred W.
Tschernitz, John L.
Vargas-Hernandez, J.
Wiedenbeck, Janice K.

**VOLUME 26
ISSUE 3- 1994**

Authors

Ait-Kadi, Daoud
Beaudoin, Michel
Beaulieu, Jean
Beauregard, Robert
Bizo, Michal
Blouin, Donald
Bowyer, Jim L.
Caneba, Gerard T.
Chen, Yong
Chen, Yong
Chen, Peter Y. S.
Choong, Elvin T.
Choong, Elvin T.
Daoust, Gaetan
De Groot, Rodney C.
Ellis, W. Dale
Geyer, Wayne A.
Hernández, Roger E.
Liang, Bei-Hong
Michael, Judd H.
Mongeau, Jean-Pierre
Mott, Laurence
Phelps, John E.
Poliquin, Jean
Roy, Dibyendu N.
Shaler, Stephen M.
Simpson, William T.
Smith, Paul M.
Suo, Shuming
Walawender, Walter P.
Wetzel, David M.
Workman, Jr., Edward C.

**VOLUME 26
ISSUE 4- 1994**

Authors

Anderson, Jill Teresa
Blankenhorn, Paul R.
Choong, Elvin T.
Dillard, David A.
Donald, W. Stuart
Faust, Timothy D.
Fuller, Mark M.
Gardner, Douglas J.
Gopu, Vijaya K.
Gunnells, David W.
Haas, Michael P.
Hoyle, Jr., Robert J.
Itani, Rafik Y.
Kamke, Frederick A.
Koran, Zoltan
Maness, Thomas C.
McAlister, Robert H.
Nlombi, Kibi
Smith, Paul M.
Stanzl-Tschegg, Stefanie E.
Teischinger, Alfred
Tschegg, Elmar K.
Vlosky, Richard P.
Wang, Zuoxin
Wolcott, Michael P.
Wolcott, Michael P.
Yang, Kung-Chi
Zarnoch, Stanley J.
Zhang, Shu-Yin

**VOLUME 26
ISSUE 1 – 1994**

Keywords

Agathis australis
Ceiba pentandra
Fraxinus excelsior
Picea abies
Pinus silvestris
Populus tremula
Prunus avium
Salix sp.
Absolute reaction rate
Douglas-fir
Drying
Dynamic programming
Elastic constants
Esterification
Finite element
Fumigants
Juvenile wood
Paperboard
Parallam®
Poisson's ratio
Tensile strength
Time-temperature
superposition
WPC
Water vapor
Wood composites
Wood polymer composites
Young's modulus
accelerated creep
acetic anhydride
acrylic wood
activation energy
adsorption
anatomical and physical
properties
ancient wood
bending strength
buried wood
carbohydrates
cellulose
chemical distribution
compliance
compression tests

connections
crack
creep rupture
decomposition
dimension cutting
dry-forming
drying model
duration of load
evaluation
fatigue
fiber
forming
frequency
hardwoods
heat transfer
height increment
hemicellulose
holocellulose
image analysis
impregnated wood
kapok
knapsack algorithm
laminated veneer lumber
light-frame construction
light-frame model
lignin
long-term creep modeling
macroporosity
master curves
measurements
metham sodium
methylisothiocyanate
modified wood
moisture evaporation
non-Fickian behavior
numerical model
optimal cutting patterns
prediction equation
press drying
reaction rate
reactivity
scanner
scanning electron
microscopy (SEM)
sinusoidal load
sloping grain

sorption
southern pine
stabilized wood
strength
synchronous growth
hypothesis
temperature
video camera
wet-forming
wood
wood chemistry
wood drying
wood polymer
combinations
wood specific gravity

**VOLUME 26
ISSUE 2 – 1994**

Keywords

P. echinata
P. elliotii
P. taeda
Pinus palustris
Pinus spp.
Postia placenta
Trametes versicolor
Acid precipitation
Biocides
CCA
Chemical modification
Computer vision
Douglas-fir
Douglas-fir veneer
Drying
Experimental design
Flakeboard
Genetic variation
Mass transfer
Metal-plate
Phenol-formaldehyde
System simulation
Tissue culture
Wood-based composites
X-ray densitometry
acetals
age affects
ammoniacal copper zinc
arsenate
animation
azaconazole
basidiomycetes
bond-strength development
borate
carbonyl group
cellulose
chromated copper arsenate
color vision
combined loading
copper sulfate
decay resistance
degradation
dimensional stability

discrete-event
durability
esterification
etherification
finite element method
fire resistance
fluorescence microscopy
fractional replication
furniture rough mill
heartwood formation
heat transfer
hot-pressing
image analysis
infrared spectrophotometer
integrated decision-support
joints
juvenile wood
kiln-drying
lignin
maple
modeling life cycle
modelling
moisture content
numerical analysis
oligo-esterification
phenol-formaldehyde
physical properties
plywood
preservative pretreatment
protoplasts
rays
reflection model
resin canals
resin-impregnated wood
ring density components
sapwood
slow release biocides
southern pine
spectral reflectance
spruce
steam injection pressing
temperature
tensile strength
termite resistance
transition zone
white oak

wood bonding
wood drying
wood surface
wood truss
xylem parenchyma

VOLUME 26
ISSUE 3 – 1994

Keywords

Picea abies (L.) Karst.
Pinus resinosa
Populus tremuloides
Robinia pseudoacacia L.
Anion exclusion
Black locust
Composite
Customer satisfaction
Donnan membrane effect
Drying
Drying rate
Extractives
Fourier series
Growth-quality
relationships
Moisture sorption
Monomer
Norway spruce
Particleboard
Preservative
Systemic approach
acrylate
arsenate
biomass yield
calorific value
cavitation
cell wall
chromate
compliance coefficient
consumer education
coupling agent
density profile
desorption
detergent
diagnostic
diapers
diffusion
diffusion-coefficient
dimensional stability
drying rate
extractives
falling rate period
fiber length

fiber saturation point
finite difference method
gasification
golden section search
green marketing
growth rates
hot-water soaking
integration
intra- and inter-provenance
variation
maple
mechanical properties
methacrylate
moisture content profile
moisture movement
optimization
phenotypic selection
phosphate
polymer
polystyrene
red oak
sawmill operation
shakes
shrinkage
simulation modeling
solute free water
southern pine
specific gravity
steaming
sugar maple
swelling
temperature profile
tensile strength
transfer molding
wood decay
wood density
wood energy
wood fiber
wood quality
wood strength
wood texture
wood-polymer composites

VOLUME 26
ISSUE 4 – 1994

Keywords

Picea glauca
Picea mariana
Canadian Standard
Freeness
Chemithermomechanical
pulp
Chinese woods
Coating and bending
method
Douglas fir
Dynamic contact angle
analysis
FIA damage class
Juvenile wood
Laminated veneer lumber
NaOH solubility
Sawmilling
Specific gravity
Storm damage
U.S. market overview
Viscoelasticity
Wood drying
balsam-fir
breaking length
burst index
cellular metering
composites pressing
computer-aided
manufacturing
creep
cycled
dead trees
differential scanning
calorimetry
drying deflection
drying stress
engineered wood products
extractives
felling time
fracture energy
free volume
glass transition temperature
glued laminated

humidity
lumber manufacturing
mature wood
mechanical properties
microstructure
modulus of elasticity
optical properties
orientation influence
paper strength
poletimber
presteaming
regression equations
relationships
sawing optimization
slicing method
spacing
splitting force
spruce budworm
surface energy
surface reorientation
tear index
tension strength
toughness
wood
wood categories

VOLUME 26
ISSUE 1 – 1994

REACTION RATE MODEL FOR THE FATIGUE STRENGTH OF WOOD. Jen Y. Liu, John J. Zahn, Erwin L. Schaffer

ACETYL DISTRIBUTION IN ACETYLATED WHOLE WOOD AND REACTIVITY OF ISOLATED WOOD CELL-WALL COMPONENTS TO ACETIC ANHYDRIDE. Roger M. Rowell, Rune Simonson, Sabine Hess, David V. Plackett, Dave Cronshaw, Elizabeth Dunningham

SPACEBOARD II STRUCTURAL PANELS: FORMING APPARATUS AND METHODS. Dennis E. Gunderson, Roland L. Gleisner

TRANSFORMING A CORNER OF A LIGHT-FRAME WOOD STRUCTURE TO A SET OF NONLINEAR SPRINGS. Kevin M. Groom, Robert J. Leichti

UNSTEADY-STATE WATER VAPOR ADSORPTION IN WOOD: AN EXPERIMENTAL STUDY. Lars Wadsö

ENVIRONMENTALLY INDUCED PHYSICAL CHANGES IN ANCIENT KAURI (AGATHIS AUSTRALIS) WOOD. Cassia Freedland, Roger M. Rowell, David Plackett

DECOMPOSITION OF METHAM SODIUM TO METHYLISOTHIOCYANATE AS AFFECTED BY WOOD SPECIES, TEMPERATURE, AND MOISTURE CONTENT. Jeffrey J. Morrell

DETERMINATION OF PARALLAM® MACROPOROSITY BY TWO OPTICAL TECHNIQUES. Simon Ellis, Joël Dubois, Stavros Avramidis

A NUMERICAL MODEL FOR HEAT TRANSFER AND MOISTURE EVAPORATION PROCESSES IN HOT-PRESS DRYING—AN INTEGRAL APPROACH. Yifu Tang, Ronald G. Pearson, C. Arthur Hart, William T. Simpson

WOOD SPECIFIC GRAVITY VARIABILITY IN CEIBA PENTANDRA. Robert A. Fimbel, Espen O. Sjaastad

STRESS ANALYSIS AND PREDICTION IN 3-LAYER LAMINATED VENEER LUMBER: RESPONSE TO CRACK AND GRAIN ANGLE. Jae Kyung Cha, Ronald G. Pearson

ORTHOTROPIC ELASTIC CONSTANTS FOR EASTERN HARDWOOD SPECIES. Alan Sliker, Ying Yu, Timothy Weigel, Wenjie Zhang

CREEP MODELING OF WOOD USING TIME-TEMPERATURE SUPERPOSITION. Sandhya Samarasinghe, Joseph R. Loferski, Siegfried M. Holzer

OPTIMAL CUTTING OF LUMBER AND PARTICLEBOARDS INTO DIMENSION PARTS: SOME ALGORITHMS AND SOLUTION PROCEDURES. Celso Carnieri, Guillermo A. Mendoza, Luciano Gavinho, WOOD POLYMER COMPOSITES. Marc H. Schneider

A HYPOTHESIS RELATING CURRENT ANNUAL HEIGHT INCREMENT TO JUVENILE WOOD FORMATION IN NORWAY SPRUCE. Bohumil Kuera

ISSUE 2 – 1994

SHORT, CLEAR SPECIMENS FOR ESTIMATING DRYING TIME OF SUGAR MAPLE LUMBER. William T. Simpson, John L. Tschernitz, James S. Sarfo

PROPERTIES AND DECAY RESISTANCE OF PRESERVATIVE-TREATED DOUGLAS-FIR FLAKEBOARD. Asghar Jeihooni, Robert L. Krahmer, Jeffrey J. Morrell

DEGRADATIVE EFFECTS OF ULTRAVIOLET LIGHT AND ACID RAIN ON WOOD SURFACE QUALITY. David N.-S. Hon

SYSTEM SIMULATION MODELING: A CASE STUDY ILLUSTRATION OF THE MODEL DEVELOPMENT LIFE CYCLE. Janice K. Wiedenbeck, D. Earl Kline

ASSESSING BIOCIDES EFFECTS ON PROTOPLASTS OF WOOD DECAY FUNGI. Chen Rui, Jeffrey J. Morrell

METAL-PLATE CONNECTED TENSION JOINTS UNDER DIFFERENT LOADING CONDITIONS. Rakesh Gupta

THE EFFECTS OF CHROMATED COPPER ARSENATE AND AMMONIACAL COPPER ZINC ARSENATE ON SHEAR STRENGTH DEVELOPMENT OF PHENOLIC RESIN TO SITKA SPRUCE BONDS. T. R. Narayana Prasad, Philip E. Humphrey, Jeffrey J. Morrell

FAMILY VARIATION IN AGE TRENDS OF WOOD DENSITY TRAITS IN YOUNG COASTAL DOUGLAS-FIR. J. Vargas-Hernandez, W.T. Adams, Robert L. Krahmer

USING FRACTIONAL FACTORIAL DESIGNS IN FOREST PRODUCTS RESEARCH. Carl W. Mize, Daniel DiCarlo, Mon-lin Kuo

APPLICATION OF THE DICHROMATIC REFLECTION MODEL TO WOOD. Alberto G. Maristany, Patricia K. Lebow, Charles C. Brunner

CHARACTERISTICS OF PHENOL-FORMALDEHYDE ADHESIVE BONDS IN STEAM INJECTION PRESSED FLAKEBOARD. Stephen E. Johnson, Frederick A. Kamke

CHEMICAL MODIFICATION OF WOOD. Satish Kumar

AN APPLICATION OF FINITE ELEMENT ANALYSIS TO WOOD DRYING. Young Q. Gui, E. William Jones, Fred W. Taylor, Camille A. Issa

TISSUE CULTURE OF SECONDARY XYLEM PARENCHYMA OF FOUR SPECIES OF SOUTHERN PINES. Robert M. Allen, Evelyn, N. Hiatt

ISSUE 3 – 1994

COMPARISON OF LABORATORY AND FIELD METHODS TO EVALUATE DURABILITY OF PRESERVATIVE-TREATED SHAKES. Rodney C. De Groot

VESSEL AREA STUDIES IN WHITE OAK (QUERCUS ALBA L.). John E. Phelps, Edward C. Workman, Jr.

INTERACTION OF WOOD-PROTECTING ANIONS WITH THE WOOD CELL WALL. Paul A. Cooper, Dibyendu N. Roy

MOISTURE SORPTION AND SWELLING OF WOOD-POLYMER COMPOSITES. W. Dale Ellis

WOOD QUALITY OF NORWAY SPRUCE GROWN IN PLANTATIONS IN QUEBEC. Donald Blouin, Jean Beaulieu, Gaetan Daoust, Jean Poliquin

BIOMASS PROPERTIES AND GASIFICATION BEHAVIOR OF YOUNG BLACK LOCUST. Wayne A. Geyer, Walter P. Walawender

CHANGES IN SHRINKAGE AND TANGENTIAL COMPRESSION STRENGTH OF SUGAR MAPLE BELOW AND ABOVE THE FIBER SATURATION POINT. Roger E. Hernández, Michal Bizo

SATISFYING CONSUMERS' "GREEN" WANTS: AN IMPETUS FOR EDUCATION. Judd H. Michael, Paul M. Smith

PROPERTIES OF TRANSFER-MOLDED WOOD-FIBER/POLYSTYRENE COMPOSITES. Bei-Hong Liang, Laurence Mott, Stephen M. Shaler, Gerard T. Caneba

DETERMINING THE EFFECT OF EXTRACTIVES ON MOISTURE MOVEMENT USING A "CONTINUOUS" MEASURING SYSTEM. Yong Chen, Elvin T. Choong

SIMULATION MODELING OF PARTICLEBOARD DENSITY PROFILE. Shuming Suo, Jim L. Bowyer,

OPTIMUM AVERAGE DIFFUSION COEFFICIENT: AN OBJECTIVE INDEX IN DESCRIPTION OF

WOOD DRYING DATA. Yong Chen, Elvin T. Choong, David M. Wetzel

A SYSTEMIC APPROACH TO CONSIDER COMPLEXITY IN SAWMILL MODELING. Robert Beauregard, Michel Beaudoin, Daoud Ait-Kadi, Jean-Pierre Mongeau

WETTING AGENT AND ULTRASONIC CAVITATION EFFECTS ON DRYING CHARACTERISTICS OF THREE U.S. HARDWOODS. Peter Y. S. Chen, William T. Simpson

ISSUE 4 – 1994

TEMPERATURE DEPENDENCE OF WOOD SURFACE ENERGY. David W. Gunnells, Douglas J. Gardner, Michael P. Wolcott

LAMINATED VENEER LUMBER: A UNITED STATES MARKET OVERVIEW. Richard P. Vlosky, Paul M. Smith, Paul R. Blankenhorn, Michael P. Haas

FRACTURE ENERGY OF SPRUCE WOOD AFTER DIFFERENT DRYING PROCEDURES. Stefanie E. Stanzl-Tschegg, Elmar K. Tschegg, Alfred Teischinger

IMPACT OF SPACING ON WIDTH AND BASAL AREA OF JUVENILE AND MATURE WOOD IN PICEA MARIANA AND PICEA GLAUCA. Kung-Chi Yang

CHEMITHERMOMECHANICAL PULPING CHARACTERISTICS OF BUDWORM-KILLED TREES. Zoltan Koran, Kibi Nlombi

FUNDAMENTAL ASPECTS OF WOOD DEFORMATION PERTAINING TO MANUFACTURE OF WOOD-BASED COMPOSITES. Michael P. Wolcott, Frederick A. Kamke, David A. Dillard

MECHANICAL PROPERTIES IN RELATION TO SPECIFIC GRAVITY IN 342 CHINESE WOODS. Shu-Yin Zhang

EFFECT OF PRESTEAMING ON DRYING STRESSES OF RED OAK USING A COATING AND BENDING METHOD. Zuoxin Wang, Elvin T. Choong, Vijaya K. Gopu

ASSESSING INTERNAL HURRICANE DAMAGE TO STANDING PINE POLETIMBER. Timothy D. Faust, Mark M. Fuller, Robert H. McAlister, Stanley J. Zarnoch

THE EFFECT OF LOG ROTATION ON VALUE RECOVERY IN CHIP AND SAW SAWMILLS. Thomas C. Maness, W. Stuart Donald

THE EFFECT OF MOISTURE CYCLING ON CREEP OF SMALL GLUED LAMINATED BEAMS. Robert J. Hoyle, Jr., Rafik Y. Itani, Jill Teresa Anderson

**VOLUME 27
ISSUE 1- 1995**

Authors

Biblis, Evangelos J.
Bowyer, Jim L.
Brinker, Richard
Carino, Honorio
Ellis, Simon
Fantozzi, Jeffrey
Fried, Jr., Albert R.
Hernández, Roger E.
Huang, Chih-Lin
Humphrey, Philip E.
Lee, Sung K.
Mantanis, George I.
McKee, C. William
Mianowski, Theodore
Milota, Michael R.
Peralta, Perry N.
Restrepo, Guillermo
Richter, Klaus
River, Bryan H.
Rowell, Roger M.
Suo, Shuming
Tschernitz, John L.
Urbanik, Thomas J.
Verrill, Steve P.
Vick, Charles B.
Young, Raymond A.

**VOLUME 27
ISSUE 2- 1995**

Authors

Bush, Robert J.
Chen, George C.
Chen, Yong
Chen, Yi-ru
Choong, Elvin T.
Cohen, David H.
Forsyth, Paul G.
Koran, Zoltan
Lebow, Stan T.
Maness, Tom
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Schmidt, Elmer L.
Smith, Robert L.
Steiner, Paul R.
Urbanik, Thomas J.
Wetzel, David M.
Winandy, Jerrold E.
Winistorfer, Paul M.
Xu, Wei
Xu, Wei

**VOLUME 27
ISSUE 3- 1995**

Authors

Ait-Kadi, Daoud
Akhtar, Masood
Baileys, Randall T.
Beaudoin, Michel
Beauregard, Robert
Bender, Donald A.
Blanchette, Robert A.
Blankenhorn, Paul R.
Burnes, Todd A.
Bush, Robert J.
Canessa, Edwin F.
Chow, Poo
Cunningham, M. J.
Demessie, Endalkachew
Sahle
Flynn, Kevin A.
Hassan, Ali
Janowiak, John J.
Kumar, Satish
Labosky, Peter
Levien, Keith L.
Manbeck, Harvey B.
Milota, Michael R.
Mongeau, Jean-Pierre
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Motter, William K.
Peralta, Perry N.
Rolfe, Gary L.
Schmoldt, Daniel L.
Shaffer, Keith R.
Skaggs, Thomas D.
Smith, Robert L.
Webb, David A.
Wu, Qinglin

**VOLUME 27
ISSUE 4- 1995**

Authors

Area, Maria C.
Cadahía, Estrella
Choong, Elvin T.
Conde, Elvira
Davidson, Robert W.
Felissia, Fernando E.
García-Vallejo, Maria C.
Gavazzo, Graciela B.
Gibson, Mark D.
Hanna, Robert B.
Hon, David N.-S.
Inoue, Masafumi
Kawai, Shuichi
Laufenberg, Theodore L.
Lee, Andy W. C.
Peralta, Perry N.
Phillips, Jonathan G.
Rowell, Roger M.
Schneider, Marc H.
Scott, C. Tim
Shupe, Todd F.
Sierra-Alvarez, Reyes
Steiner, Paul R.
Tjeerdsma, Bôke F.
Tomás-Barberán, Francisco
Valade, Jacques L.
Wimmer, Rupert
Xu, Wei
Zink, Audrey G.

VOLUME 27
ISSUE 1 – 1995

Keywords

Alnus acuminata
Bolted timber connectors
Cell-wall checking
Congo Red
Corrugated fiberboard
Hydroxymethylated
resorcinol
Internal bond
Loblolly pine
Permeability
Sitka spruce
Sorption
Structural particleboard
Wood quality
Wood swelling
adsorption
air-dry
alder
bending moments
bisphenol-A epoxy
bonding parameter
combined loading
compliance coefficient
coupling agent
cyclic humidity
delamination resistance
design optimization
desorption
fibril angle
flexural properties
grades
hydrogen
hysteresis
image analysis
internal bond
isotherm
juvenile wood
loblolly pine
lumber
mature wood
maximum tangential
swelling
modulus of elasticity

modulus of rupture
molar volume
multiple bolts
nondestructive evaluation
plantations
polyethylenimine
primer
simulation modeling
solvent basicity
solvent-dry
southern pine
stacking life compression
strength
stand density
tensile loading
testing
ultrasound
wafer modeling technique
waferboard
wood composites
wood density
wood failure

VOLUME 27
ISSUE 2 – 1995

Keywords

Coriolus versicolor
Gloeophyllum trabeum
Phanerochaete
chrysosporium
Ammoniacal copper zinc
arsenate (ACZA)
Aspen
Basamid
CCA
Canadian Standard
Freeness (CSF)
Compression strength
Density distribution
Diffusion coefficient
Douglas-fir
Education
Medium density fiberboard
Perceptions
Potassium iodate
Thermomechanical pulp
(TMP)
adsorption
balsam-fir
biopulping
breaking length
burst index
catalysis
complexation
conjugate gradient
constant load test
creep rate
cyclic humidity
duration of load
factor analysis
fiber length
fixation
fumigants
fungal decay resistance
highway officials
internal decay
leaching
loblolly pine
long-term test

mechanical properties
moisture content
opacity
optimization
oriented strandboard
paper properties
paper strength
particleboard
precipitation
preservative
sheet density
spruce
structure
surface emission coefficient
sweetgum
teaching
tear index
thickness swell
timber bridges
training
treatment
utility poles
vertical density distribution
white birch
wood composites
wood processing

VOLUME 27
ISSUE 3 – 1995

Keywords

Ceriporiopsis
subvermispora
Phanerochaete
chryso sporium
Beams
Cellulose
Creep
Creosote treatment
Diffusion
Douglas-fir
Fumigant
Modeling
Permeability
Simons stain
Spruce (Picea spp.)
Systemic modeling
Timber bridges
adsorption
analytical hierarchy process
aspiration
biopulping
carbon disulfide
cell walls
composite
compression
decision modeling
decision systems
desorption
diagnosis
drying
energy savings
fiber analysis
fibrillation
flexural strength
flow
fungitoxicity
glueline shear strength
glulam beams
hardwood
hysteresis
independent-domain theory
information systems
integration

isotherm
juvenile hardwoods
lignin
marketing
mechanical pulping
mechano-sorptive effect
metham sodium
methylisothiocyanate
non-Fickian behavior
operation systems
pentosan
percent wood failure
permeability
plantations
preservative
preservative treatment
refractory
shear
shrinkage
sorption
supercritical fluids
surface tension
tension
water vapor
white-rot fungi
wood

VOLUME 27
ISSUE 4 – 1995

Keywords

Eucalyptus globulus
Eucalyptus grandis
Pinus sylvestris
Populus
Acetylation
Argentina
Diffusion
ESR
Fick's law
Horizontal density
distribution
Low density
Moisture content
Spaceboard
Strain measurement
Wood
Wood density
Wood polymer composites
acetylation
activation energy
adhesive
anatomy
bamboo
bark
chemimechanical pulping
color
degree of polymerization
design of experiments
dimensional stability
discoloration
earlywood
emulsion isocyanate
emulsion polymer
isocyanate
fiberboard
flavonoids
glue
handsheet properties
image analysis
internal bond
juvenile wood
kappa
latewood percentage

lignin
mechanical testing
model
moisture cure isocyanate
organosolv pulp
papier-mâche
phenol-resorcinol
phenolic acids
phenolic aldehydes
physical properties
polyphenols
polyvinyl acetate (PVA)
pulp quality
radical
reflectance
shear test
sheathing panel
short-rotation intensive
culture poplar hybrids
shrinkage
specific gravity
specimen size
standard
steaming
sugar maple
sweetgum
testing
thickness swell
thickness swelling
variability
waferboard
weathering
wood composites
wood polymer
combinations (WPC)
wood quality
yellow pine
yield

VOLUME 27

ISSUE 1 – 1995

HYDROXYMETHYLATED RESORCINOL COUPLING AGENT FOR ENHANCED DURABILITY OF BISPHENOL-A EPOXY BONDS TO SITKA SPRUCE. Charles B. Vick, Klaus Richter, Bryan H. River, Albert R. Fried, Jr.

SORPTION OF MOISTURE BY WOOD WITHIN A LIMITED RANGE OF RELATIVE HUMIDITIES. Perry N. Peralta

SWELLING OF WOOD. PART IV. A STATISTICAL MODEL FOR PREDICTION OF MAXIMUM SWELLING OF WOOD IN ORGANIC LIQUIDS. George I. Mantanis, Raymond A. Young, Roger M. Rowell,

EFFECT OF STAND DENSITY ON FLEXURAL PROPERTIES OF LUMBER FROM TWO 35-YEAR-OLD LOBLOLLY PINE PLANTATIONS. Evangelos J. Biblis, Honorio Carino, Richard Brinker, C. William McKee.

GAS PERMEABILITY OF PLANTATION LOBLOLLY PINE. Michael R. Milota, John L. Tschernitz, Steve P. Verrill, Theodore Mianowski

NATURAL VARIATION IN WOOD PROPERTIES OF ALNUS ACUMINATA H.B.K. GROWN IN COLOMBIA. Roger E. Hernández, Guillermo Restrepo

REVEALING FIBRIL ANGLE IN WOOD SECTIONS BY ULTRASONIC TREATMENT. Chih-Lin Huang,

EFFECTS OF BENDING MOMENTS ON THE TENSILE PERFORMANCE OF MULTIPLE-BOLTED TIMBER CONNECTORS: PART I. A TECHNIQUE TO MODEL SUCH JOINTS. Jeffrey Fantozzi, Philip E. Humphrey

SWEPT SINE HUMIDITY SCHEDULE FOR TESTING CYCLE PERIOD EFFECTS ON CREEP. Thomas J. Urbanik, Sung K. Lee

CORRELATION OF WAFERBOARD INTERNAL BOND AND WOOD FAILURE AS MEASURED BY IMAGE ANALYSIS. Simon Ellis

MODELING OF STRENGTH PROPERTIES OF STRUCTURAL PARTICLEBOARD. Shuming Suo, Jim L. Bowyer

ISSUE 2 – 1995

THERMOMECHANICAL PULP PROPERTIES OF WHITE BIRCH. Zoltan Koran

INTERACTIONS OF AMMONIACAL COPPER ZINC ARSENATE (ACZA) WITH DOUGLAS-FIR. Stan T. Lebow, Jeffrey J. Morrell

A PROCEDURE TO DETERMINE THICKNESS SWELL DISTRIBUTION IN WOOD COMPOSITE PANELS. Wei Xu, Paul M. Winistorfer

EDUCATIONAL NEEDS OF THE CANADIAN SOLID WOOD PRODUCTS INDUSTRY. David H. Cohen, Tom Maness

HYGROEXPANSION-CREEP MODEL FOR CORRUGATED FIBERBOARD. Thomas J. Urbanik

A PERCEPTIONAL INVESTIGATION INTO THE ADOPTION OF TIMBER BRIDGES. Robert L. Smith, Robert J. Bush

FUNGAL DECAY RESISTANCE OF LOBLOLLY PINE OR SWEETGUM REACTED WITH AQUEOUS POTASSIUM IODATE. George C. Chen

A STATISTICAL CHARACTERIZATION OF THE HORIZONTAL DENSITY DISTRIBUTION IN FLAKEBOARD. Wei Xu, Paul R. Steiner

EFFECT OF MOISTURE CONTENT ON STRENGTH OF CCA-TREATED LUMBER. Jerrold E. Winandy,

EVALUATION OF DIFFUSION COEFFICIENT AND SURFACE EMISSION COEFFICIENT BY AN OPTIMIZATION TECHNIQUE. Yong Chen, Elvin T. Choong, David M. Wetzel

DECOMPOSITION OF BASAMID IN DOUGLAS-FIR HEARTWOOD: LABORATORY STUDIES OF A POTENTIAL WOOD FUMIGANT. Paul G. Forsyth, Jeffrey J. Morrell

IMPROVING ASPEN KRAFT PULP BY A NOVEL, LOW-TECHNOLOGY FUNGAL PRETREATMENT. Yi-ru Chen, Elmer L. Schmidt

ISSUE 3 –1995

EFFECT OF MIXTURES OF CARBON DISULFIDE AND METHYLISOTHIOCYANATE ON SURVIVAL OF WOOD-COLONIZING FUNGI. Edwin F. Canessa, Jeffrey J. Morrell

A HIERARCHICAL MODEL AND ANALYSIS OF FACTORS AFFECTING THE ADOPTION OF TIMBER AS A BRIDGE MATERIAL. Robert L. Smith, Robert J. Bush, Daniel L. Schmoltd

CREOSOTE TREATMENT EFFECT ON HARDWOOD GLULAM BEAM PROPERTIES. Harvey B. Manbeck, Keith R. Shaffer, John J. Janowiak, Paul R. Blankenhorn, Peter Labosky, Randall T. Baileys, David A. Webb

MODELING WOOD MOISTURE SORPTION HYSTERESIS USING THE INDEPENDENT-DOMAIN THEORY. Perry N. Peralta

USING SIMONS STAIN TO PREDICT ENERGY SAVINGS DURING BIOMECHANICAL PULPING. Masood Akhtar, Robert A. Blanchette, Todd A. Burnes

A MODEL TO EXPLAIN “ANOMALOUS” MOISTURE SORPTION IN WOOD UNDER STEP FUNCTION DRIVING FORCES. M. J. Cunningham

A REVIEW OF THE PERMEABILITY, FLUID FLOW, AND ANATOMY OF SPRUCE, (PICEA SPP.).
Kevin A. Flynn

RHEOLOGICAL BEHAVIOR OF DOUGLAS-FIR PERPENDICULAR TO THE GRAIN AT ELEVATED
TEMPERATURES. Qinglin Wu, Michael R. Milota

SUPERCritical CARBON DIOXIDE TREATMENT: EFFECT ON PERMEABILITY OF DOUGLAS-FIR
HEARTWOOD. Endalkachew Sahle Demessie, Ali Hassan, Keith L. Levien, Satish Kumar, Jeffrey J. Morrell,

A SYSTEMIC APPROACH FOR SAWMILL MODELING. Robert Beauregard, Michel Beaudoin, Daoud Ait-
Kadi, Jean-Pierre Mongeau

CHEMICAL COMPOSITIONS OF FIVE 3-YEAR-OLD HARDWOOD TREES. Poo Chow, Gary L. Rolfe,
William K. Motter

SHEAR DEFLECTION OF COMPOSITE WOOD BEAMS. Thomas D. Skaggs, Donald A. Bender

ISSUE 4 – 1995

TESTING OF SELECTED GLUES FOR WOOD POLYMER COMPOSITES IN DRY AND WET USE. Marc
H. Schneider, Jonathan G. Phillips

STRAIN MEASUREMENT IN WOOD USING A DIGITAL IMAGE CORRELATION TECHNIQUE.
Audrey G. Zink, Robert W. Davidson, Robert B. Hanna

STABILIZATION OF WOOD COLOR: IS ACETYLATION BLOCKING EFFECTIVE?. David N.-S. Hon,
CHEMIMECHANICAL PULPING OF EUCALYPTUS GRANDIS. Maria C. Area, Graciela B. Gavazzo,
Fernando E. Felissia, Jacques L. Valade

LOW MOLECULAR WEIGHT POLYPHENOLS IN WOOD AND BARK OF EUCALYPTUS GLOBULUS.
Elvira Conde, Estrella Cadahía, Maria C. García-Vallejo, Francisco Tomás-Barberán

SHRINKAGE OF OUTERWOOD, MIDDLEWOOD, AND COREWOOD OF TWO SWEETGUM TREES.
Todd F. Shupe, Elvin T. Choong, Mark D. Gibson

RATIONALIZING INTERNAL BOND AND THICKNESS SWELL TEST SPECIMEN SIZE. Wei Xu, Paul
R. Steiner

ORGANOSOLV PULPING OF POPLAR WOOD FROM SHORT-ROTATION INTENSIVE CULTURE
PLANTATIONS. Reyes Sierra-Alvarez, Bôke F. Tjeerdsma

SPACEBOARD II PANELS: PRELIMINARY EVALUATION OF MECHANICAL PROPERTIES. C. Tim
Scott, Theodore L. Laufenberg

INTRA-ANNUAL CELLULAR CHARACTERISTICS AND THEIR IMPLICATIONS FOR MODELING
SOFTWOOD DENSITY. Rupert Wimmer

UNSTEADY-STATE DIFFUSION OF MOISTURE IN GIANT TIMBER BAMBOO (PHYLLOSTACHYS BAMBUSOIDES SIEB. & ZUCC.). Perry N. Peralta, Andy W. C. Lee

DIMENSIONALLY STABILIZED, VERY LOW DENSITY FIBERBOARD. Roger M. Rowell, Shuichi Kawai, Masafumi Inoue

**VOLUME 28
ISSUE 1- 1996**

Authors

Beall, Frank C.
Biernacki, Jacek M.
Brunner, Charles C.
Butler, David A.
Cooper, Paul A.
Davidson, Robert W.
Dolan, J. Daniel
Foliente, Greg C.
Gartner, Barbara L.
Hanna, Robert B.
Lang, Elemer M.
Laver, Murray L.
Lebow, Patricia K.
Lebow, Patricia K.
Lindström, Håkan
Maristany, Alberto G.
Milota, Michael R.
Morgenstern, E. Kris
Musbah, Durria Abdel
Azim
Simpson, Dale
Singh, Mahendra P.
Walker, Esteban
Winandy, Jerrold E.
Winistorfer, Paul M.
Wolcott, Michael P.
Wu, Qinglin
Young, Timothy M.
Zhang, Shu Yin
Zink, Audrey G.

**VOLUME 28
ISSUE 2- 1996**

Authors

Avramidis, Stavros
Bao, Zhaozhen
Barnes, H. Michael
Choong, Elvin T.
Chow, Poo
Chow, Poo
Chui, Yin Hei
Gibson, Mark D.
Groot, Rodney C. De
Kamke, Frederick A.
Krzysik, Andrzej M.
Lenth, Christopher A.
Lindström, Håkan
Maturbongs, Leo
Michael, Judd H.
Muehl, James H.
Rolfé, Gary L.
Rowell, Roger M.
Schneider, Marc H.
Shupe, Todd F.
Shupe, Todd F.
Siau, John F.
Smith, Paul M.
Stokke, Douglas D.
Suchsland, Otto
Suchsland, Otto
Woodward, Bessie
Wu, Qinglin
Xu, Danping
Youngquist, John A.
Zhang, Shu Yin

**VOLUME 28
ISSUE 3- 1996**

Authors

Bender, Donald A.
Bray, Don E.
Chen, Yong
Choong, Elvin T.
Choong, Elvin T.
D'Onofrio, Mark
Dickens, James R.
Fridley, Kenneth J.
Green, David W.
Hong, Pyoyoon
Kamke, Frederick A.
Kretschmann, David E.
Lang, Elemer M.
Lenth, Christopher A.
Luppold, William
Moschler, William W.
Rice
Rice, Robert W.
Rosowsky, David V.
Shupe, Todd F.
Skatter, Sondre
Wetzel, David M.
Winistorfer, Paul M.
Wolcott, Michael P.
Xu, Wei
Yang, Chun H.

**VOLUME 28
ISSUE 4- 1996**

Authors

Gardner, Douglas J.
Groom, Leslie H.
Lindström, Håkan
Mott, Laurence
Na, Jae Sik
Ozanne, Lucie K.
Peralta, Perry N.
Ronze, Didier
Rouger, Frédéric
Shaler, Stephen M.
Smith, Paul M.
Vlosky, Richard P.
Zoulalian, André

VOLUME 28
ISSUE 1 – 1996

Keywords

Picea abies
Black spruce
Core wood
Double lap joints
Douglas-fir
Douglas-fir sapwood
Fire retardant
Monte Carlo simulation
Polyphenol oxidase
Principal-component analysis
Softwood
Swelling
Ultrasonics
Vertical density profile
Wood structures
acousto-ultrasonics
activation energy
adhesion
adhesive connections
adhesives
basic density
bound water
brown stains
cambium
chemical stains
classification
color
consolidation
correlation
crown development
crown wood
cubic spline
diffusion
dimethyl formamide (DMF)
dimethyl sulfoxide (DMSO)
discriminant analysis
dry mass weight
dynamic analysis
environment
enzyme activity

failure mode
family
fiber length
furnish moisture content
glulam
growth ring width
growth traits
hot pressing
hysteresis modeling
joint strength
juvenile wood
kinetics
laminates
lumber
modeling
monoammonium phosphate (MAP)
nonparametric regression
oriented strandboard
periderm
phellogen
plywood
polyethylene glycol (PEG-1000)
press closure rate
protein extraction
random vibrations
red pine
spectral reflectance
stem taper
strain
swelling
temperature
tension
thermal degrade
tracheid
tracheid length
treatment
trembling aspen
variation
wetting
wood
wood density
wood quality
wood-strand mats

VOLUME 28
ISSUE 2 – 1996

Keywords

Picea abies
Acetylation
American sycamore
CCA
Cell-wall thickness
Chlorothalonil
Crown development
Diffusion
Furniture markets
Indonesia
Irian Jaya
Jack pine
Klason lignin
Lewis relation
Newman's solution
Oriented strandboard
Plywood
Treatability
alder
alpha-cellulose
anatomy
aspen
basic density
bending strength
black locust
bottomland
conditioning
consolidation
coppice
correlation
dimensional stability
dry fiber weight
drying
durability
extractives
factor analysis
fiber length
growth ring width
growth traits
hardboard
heat convection
hemlock
holocellulose
hot-pressing
image analysis
inheritance
internal bond

laminar boundary layer
mass convection
method
microfibril angle
modeling
non-Fickian diffusion
overlays
penetration
penetration index
pine
preservation
preservative
preservative gradient
pressure treatment
promotions
restrained swelling
retailers
retention
roofing
seasoning
seedling
shake
sorption isotherm
southern pine
specific gravity
stem taper
substrate
surface resistance
swelling stresses
tensile stress
trade shows
tropical hardwoods
turbulent boundary layer
upland
uptake
variation
void fraction
warping
warping
wood composite
wood decay
wood density
wood flake mats

VOLUME 28
ISSUE 3 – 1996

Keywords

Alpha-cellulose
Creep
Critically refracted
longitudinal waves
Hardwood
Klason lignin
Medium density fiberboard
Moisture content
Nondestructive evaluation
Numerical analysis
Oriented strandboard
Permeability
Poisson's ratio
TV holography
Wood-strand mats
balsam fir
beam profile
bending
cellular materials
clear wood
compression
compression strain
consolidation
design
diffusion coefficient
dimension lumber
drying
eastern white pine
empirical models
extractives
fertilization
fiber saturation point
floor system
growth ring angle
holocellulose
intensity factor
laser interferometry
loblolly pine
longitudinal permeability
modeling
nonlinear strain function
oriented strandboard
particleboard

pruning
red spruce
reliability
sawmill concentration
sawmills
serviceability
shear
southern pine
specific gravity
stress
stress-strain behavior
tension
thickness swell distribution
thinning
vertical density distribution
vibration analysis
water absorption
wood

VOLUME 28
ISSUE 4 – 1996

Keywords

Picea abies
Fibers
Furniture industry
Green marketing
Lifshitz-van der
Waals/acid-base
Modeling
Timber
U.S. South
Urea-formaldehyde
Wood
adsorption
aging
basic density
chemical degradation
classification
contact angle
crown development
desorption
diffusivity
digital image correlation
economic development
environmental scanning
electron microscopy
hydrolysis
hysteresis
independent-domain theory
isotherm
machine grading
market segmentation
mechanical degradation
micromechanics
models
moisture distribution
function
pH
silviculture
sorption
statistics
strain
surface tension
tensile testing
tree class

wood characteristics
wood density
wood formation

VOLUME 28

ISSUE 1 – 1996

AN ENZYME EXTRACT FROM DOUGLAS-FIR SAPWOOD AND ITS RELATIONSHIP TO BROWN STAINING. Murray L. Laver, Durria Abdel Azim Musbah

ACOUSTIC MONITORING OF COLD-SETTING ADHESIVE CURING IN WOOD LAMINATES: EFFECT OF CLAMPING PRESSURE AND DETECTION OF DEFECTIVE BONDS. Jacek M. Biernacki, Frank C. Beall

BASIC DENSITY IN NORWAY SPRUCE. PART I. A LITERATURE REVIEW. Håkan Lindström

RATE OF SWELLING OF VACUUM-IMPREGNATED WOOD. Paul A. Cooper

KINETIC MODELS FOR THERMAL DEGRADATION OF STRENGTH OF FIRE-RETARDANT-TREATED WOOD. Jerrold E. Winandy, Patricia K. Lebow

DOES PHOTOSYNTHETIC BARK HAVE A ROLE IN THE PRODUCTION OF CORE VS. OUTER WOOD?. Barbara L. Gartner

THE INFLUENCE OF OVERLAP LENGTH ON ADHESIVE JOINT STRENGTH. Audrey G. Zink, Robert W. Davidson, Robert B. Hanna

CLASSIFICATION OF WOOD SURFACE FEATURES BY SPECTRAL REFLECTANCE. Patricia K. Lebow, Charles C. Brunner, Alberto G. Maristany, David A. Butler

VARIATION IN THE RELATIONSHIP OF WOOD DENSITY WITH GROWTH IN 40 BLACK SPRUCE (PICEA MARIANA) FAMILIES GROWN IN NEW BRUNSWICK. Shu Yin Zhang, Dale Simpson, E. Kris Morgenstern

A MODEL FOR VISCOELASTIC CONSOLIDATION OF WOOD-STRAND MATS. PART I. STRUCTURAL CHARACTERIZATION OF THE MAT VIA MONTE CARLO SIMULATION. Elemer M. Lang, Michael P. Wolcott

RESPONSE ANALYSIS OF WOOD STRUCTURES UNDER NATURAL HAZARD DYNAMIC LOADS. Greg C. Foliente, Mahendra P. Singh, J. Daniel Dolan

MECHANO-SORPTIVE DEFORMATION OF DOUGLAS-FIR SPECIMENS UNDER TANGENTIAL TENSILE STRESS DURING MOISTURE ADSORPTION. Qinglin Wu, Michael R. Milota

MODELING AND COMPARING VERTICAL DENSITY PROFILES. Paul M. Winistorfer, Timothy M. Young, Esteban Walker

ISSUE 2 – 1996

SELECTING DRY FIBER WEIGHT FOR HIGHER AND BETTER QUALITY JACK PINE FIBER PRODUCTION. Shu Yin Zhang, Yin Hei Chui

INVESTIGATIONS OF FLAKEBOARD MAT CONSOLIDATION. PART I. CHARACTERIZING THE CELLULAR STRUCTURE. Christopher A. Lenth, Frederick A. Kamke

AN ANALYSIS OF HOME FURNISHINGS RETAILERS' USE OF FURNITURE MARKETS. Judd H. Michael, Paul M. Smith

THE SURFACE EMISSION COEFFICIENT OF WOOD. John F. Siau, Stavros Avramidis

SOME CHEMICAL CONSTITUENTS OF TEN-YEAR-OLD AMERICAN SYCAMORE AND BLACK LOCUST GROWN IN ILLINOIS. Poo Chow, Gary L. Rolfe, Todd F. Shupe

A MODIFIED ELASTIC APPROACH TO THE THEORETICAL DETERMINATION OF THE HYGROSCOPIC WARPING OF LAMINATED WOOD PANELS. Danping Xu, Otto Suchsland

PRESSURE TREATMENT OF SOUTHERN PINE POLES WITH CHLOROTHALONIL IN HYDROCARBON SOLVENT. H. Michael Barnes

A LABORATORY SOIL-CONTACT DECAY TEST: AN ACCELERATED METHOD TO DETERMINE DURABILITY OF TREATED WOOD SHAKES. Rodney C. De Groot, Bessie Woodward

PREDICTION OF MOISTURE CONTENT AND MOISTURE GRADIENT OF AN OVERLAID PARTICLEBOARD. Qinglin Wu, Otto Suchsland

BASIC DENSITY OF NORWAY SPRUCE. PART II. PREDICTED BY STEM TAPER, MEAN GROWTH RING WIDTH, AND FACTORS RELATED TO CROWN DEVELOPMENT. Håkan Lindström
PROPERTIES OF HARDBOARDS MADE FROM ACETYLATED ASPEN AND SOUTHERN PINE. Poo Chow, Zhaozhen Bao, John A. Youngquist, Roger M. Rowell, James H. Muehl, Andrzej M. Krzysik

TREATABILITY AND CCA PRESERVATIVE DISTRIBUTION WITHIN TEN INDONESIAN HARDWOODS. Leo Maturbongs, Marc H. Schneider

VARIATION IN CELL DIMENSIONS AND FIBRIL ANGLE FOR TWO FERTILIZED EVEN-AGED LOBLOLLY PINE PLANTATIONS. Todd F. Shupe, Elvin T. Choong, Douglas D. Stokke, Mark D. Gibson

ISSUE 3 – 1996

TV HOLOGRAPHY AS A POSSIBLE TOOL FOR MEASURING TRANSVERSE VIBRATION OF LOGS: A PILOT STUDY. Sondre Skatter

A PROCEDURE TO DETERMINE WATER ABSORPTION DISTRIBUTION IN WOOD COMPOSITE PANELS. Wei Xu, Paul M. Winistorfer, William W. Moschler

THE EFFECTS OF SILVICULTURAL TREATMENTS ON THE CHEMICAL COMPOSITION OF PLANTATION-GROWN LOBLOLLY PINE WOOD. Todd F. Shupe, Elvin T. Choong, Chun H. Yang

LONGITUDINAL GAS PERMEABILITY MEASUREMENTS FROM EASTERN WHITE PINE, RED SPRUCE, AND BALSAM FIR. Robert W. Rice, Mark D'Onofrio

INVESTIGATIONS OF FLAKEBOARD MAT CONSOLIDATION. PART II. MODELING MAT CONSOLIDATION USING THEORIES OF CELLULAR MATERIALS. Christopher A. Lenth, Frederick A. Kamke

MODELING MOISTURE CONTENT-MECHANICAL PROPERTY RELATIONSHIPS FOR CLEAR SOUTHERN PINE. David E. Kretschmann, David W. Green

A NUMERICAL ANALYSIS TECHNIQUE TO EVALUATE THE MOISTURE-DEPENDENT DIFFUSION COEFFICIENT ON MOISTURE MOVEMENT DURING DRYING. Yong Chen, Elvin T. Choong, David M. Wetzel

STRUCTURAL CHANGES IN THE CENTRAL APPALACHIAN HARDWOOD SAWMILLING INDUSTRY. William Luppold

RELIABILITY-BASED SYSTEM FACTOR FOR SERVICEABILITY DESIGN OF WOOD FLOORS. David V. Rosowsky, Kenneth J. Fridley, Pyoyoon Hong

A MODEL FOR VISCOELASTIC CONSOLIDATION OF WOOD-STRAND MATS. PART II: STATIC STRESS-STRAIN BEHAVIOR OF THE MAT. Elemer M. Lang, Michael P. Wolcott

A CRITICAL-ANGLE ULTRASONIC TECHNIQUE FOR THE INSPECTION OF WOOD PARALLEL-TO-GRAIN. James R. Dickens, Donald A. Bender, Don E. Bray

ISSUE 4 – 1996

BASIC DENSITY IN NORWAY SPRUCE. PART III. DEVELOPMENT FROM PITH OUTWARDS. Håkan Lindström

MOISTURE SORPTION HYSTERESIS AND THE INDEPENDENT-DOMAIN THEORY: THE MOISTURE DISTRIBUTION FUNCTION. Perry N. Peralta

CHARACTERIZATION OF HYDROLYTIC DEGRADATION OF U-F JOINTS THROUGH APPARENT DIFFUSIVITY. Jae Sik Na, Didier Ronze, André Zoulalian

APPLICATION OF THE LIFSHITZ-VAN DER WAALS ACID-BASE APPROACH TO DETERMINE WOOD SURFACE TENSION COMPONENTS. Douglas J. Gardner

A TECHNIQUE TO MEASURE STRAIN DISTRIBUTIONS IN SINGLE WOOD PULP FIBERS. Laurence Mott, Stephen M. Shaler, Leslie H. Groom

APPLICATION OF A MODIFIED STATISTICAL SEGMENTATION METHOD TO TIMBER MACHINE STRENGTH GRADING. Frédéric Rouger

PROFILE OF FURNITURE MANUFACTURERS IN THE U.S. SOUTH: STRUCTURE AND INDUSTRY GROWTH FACTORS. Richard P. Vlosky,

CONSUMER SEGMENTS FOR ENVIRONMENTALLY MARKETED WOODEN HOUSEHOLD FURNITURE. Lucie K. Ozanne, Paul M. Smith

VOLUME 29
ISSUE 1- 1997

Authors

Choong, Elvin T.
Gartner, Barbara L.
Geyer, Wayne A.
Groom, Leslie H.
Hong, Zhenqiu
Hse, Chung Y.
Humphrey, Philip E.
Lei, Hua
Leicester, R. H.
Lindström, Håkan
Lu, Jing Ping
Manville, John F.
Milota, Michael R.
Nault, Jason R.
Pang, Shusheng
Rials, Timothy G.
Shupe, Todd F.
Simonsen, John
Suchsland, Otto
Walawender, Walter P.
Wu, Qinglin
Zauscher, Stefan

VOLUME 29
ISSUE 2- 1997

Authors

Acda, Menandro N.
Ajuong, M.A.
Anagnost, Susan E.
Breese, Martin C.
Chui, Ying H.
Frederick, Jr., W. J.
Geimer, Robert L.
Herian, Victoria L.
Hwang, Jiann-Yang
Kärenlampi, Petri
Laver, Murray L.
Levien, Keith L.
Morrell, Jeffrey J.
Ni, Chun
Ozanne, Lucie K.
Sirviö, Jari
Smith, William B.
Song, X. Michael
Vlosky, Richard P.
Wilson, Kenneth P.
Xu, Danping
Zink, Audrey G.

VOLUME 29
ISSUE 3- 1997

Authors

Acda, Menandro
Anagnost, Susan E.
Dietz, Mark
Dyrseth, Astrid Aksnes
Hamstad, M. A.
Kamke, Frederick A.
Levien, Keith L.
Loferski, Joseph R.
Morrell, Jeffrey J.
Pu, Jianhua
Resnik, Joe
Skatter, Sondre
Smith, William B.
Stelmokas, John W.
Suchsland, Otto
Tang, R. C.
Wilcox, W. Wayne
Xu, Wei
Zink, Audrey G.

VOLUME 29
ISSUE 4- 1997

Authors

Aziz, Sidek H. A.
Biblis, Evangelos J.
Brinker, Richard
Carino, Honorio F.
Cohen, David H.
Cramer, Steven M.
Daud, Wan M.
DeBell, Jeffrey D.
Ellis, Simon
Freitag, Camille M.
Gartner, Barbara L.
Geimer, Robert L.
Guimarães, Roberto Colares
Hart, C. Arthur
Hernández, Roger E.
Kabir, Mohd. Firoz
Kang, Ho-Yang
Khalid, Kaida B.
Kozak, Robert A.
Liu, Jen Y.
Morrell, Jeffrey J.
Morrell, Jeffrey J.
Naderi, Nader
Redinz, José Arnaldo
Schneider, Philip F.
Simpson, William T.
Song, Dongjin
Stahl, Douglas C.

VOLUME 29
ISSUE 1 – 1997

Keywords

Acer saccharinum
Picea abies
Picea abies (L.) Karst.
Alpha-cellulose
Bending
DRIFT
Fiber
Fiber and particle
orientation
HEM/FIR
Inverse gas
chromatography
Klason lignin
Lumber drying
Moisture diffusion
Norway spruce
SIMCA
SPF
Silver maple
alcohol-benzene extractives
biomass yield
composite
crown development
cyclic humidity
diffusion model
ether extractives
fiber length
field strength
gasification
heating value
holocellulose
hot-water extractives
identification
infrared
interface
interphase
magnetic fields
modulus of elasticity
modulus of rupture
moisture content
nickel treatment
plastic
polystyrene

radial variation
ray
rotational torque
silvicultural treatments
silviculture
species
specific gravity
strength and stiffness loss
structural wood composite
surface attenuation
temperature
thickness swelling
transport model
tree class
vessel
wood
wood characteristics
wood energy
wood formation
wood quality
wood type

VOLUME 29
ISSUE 2 – 1997

Keywords

Fiber length
13C-NMR
CREN
Composites
Embedment test
Environmental certification
Extractives
Juvenile wood
Kraft black liquor
MDI
Microstructure
Recruiting
SEM
United States
Wood decay
business customers
cell wall
cell-wall thickness
cellobiose
coarseness
composites
creep
cyclic loading
deflection
deformation
dimensional stability
durability
education
ferulic acid
fiber perimeter
flakeboard
flakeboard alignment
fracture surfaces
growth mechanisms
heartwood
hysteresis loops
linear expansion
lumen
medium-density fiberboard
particleboard
plywood
preservative treatment
red maple

sapwood
strength degradation
strength properties
student enrollment
supercritical fluid
tensile strength
timber joints
tire rubber
vanillin
wood fiber
wood products

VOLUME 29
ISSUE 3 – 1997

Keywords

Wideband sensor
Composites
High-frequency
Hygroscopicity
Laminated veneer lumber
(LVL)
Linear expansion
Monte Carlo simulation
Multiple-bolted wood
connections
Nondestructive testing
(NDT)
TV holography
Vibration analysis
above-ground
basidiomycetes
bending
brown rot
carbon dioxide
dielectric properties
digital image correlation
displacement analysis
displacement sensor
double shear joints
fiberboard
flakeboard
heating of wood
high-sensitivity sensor
logs
mechanical connections
model
orientation
oriented strandboard
particleboard
plywood
pressure treatment
radio-frequency
relative humidity
sensor design for wood
soft rot
southern pine
stress-wave propagation
structures

supercritical fluids
tebuconazole
torsion
transverse vibration
veneer grade
waferboard
weight loss
white rot
wood composites
wood decay

VOLUME 29
ISSUE 4 – 1997

Keywords

Hevea brasiliensis
Thuja plicata
Decay
Dielectric constant
Douglas-fir
Flakeboard
Heterogeneous
microstructure
Kiln drying
Loblolly pine
Nonresidential
Swelling
Water absorption
Wood drying
activation energy
architects
construction
decay resistance
dielectric loss factor
diffusion
drying temperature
education
flexural properties
fractals
heartwood
heat transfer
lumber
microwave frequencies
modeling
moisture content
moisture diffusion
network modeling
piles
plantations
porosity
progressive failure
promotion
re-wetting
rubber wood
salt water
sapwood
shrinkage
simulation

specifiers
strength
structural direction
structural engineers
structural materials
sugar maple
thickness swell
thujaplicins
timber design
tropolones
vertical density distribution
void volume
wood composites

VOLUME 29

ISSUE 1 – 1997

SPECIES DIFFERENTIATION OF TWO COMMON LUMBER MIXES BY DIFFUSE REFLECTANCE FOURIER TRANSFORM INFRARED (DRIFT) SPECTROSCOPY. Jason R. Nault, John F.

Manville VARIATION IN THE ANATOMY AND SPECIFIC GRAVITY OF WOOD WITHIN AND BETWEEN TREES OF RED ALDER (*ALNUS RUBRA* BONG.). Barbara L. Gartner, Hua Lei, Michael R. Milota

FIBER LENGTH, TRACHEID DIAMETER, AND LATEWOOD PERCENTAGE IN NORWAY SPRUCE: DEVELOPMENT FROM PITH OUTWARDS. Håkan Lindström

ORIENTING LIGNOCELLULOSIC FIBERS AND PARTICLES BY MEANS OF A MAGNETIC FIELD. Stefan Zauscher, Philip E. Humphrey

EFFECT OF MOISTURE ON THE FLEXURAL PROPERTIES OF COMMERCIAL ORIENTED STRANDBOARDS. Qinglin Wu, Otto Suchsland

RELATIONSHIP BETWEEN A DIFFUSION MODEL AND A TRANSPORT MODEL FOR SOFTWOOD DRYING. Shusheng Pang

EFFECT OF CYCLIC HUMIDITY EXPOSURE ON MOISTURE DIFFUSION IN WOOD. Jing Ping Lu, R. H. Leicester

THE PROPERTIES OF THE WOOD-POLYSTYRENE INTERPHASE DETERMINED BY INVERSE GAS CHROMATOGRAPHY. John Simonsen, Zhenqiu Hong, Timothy G. Rials

BIOMASS PROPERTIES AND GASIFICATION BEHAVIOR OF YOUNG SILVER MAPLE TREES. Wayne A. Geyer, Walter P. Walawender

DIFFERENCES IN SOME CHEMICAL PROPERTIES OF INNERWOOD AND OUTERWOOD FROM FIVE SILVICULTURALLY DIFFERENT LOBLOLLY PINE STANDS. Todd F. Shupe, Chung Y. Hse, Elvin T. Choong, Leslie H. Groom

ISSUE 2 – 1997

INFLUENCE OF JUVENILE WOOD ON DIMENSIONAL STABILITY AND TENSILE PROPERTIES OF FLAKEBOARD. Robert L. Geimer, Victoria L. Herian, Danping Xu

EFFECTS OF SUPERCRITICAL FLUID TREATMENTS ON PHYSICAL PROPERTIES OF WOOD-BASED COMPOSITES. Menandro N. Acda, Jeffrey J. Morrell, Keith L. Levien

A STUDY OF THE MICROSCOPIC CHARACTERISTICS OF FRACTURE SURFACE OF MDI-BONDED WOOD FIBER/RECYCLED TIRE RUBBER COMPOSITES USING SCANNING ELECTRON

MICROSCOPY. X. Michael Song, Jiann-Yang Hwang

ELEMENTS OF A SUCCESSFUL UNDERGRADUATE STUDENT RECRUITING PROGRAM. Audrey G. Zink

LOAD-EMBEDMENT RESPONSE OF TIMBER TO REVERSED CYCLIC LOAD. Ying H. Chui, Chun Ni, THE ROLE OF EXTRACTIVES ON SHORT-TERM CREEP IN COMPRESSION PARALLEL TO THE GRAIN OF PAI WOOD (AFZELIA AFRICANA SMITH). M.A. Ajuong, Martin C. Breese

THE USE OF CREN TO IMPROVE ¹³C-NMR SPECTRA OF COMPOUNDS CONTAINING CARBON ATOMS REPRESENTATIVE OF ORGANICS DISSOLVED IN KRAFT BLACK LIQUOR. Kenneth P. Wilson, Murray L. Laver, W. J. Frederick, Jr.

DISTRIBUTIONS AND CORRELATIONS OF SOFTWOOD FIBER PROPERTIES WITHIN AGE-CLASSIFIED PULPS. Jari Sirviö, Petri Kärenlampi

COMPARATIVE DECAY OF HEARTWOOD AND SAPWOOD OF RED MAPLE. Susan E. Anagnost, William B. Smith

FOREST PRODUCTS CERTIFICATION: THE BUSINESS CUSTOMER PERSPECTIVE. Richard P. Vlosky, Lucie K. Ozanne

ISSUE 3 – 1997

IMAGE CORRELATION ANALYSIS OF MULTIPLE-BOLT WOOD CONNECTIONS . John W. Stelmokas, Audrey G. Zink, Joseph R. Loferski

VIBRATION MODES OF LOGS MEASURED BY TV HOLOGRAPHY. Sondre Skatter, Astrid Aksnes Dyrseth

IMPROVED SIGNAL-TO-NOISE WIDEBAND ACOUSTIC/ULTRASONIC CONTACT DISPLACEMENT SENSORS FOR WOOD AND POLYMERS . M. A. Hamstad

NONDESTRUCTIVE EVALUATION OF MODULUS OF ELASTICITY OF SOUTHERN PINE LVL: EFFECT OF VENEER GRADE AND RELATIVE HUMIDITY. Jianhua Pu, R. C. Tang

HIGH-FREQUENCY HEATING OF WOOD WITH MOISTURE CONTENT GRADIENT. Joe Resnik, Milan ernek, Frederick A. Kamke

LINEAR EXPANSION OF WOOD COMPOSITES: A MODEL. Wei Xu, Otto Suchsland

EFFECT OF PROCESS VARIABLES ON SUPERCRITICAL FLUID IMPREGNATION OF COMPOSITES WITH TEBUCONAZOLE. Menandro Acda, Jeffrey J. Morrell, Keith L. Levien

FUNGI CAUSING ABOVE-GROUND WOOD DECAY IN STRUCTURES IN CALIFORNIA. W. Wayne Wilcox, Mark Dietz

HYGROSCOPICITY OF DECAYED WOOD: IMPLICATIONS FOR WEIGHT LOSS DETERMINATIONS. Susan E. Anagnost, William B. Smith

ISSUE 4 – 1997

AN OPTIMIZATION TECHNIQUE TO DETERMINE RED OAK SURFACE AND INTERNAL MOISTURE TRANSFER COEFFICIENTS DURING DRYING. William T. Simpson, Jen Y. Liu

DIELECTRIC PROPERTIES OF RUBBER WOOD AT MICROWAVE FREQUENCIES MEASURED WITH AN OPEN-ENDED COAXIAL LINE. Mohd. Firoz Kabir, Kaida B. Khalid, Wan M. Daud, Sidek H. A. Aziz,

TEMPERATURE EFFECT ON DIFFUSION COEFFICIENT IN DRYING WOOD. Ho-Yang Kang, C. Arthur Hart

THE FRACTAL NATURE OF WOOD REVEALED BY WATER ABSORPTION. José Arnaldo Redinz, Paulo Roberto Colares Guimarães

EFFECT OF RE-WETTING TREATMENT ON THE DIMENSIONAL CHANGES OF SUGAR MAPLE WOOD . Nader Naderi, Roger E. Hernández

EFFECTS OF MICROSTRUCTURAL HETEROGENEITY IN CEMENT EXCELSIOR BOARD. Douglas C. Stahl, Steven M. Cramer, Robert L. Geimer

LOCALIZED PROPERTIES IN FLAKEBOARD: A SIMULATION USING STACKED FLAKES. Dongjin Song, Simon Ellis

TROPOLONE CONTENT OF INCREMENT CORES AS AN INDICATOR OF DECAY RESISTANCE IN WESTERN REDCEDAR. Jeffrey D. DeBell, Jeffrey J. Morrell, Barbara L. Gartner

DECAY RESISTANCE OF SALTWATER-EXPOSED DOUGLAS-FIR PILES. Philip F. Schneider, Camille M. Freitag, Jeffrey J. Morrell

FLEXURAL PROPERTIES OF LUMBER FROM TWO 40-YEAR-OLD LOBLOLLY PINE PLANTATIONS WITH DIFFERENT STAND DENSITIES. Evangelos J. Biblis, Honorio F. Carino, Richard BrinkerHOW

SPECIFIERS LEARN ABOUT STRUCTURAL MATERIALS. Robert A. Kozak, David H. Cohen

**VOLUME 30
ISSUE 1- 1998**

Authors

Avella-Shaw, Tomas
Bangi, Audimar P.
Banks, W. B.
Beaudoin, Michel
Bush, Robert J.
Chen, Yi-ru
Dutilleul, Pierre
Fridley, Kenneth J.
Grondin, François
Hammett, A. L.
Herman, Marc
Hernández, Roger E.
Hunt, Michael O.
Kärenlampi, Petri
Kamdem, D. Pascal
Koubaa, Ahmed
Lawther, J. Mark
McIntyre, Craig R.
Olsen, Kurt K.
Peralta, Perry N.
Poliquin, Jean
Schmidt, Elmer L.
Senft, John F.
Sirviö, Jari
Smith, Robert L.
Sun, Run-Cang
Yang, J. L.

**VOLUME 30
ISSUE 2- 1998**

Authors

Abazeri, Marcos
Bangi, Audimar P.
Beaudoin, Michel
Blankenhorn, Paul R.
Burkhart, Harold E.
Deng, Yulin
Evans, Philip D.
Fortin, Yves
Freeman, Mike H.
Hernández, Roger E.
Janowiak, John J.
Kamdem, D. Pascal
Kilmer, William R.
Koubaa, Ahmed
Labosky, Jr., Peter
Lausberg, Marco J. F.
Morrell, Jeffrey J.
Peralta, Perry N.
Ridoutt, Bradley G.
Simpson, William T.
Sorensson, Charles T.
Tasissa, Gudaye
Thay, Phan D.
Tschernitz, John L.
Winandy, Jerrold E.
Wu, Qinglin
Zhang, Jun

**VOLUME 30
ISSUE 3- 1998**

Authors

Barrett, J. Dave
Baumgras, John E.
Beall, Frank C.
Biernacki, Jacek M.
Bolton, James
Burriss, Milt
Choong, Elvin T.
Christiansen, Alfred W.
Demirci, Zafer
Frazier, Charles E.
Gibson, Mark D.
Grozdzits, George A.
Harding, O. Victor
Imamura, Yuji
Kim, Moon G.
Lau, Peter W.
Luppold, William G.
Mott, Laurence
Okkonen, E. Arnold
Prestemon, Jeffery P.
Schmidt, Robert G.
Shupe, Todd F.
Strickland, R. C.
Suchsland, Otto
Sun, Run-Cang
Takahashi, Munezoh
Tiitta, Markku
Vick, Charles B.
Wasson, Louis
Watt, Christopher
Wu, Yimin
Xu, Wei
Yalinkiliç, Mustafa Kemal

**VOLUME 30
ISSUE 4- 1998**

Authors

Bolton, James
Boutelje, Julius
Bradtmueller, James P.
Cai, Zhiyong
Cooper, Paul A.
Demirci, Zafer
Fridley, Kenneth J.
Geimer, Robert L.
Gupta, Rakesh
Hunt, Michael O.
Imamura, Yuji
Kamdem, D. Pascal
Kwon, Jin Heon
Lam, Frank
Maldas, Debesh C.
McCabe, George P.
Morrell, Jeffrey J.
Riyanto, Djoko S.
Rosowsky, David V.
Simpson, William T.
Takahashi, Munezoh
Terziev, Nasko
Wang, Kaiyuan
Winandy, Jerrold E.
Yalinkiliç, Mustafa Kemal

VOLUME 30
ISSUE 1 – 1998

Keywords

Liriodendron tulipifera
Phanerochaete
chrysosporium
Picea abies
Pinus silvestris
Populus x euramericana
Cell-wall deformations
Compression-baling
Copper dimethyl
dithiocarbamate (CDDC)
Duration of load
Fiber length
Fourier transform infrared
spectra
Modeling
Norway spruce (Picea abies
(L.) Karst.)
Optimized bucking
Pit size
SEM
Wheat straw
Wood science education
X-ray diffraction (XRD)
X-ray photoelectron
microscopy (XPS)
adsorption
alkaline nitrobenzene
oxidation
aspen
balsam fir
biopulping
chronologies
colonization
contact-agar method
curricula
damage accumulation
desorption
dynamic programming
environmental scanning
electron microscopy
(ESEM)
eucalypts
evaluation

fiber strength
germination
growth rate
hybrid variation
hysteresis
independent-domains
theory
interclonal variation
internal checking
intraclonal variation
isotherm
jack pine
mean tracheid length
molecular weight
organosolv lignin
parenchyma cells
phenolic acids and
aldehydes
pit density
pit orientation
pit shape
polysaccharides
reliability
repeated measures
ring width
sawmilling simulation
similarity hypothesis
slip planes
sodium dimethyl
dithiocarbamate (SDDC)
sorption
stochastic load
temporal trajectories
wood density
wood preservatives
wood structures
yellow-poplar

VOLUME 30
ISSUE 2 – 1998

Keywords

Populus x euramericana
Liriodendron tulipifera
Pinus radiata
Pinus taeda
Contact angle
Creosote-treated
Design
Douglas-fir
ESEM-EDXA
Genetics
Hem-Fir
Incising
MSR
Modeling
SEM
Segmented model
Spruce-Pine-Fir (South)
Warp
XPS
XRD
acrylic primer
adhesion
adsorption
bow
chestnut oak
compliance coefficient
copper naphthenate
crook
cuprous oxide
demarcation age
desorption
earlywood
flakeboard
grade
heritability
hydrophobic
hysteresis
interclonal variation
intraclonal variation
isotherm
iterative solution
juvenile wood
lamination

latewood
loblolly pine
lumber
mechanical properties
nondestructive evaluation
polymer
preservative
red maple
red oak
selection criteria
sorption
southern pine
southern yellow pine
specific gravity
steam
stiffness
strength
surfactant
thickness swelling
treatment
twist
ultimate crushing strength
weathering
wettability
wood density
wood fiber
wood preservatives
wood quality
yellow-poplar

**VOLUME 30
ISSUE 3 – 1998**

Keywords

13C-NMR spectroscopy
Acousto-ultrasonics
Boron
CP/MAS NMR
Douglas-fir
Equilibrium moisture content
FT-IR
Furfuryl alcohol
Hard maple
Hydroxymethylated resorcinol coupling agent
Model
Modeling
Monte Carlo simulation
Oil palm empty fruit bunch fiber
Phenol formaldehyde
UF
adhesion
bio-based composite
brown-rot decay
cure
elevated temperature
epoxy adhesive
fiber saturation point
fire
fire retardance
glulam
growth ring angle
hardwood lumber prices
hardwood market history
hardwood stumpage prices
heat of reaction
knot
lignin
lumber
market margin
modulus of elasticity
moisture gradient
molecular weight
molecular-size distribution
orientation

oriented strandboard
particleboard
particleboard binder resins
phenolic acids and aldehydes
polyfurfuryl alcohol
emulsion resin
polysaccharides
red oak
reliability
resistance to delamination
shrinkage
surface coating
tension
tension member
urea-formaldehyde resins
waste tea leaves
white oak
wood
wood composites
yellow-poplar

**VOLUME 30
ISSUE 4 – 1998**

Keywords

above-ground test
Acer rubrum L.
Pinus resinosa
Pinus sylvestris L.
Populus tremuloides
Boron
Diffusion
Flakeboard
Hardwood
Incising
Lifshitz-van der Waal component
MSR lumber
Predicting strength
UF
X-ray
acid-base component
adhesion
amine
ammoniacal copper arsenate (ACA)
bio-based composite
cation exchange
chromated copper arsenate (CCA)
color
contact angle
copper
critical surface tension
density distribution
dimensional stability
dispersion component
distribution
drying
edge-matching
felling time
finite bath
fire retardance
fructose
glucose
grade
kiln control
kiln drying

moisture content
mold
nitrogen
nondestructive testing
pH
particleboard
phenol-formaldehyde adhesive
polar component
prediction limits.
preservative treatment
property
red maple
regression
robot
shear strength
simulation
springback
starch
steam injection
structure
sucrose
surface coating
surface free energy
thickness swelling
torsion
waste tea leaves
wettability
wood cell wall

VOLUME 30

ISSUE 1 – 1998

GROWTH RATE EFFECTS ON TEMPORAL TRAJECTORIES OF RING WIDTH, WOOD DENSITY, AND MEAN TRACHEID LENGTH IN NORWAY SPRUCE (*PICEA ABIES* (L.) KARST.). Marc Herman, Pierre Dutilleul, Tomas Avella-Shaw

EFFECT OF COMPRESSION OF GREEN WOOD CHIPS ON CONIDIAL GERMINATION AND COLONIZATION OF A BIOPULPING FUNGUS, *PHANEROCHAETE CHRYSOSPORIUM*. Yi-ru Chen, Elmer L. Schmidt, Kurt K. Olsen

PITS AS NATURAL IRREGULARITIES IN SOFTWOOD FIBERS. Jari Sirviö, Petri Kärenlampi

INTERCLONAL, INTRACLONAL, AND WITHIN-TREE VARIATION IN FIBER LENGTH OF POPLAR HYBRID CLONES. Ahmed Koubaa, Roger E. Hernández, Michel Beaudoin, Jean Poliquin

MODELING WOOD MOISTURE SORPTION HYSTERESIS BASED ON SIMILARITY HYPOTHESIS. PART 1. DIRECT APPROACH. Perry N. Peralta, Audimar P. Bangi

ISOLATION AND CHARACTERIZATION OF ORGANOSOLV LIGNINS FROM WHEAT STRAW. Run-Cang Sun, J. Mark Lawther, W. B. Banks

CHEMICAL INVESTIGATION OF 23-YEAR-OLD CDDC-TREATED SOUTHERN PINE. D. Pascal Kamdem, Craig R. McIntyre

EFFECT OF 85 YEARS OF SERVICE ON MECHANICAL PROPERTIES OF TIMBER ROOF MEMBERS. PART III. RELIABILITY STUDY. Kenneth J. Fridley, Michael O. Hunt, John F. Senft.

AN ATTEMPT TO REDUCE COLLAPSE THROUGH INTRODUCING CELL-WALL DEFORMATIONS. J. L. Yang

IMPROVEMENTS OF THE DYNAMIC PROGRAMMING ALGORITHM FOR TREE BUCKING. François Grondin

EVALUATING THE SUBJECT NEEDS FOR WOOD SCIENCE AND FOREST PRODUCTS CURRICULA. Robert L. Smith, Robert J. Bush, A. L. Hammett

ISSUE 2 – 1998

JUVENILE-MATURE WOOD DEMARCATION IN LOBLOLLY PINE TREES. Gudaye Tasissa, Harold E. Burkhart.

WOOD PROPERTIES OF TWENTY HIGHLY RANKED *RADIATA* PINE SEED PRODUCTION PARENTS SELECTED FOR GROWTH AND FORM. Bradley G. Ridoutt, Charles T. Sorensson, Marco J. F. Lausberg.

SELECTED MECHANICAL PROPERTIES OF FAST-GROWING POPLAR HYBRID CLONES. Roger E. Hernández, Ahmed Koubaa, Michel Beaudoin, Yves Fortin

MODELING WOOD MOISTURE SORPTION HYSTERESIS BASED ON SIMILARITY HYPOTHESIS. PART II. CAPILLARY-RADII APPROACH. Perry N. Peralta, Audimar P. Bangi.

CONTACT ANGLE MEASUREMENT OF WOOD FIBERS IN SURFACTANT AND POLYMER SOLUTIONS. Yulin Deng, Marcos Abazeri

EFFECT OF THICKNESS VARIATION ON WARP IN HIGH-TEMPERATURE DRYING PLANTATION-GROWN LOBLOLLY PINE 2 BY 4'S. William T. Simpson, John L. Tschernitz

LAMINATING CREOSOTE-TREATED HARDWOODS. William R. Kilmer, Paul R. Blankenhorn, Peter Labosky, Jr., John J. Janowiak

EFFECTS OF INCISING ON LUMBER STRENGTH AND STIFFNESS: RELATIONSHIPS BETWEEN INCISION DENSITY AND DEPTH, SPECIES, AND MSR GRADE. Jerrold E. Winandy, Jeffrey J. Morrell,

THE ADHESION OF AN ACRYLIC PRIMER TO WEATHERED RADIATA PINE SURFACES. Phan D. Thay, Philip D. Evans

EFFECT OF MOISTURE ON BENDING AND BREAKING RESISTANCE OF COMMERCIAL ORIENTED STRANDBOARDS. Qinglin Wu

THE EFFECT OF POST-STEAMING ON COPPER NAPHTHENATE-TREATED SOUTHERN PINE. D. Pascal Kamdem, Jun Zhang, Mike H. Freeman

ISSUE 3 – 1998

EFFECT OF BORON ADDITION TO ADHESIVE AND/OR SURFACE COATING ON FIRE-RETARDANT PROPERTIES OF PARTICLEBOARD. Mustafa Kemal Yalinkiliç, Yuji Imamura, Munezoh Takahashi, Zafer Demirci

MODELING THE RELIABILITY OF WOOD TENSION MEMBERS EXPOSED TO ELEVATED TEMPERATURES. Peter W. Lau, J. Dave Barrett

FURFURYL ALCOHOL EMULSION RESINS AS CO-BINDERS FOR UREA-FORMALDEHYDE RESIN-BONDED PARTICLEBOARDS. Moon G. Kim, Louis Wasson, Milt Burris, Yimin Wu, Christopher Watt, R. C. Strickland

¹³C CP/MAS NMR AS A DIRECT PROBE OF THE WOOD-PHENOL FORMALDEHYDE ADHESIVE BONDLINE. Robert G. Schmidt, Charles E. Frazier

ACOUSTO-ULTRASONIC ASSESSMENT OF INTERNAL DECAY IN GLULAM BEAMS. Markku Tiitta, Frank C. Beall, Jacek M. Biernacki

THE EFFECTS OF PREVIOUS DRYING ON SHRINKAGE AND MOISTURE CONTENT OF SOME SOUTHERN BOTTOMLAND HARDWOODS¹. Todd F. Shupe, Elvin T. Choong, Mark D. Gibson, George A. Grozdits, O. Victor Harding

AN EXAMINATION OF THE RELATIONSHIPS BETWEEN HARDWOOD LUMBER AND STUMPAGE PRICES IN OHIO. William G. Luppold, Jeffery P. Prestemon, John E. Baumgras

MODULUS OF ELASTICITY OF WOOD COMPOSITE PANELS WITH A UNIFORM VERTICAL DENSITY PROFILE: A MODEL1. Wei Xu, Otto Suchsland

FRACTIONAL AND STRUCTURAL CHARACTERIZATION OF BALL MILLED AND ENZYME LIGNINS FROM OIL PALM EMPTY FRUIT BUNCH FIBER. Run-Cang Sun, Laurence Mott, James Bolton,

REACTIVITY OF HYDROXYMETHYLATED RESORCINOL COUPLING AGENT AS IT AFFECTS DURABILITY OF EPOXY BONDS TO DOUGLAS-FIR. Charles B. Vick, Alfred W. Christiansen, E. Arnold Okkonen

ISSUE 4 – 1998

FLAKEBOARD THICKNESS SWELLING. PART I. STRESS RELAXATION IN A FLAKEBOARD MAT . Robert L. Geimer, Jin Heon Kwon, James Bolton

ROBOT-BASED RESEARCH ON THREE-LAYER ORIENTED FLAKEBOARDS. Kaiyuan Wang, Frank Lam.

EFFECT OF BORON ADDITION TO ADHESIVE AND/OR SURFACE COATING ON FIRE-RETARDANT PROPERTIES OF PARTICLEBOARD. Mustafa Kemal Yalinkiliç, Yuji Imamura, Munezoh Takahashi, Zafer Demirci

EFFECT OF FELLING TIME AND KILN-DRYING ON COLOR AND SUSCEPTIBILITY OF WOOD TO MOLD AND FUNGAL STAIN DURING AN ABOVE-GROUND FIELD TEST. Nasko Terziev, Julius Boutelje

SURFACE TENSION AND WETTABILITY OF CCA-TREATED RED MAPLE. Debesh C. Maldas, D. Pascal Kamdem

EFFECT OF INCISING AND PRESERVATIVE TREATMENT ON SHEAR STRENGTH OF NOMINAL 2-INCH LUMBER. Jeffrey J. Morrell, Rakesh Gupta, Jerrold E. Winandy, Djoko S. Riyanto

DIFFUSION OF COPPER IN WOOD CELL WALLS FOLLOWING VACUUM TREATMENT. Paul A. Cooper

PREDICTING STRENGTH OF MATCHED SETS OF TEST SPECIMENS. Zhiyong Cai, George P. McCabe, Michael O. Hunt, James P. Bradtmueller, Kenneth J. Fridley, David V. Rosowsky

RELATIONSHIP BETWEEN SPEED OF SOUND AND MOISTURE CONTENT OF RED OAK AND HARD MAPLE DURING DRYING. William T. Simpson

**VOLUME 31
ISSUE 1- 1999**

Authors

Cloutier, Alain
Defo, Maurice
Fortin, Yves
Geimer, Robert L.
Geyer, Wayne A.
Hansen, Eric N.
Kamke, Frederick A.
Koger, Jerry L.
Kwon, Jin Heon
Lebow, Patricia K.
Matney, Thomas G.
Michael, Judd H.
Resnik, Joze
Schultz, Emily B.
Sernek, Milan
Walawender, Walter P.
Weinfurter, Stefan
Winandy, Jerrold E.
Wu, Qinglin

**VOLUME 31
ISSUE 2- 1999**

Authors

Balatinecz, John J.
Biblis, Evangelos J.
Bowe, Scott A.
Bush, Robert
Carino, Honorio F.
Chen, Yong
Choong, Elvin T.
Chow, Poo
Demirci, Zafer
Gezer, Engin Derya
Gibson, David R.
Imamura, Yuji
Kamdem, D. Pascal
Lam, Frank
Matuana, Laurent M.
Michael, Judd H.
Morrell, Jeffrey J.
Park, Chul B.
Pulapaka, Hari
Sheppard, Paul R.
Shi, Sheldon Q.
Shupe, Todd F.
Smith, Robert L.
Takahashi, Munezoh
Wang, Kaiyuan
Woodhams, Raymond T.
Wu, Qinglin
Yalinkilic, Mustafa Kemal
Yalinkilic, Ahmet Cihangir
cf, Douglas J. Gardner

**VOLUME 31
ISSUE 3- 1999**

Authors

Beauregard, Robert
Bonfield, Peter W.
Breese, Martin C.
Chowdhury, Jahangir A.
Cloutier, Alain
Cramer, Steven M.
Dinwoodie, John M.
Fan, Mizi
Gazo, Rado
Grandjean, Bernard
Gu, Hong-mei
Guerin, John M.
Hernández, Roger E.
Humphrey, Philip E.
Kimberley, Mark O.
Mitchell, Scott
Naderi, Nader
Peyer, Suzanne M.
Rashid, Sahar H.
Rice, Robert W.
Shelbourne, Anthony
Stelmokas, John S.
Suleman, Younis H.
Tremblay, Carl
Turner, John
Wisdom, Harold W.
Xu, Wei
Zink-Sharp, Audrey

**VOLUME 31
ISSUE 4- 1999**

Authors

Abreu, Heber dos Santos
Bai, Xuesong
Ball, Roderick D.
Chen, Yi-ru
Cloutier, Alain
Dawson-Andoh, Benjamin
Defo, Maurice
Fortin, Yves
Gage, Douglas
Haines, Daniel W.
Kamdem, D. Pascal
Kamdem, D. Pascal
Leban, Jean-Michel
Lee, Andy W. C.
Loconto, Paul
Lumme, Minna S.
Ma, Wanli
Mansfield, Shawn D.
Maria, Marcos Antônio
McConchie, Don L.
Munro, B. David
Mutz, Rüdiger
N. Peralta, Perry
Nascimento, Alexandre
Olsen, Kurt K.
Pan, Yanlyang
Ridoutt, Bradley G.
Rosowsky, David V.
Saddler, John N.
Sauter, Udo H.
Schmidt, Elmer L.
Thompson, Lonny L.
Zhang, Jian
Zyskowski, Justin

**VOLUME 31
ISSUE 1 –1999**

Keywords

Catalpa speciosa
Fagus sylvatica L.
Adhesive curing
Catalpa
Fire retardant
Flakeboard
Homecenter
Neural network
Softwood lumber
Water potential
adhesive penetration
beech
bending
biomass yield
buyer behavior
calorific value
fiber length
fluorescence microscopy
gasification
high-frequency curing
kinetics
linear expansion
lumber quality
modeling
moisture content
perceived lumber quality
pore size distribution
promotions
relationship building
sales force
serviceability
shear
specific gravity
steam injection
stiffness
strength
sugar maple
thermal degradation
thickness swelling
treatment
urea-formaldehyde
adhesive
white spruce

wood chip thickness
wood chips
wood energy

**VOLUME 31
ISSUE 2 – 1999**

Keywords

Acid-base properties
Adsorption
Boron wood preservatives
CCA
Cu-N
Dendrochronology
Log rotation
Slenderness ratio
Southern pine
Timber bridges
Wood composites
Wood-polymer composite
algorithm
bending
biological resistance
bleaching
boric acid
cellulosic fiber
compressed wood
conifer
copper naphthenate
data analysis
decision-makers
density
density variation
design requirements
desorption
diffusivity
dimension lumber
extractives
flake orientation
flexural properties
fungi
geographic region
grade recovery
hardwood
hot-water soaking
indicator variable method
inverse gas
chromatography
leaching

low-magnification
reflected-light image
analysis
mechanical properties
model
moisture
optimization
oriented strandboard
panel products
perceptions
performance
plantation stand
polyethylene glycol
pressure treatment
response surface method
retention
rural
sawmill
steaming
surface hardness
thermal resistance
vinyl monomers
visual grade compliance
wood color

**VOLUME 31
ISSUE 3 – 1999**

Keywords

Acetylation
Bearing stress
Cement-bonded
particleboard
DBH
Density
Employment
European Union
Nails
Philippines
Pinus radiata
Wood drying
Wood planing
adsorption
adsorption and desorption
black poplar
bolted timber connections
bond strength development
cement paste
clones
compliance coefficient
cycle
defect frequency
desorption
factor analysis
failure mode
finishing
fire
forest products
heat transfer
high temperature
hysteresis
international trade
internode
labor
laminated theory
lateral resistance
lumber
marketing
mass and dimensional
changes
mechanical properties
micromechanical properties

model
modulus of elasticity
moisture sorption
phenol formaldehyde
power
pressing temperature and
pressing time
random width boards
relative humidity
resellers
slip modulus
strength
sugar maple
swelling
tariffs
trade
trade liberalization
vapor diffusion
vertical density distribution
video microscopy
wood composite panels
yield theory

**VOLUME 31
ISSUE 4 – 1999**

Keywords

Ceriporiopsis
subvermispora
Larix
Phanerochaete
chrysosporium
Pinus radiata
ts eurolepis
Birch
Compression-baling
FAB-MS
FTIR
Fiber modification
Finite element analysis
GC-MS
Lignin
Modulus of elasticity
Scots pine
Segmented regression
Sorption
UV-vis
Water potential
age
bamboo-OSB composite
beam
biokraft pulp
biomechanical pulp
carbohydrate solubilization
cellulase
characteristic curve
condensate
copper naphthenate
effective water conductivity
endoglucanase
enthalpy
entropy
enzyme
experimental bending test
extractives
flexural behavior
free energy
fungi treatment
guaiacylglycerol--aryl ether
(-O-4)

hydrogen peroxide
bleaching
index of molecular
flexibility (IMF)
infrared
instantaneous profile
method
interior fir
isotherm
jack pine
juvenile wood
juvenile-mature wood
transition
kraft pulp
larch
lipids
loblolly pine
log grading
log segregation
mature wood
methoxyl group
naphthenic acid
paper properties
paper strength
pitch pockets
red oak
resin pockets
rings per centimeter
stress distributions
sugar maple
tensile index
tensile strength
triglycerides
vacuum drying
water potential
white spruce
wood
wood density
wood quality
xylanase

VOLUME 31

ISSUE 1 – 1999

A NEURAL NETWORK MODEL FOR WOOD CHIP THICKNESS DISTRIBUTIONS. Emily B. Schultz, Thomas G. Matney, Jerry L. Koger

FLAKEBOARD THICKNESS SWELLING. PART II. FUNDAMENTAL RESPONSE OF BOARD PROPERTIES TO STEAM INJECTION PRESSING. Robert L. Geimer, Jin Heon Kwon

IN-PLANE DIMENSIONAL STABILITY OF ORIENTED STRAND PANEL: EFFECT OF PROCESSING VARIABLES. Qinglin Wu

PENETRATION OF LIQUID UREA-FORMALDEHYDE ADHESIVE INTO BEECH WOOD. Milan Sernek, Joze Resnik, Frederick A. Kamke

VERIFICATION OF A KINETICS-BASED MODEL FOR LONG-TERM EFFECTS OF FIRE RETARDANTS ON BENDING STRENGTH AT ELEVATED TEMPERATURES. Patricia K. Lebow, Jerrold E. Winandy.

MOISTURE CONTENT-WATER POTENTIAL RELATIONSHIP OF SUGAR MAPLE AND WHITE SPRUCE WOOD FROM GREEN TO DRY CONDITIONS . Maurice Defo, Yves Fortin, Alain Cloutier

INFORMATION SOURCES AND PURCHASE INFLUENCES FOR WOOD PRODUCTS RETAILERS: A TRADE SHOW ATTENDEE PERSPECTIVE. Judd H. Michael

SOFTWOOD LUMBER QUALITY REQUIREMENTS: EXAMINING THE SUPPLIER/BUYER PERCEPTION GAP. Stefan Weinfurter, Eric N. Hansen

BIOMASS AND GASIFICATION PROPERTIES OF YOUNG CATALPA TREES. Wayne A. Geyer, Walter P. Walawender

ISSUE 2 – 1999

OVERCOMING EXTRANEEOUS WOOD COLOR VARIATION DURING LOW-MAGNIFICATION REFLECTED-LIGHT IMAGE ANALYSIS OF CONIFER TREE RINGS. Paul R. Sheppard

SURFACE CHARACTERISTICS OF CHEMICALLY MODIFIED NEWSPRINT FIBERS DETERMINED BY INVERSE GAS CHROMATOGRAPHY . Laurent M. Matuana, John J. Balatinecz, Chul B. Park, Raymond T. Woodhams

THE EFFECT OF PRESSURE ON RETENTION AND BENDING PROPERTIES OF COPPER NAPHTHENATE AND CCA TYPE C TREATED HARDWOODS. D. Pascal Kamdem, Poo Chow

EFFECTS OF GLYCOL ON LEACHABILITY AND EFFICACY OF BORON WOOD PRESERVATIVES. Engin Derya Gezer, Judd H. Michael, Jeffrey J. Morrell

EFFECT OF STEAMING AND HOT-WATER SOAKING ON EXTRACTIVE DISTRIBUTION AND MOISTURE DIFFUSIVITY IN SOUTHERN PINE DURING DRYING. Elvin T. Choong, Todd F. Shupe, Yong Chen

BIOLOGICAL, MECHANICAL, AND THERMAL PROPERTIES OF COMPRESSED-WOOD POLYMER COMPOSITE (CWPC) PRETREATED WITH BORIC ACID. Mustafa Kemal Yalinkilic, Yuji Imamura, Munezoh Takahashi, Zafer Demirci, Ahmet Cihangir Yalinkilic

AN EVALUATION OF ANALYSIS METHODS TO ELIMINATE THE EFFECT OF DENSITY VARIATION IN PROPERTY COMPARISONS OF WOOD COMPOSITES. Sheldon Q. Shi, Douglas J. Gardner cf

QUADRATIC RSM MODELS OF PROCESSING PARAMETERS FOR THREE-LAYER ORIENTED FLAKEBOARDS. Kaiyuan Wang, Frank Lam

APPLICATION OF NELSON'S SORPTION ISOTHERM TO WOOD COMPOSITES AND OVERLAYS. Qinglin Wu.

AN ALGORITHM FOR LOG ROTATION IN SAWMILLS. David R. Gibson, Hari Pulapaka

FLEXURAL PROPERTIES OF LUMBER FROM A 50-YEAR-OLD LOBLOLLY PINE PLANTATION. Evangelos J. Biblis, Honorio F. Carino

A PERCEPTIONAL INVESTIGATION INTO THE ADOPTION OF TIMBER BRIDGES: A NATIONAL COMPARATIVE STUDY. Robert L. Smith, Robert Bush, Scott A. Bowe

ISSUE 3 – 1999

CLONAL VARIATION IN THE QUALITY OF RADIATA PINE RANDOM WIDTH BOARDS. Robert Beaugard, Rado Gazo, Mark O. Kimberley, John Turner, Scott Mitchell, Anthony Shelbourne

EXPERIMENTAL DETERMINATION OF THE RATIO OF VAPOR DIFFUSION TO THE TOTAL WATER MOVEMENT IN WOOD DURING DRYING. Carl Tremblay, Alain Cloutier, Bernard Grandjean

EFFECTS OF WOOD ANATOMY ON THE MECHANICAL BEHAVIOR OF SINGLE-BOLTED CONNECTIONS. Audrey Zink-Sharp, John S. Stelmokas, Hong-mei Gu

BEHAVIOR OF NAILED CONNECTIONS AT ELEVATED TEMPERATURES . Suzanne M. Peyer, Steven M. Cramer

INFLUENCE OF VERTICAL DENSITY DISTRIBUTION ON BENDING MODULUS OF ELASTICITY OF WOOD COMPOSITE PANELS: A THEORETICAL CONSIDERATION. Wei Xu

EFFECT OF PLANING ON PHYSICAL AND MECHANICAL PROPERTIES OF SUGAR MAPLE WOOD. Nader Naderi, Roger E. Hernández

THE EFFECT OF ACETYLATION ON THE SHEAR STRENGTH DEVELOPMENT KINETICS OF PHENOLIC RESIN-TO-WOOD BONDS. Mohammed Jahangir A. Chowdhury, Philip E. Humphrey

CHEMICAL TREATMENT TO IMPROVE WOOD FINISHING. Younis H. Suleman, Sahar H. Rashid

DIMENSIONAL INSTABILITY OF CEMENT-BONDED PARTICLEBOARD: BEHAVIOR OF CEMENT PASTE AND ITS CONTRIBUTION TO THE COMPOSITE. Mizi Fan, John M. Dinwoodie, Peter W. Bonfield, Martin C. Breese

THE WELFARE EFFECTS OF TRADE LIBERALIZATION. Harold W. Wisdom

A MULTIVARIATE MODEL OF POWER IN THE RELATIONSHIP AMONG SUPPLIERS AND RESELLERS OF U.S. FOREST PRODUCTS ENTERING SELECTED MARKETS OF THE EUROPEAN UNION. John M. Guerin, Robert W. Rice

ISSUE 4 – 1999

DETERMINATION OF THE EFFECTIVE WATER CONDUCTIVITY OF SUGAR MAPLE SAPWOOD AND WHITE SPRUCE HEARTWOOD UNDER VACUUM . Maurice Defo, Yves Fortin, Alain Cloutier,

MOISTURE CONTENT-WATER POTENTIAL CHARACTERISTIC CURVES FOR RED OAK AND LOBLOLLY PINE. Jian Zhang, Perry N. Peralta

CHARACTERIZATION AND BIOREMEDIATION OF BIRCH CONDENSATE. Wanli Ma, D. Pascal Kamdem, Paul Loconto, Yanlyang Pan, Douglas Gage, Benjamin E. Dawson-Andoh

A BIOPULPING FUNGUS IN COMPRESSION-BALED, NONSTERILE GREEN PINE CHIPS ENHANCING KRAFT AND REFINER PULPING. Yi-ru Chen, Elmer L. Schmidt, Kurt K. Olsen

EFFECTS OF HYDROLYTIC ENZYME TREATMENTS ON THREE BRITISH COLUMBIAN INTERIOR FIR KRAFT PULPS DIFFERING IN THEIR INITIAL FIBER COARSENESS . Minna S. Lumme, Shawn D. Mansfield, John N. Saddler

THE MODULUS OF ELASTICITY OF HYBRID LARCH PREDICTED BY DENSITY, RINGS PER CENTIMETER, AND AGE. Jean-Michel Leban, Daniel W. Haines

FINITE ELEMENT ANALYSIS OF MOSO BAMBOO-REINFORCED SOUTHERN PINE OSB COMPOSITE BEAMS. Xuesong Bai, Andy W. C. Lee, Lonny L. Thompson, David V. Rosowsky

DETERMINING JUVENILE-MATURE WOOD TRANSITION IN SCOTS PINE USING LATEWOOD DENSITY. Udo H. Sauter, Rüdiger Mutz, B. David Munro

LIGNIN STRUCTURE AND WOOD PROPERTIES. Heber dos Santos Abreu, Alexandre Miguel do Nascimento, Marcos Antônio Maria

PREDICTING RESIN POCKETS IN RADIATA PINE LOGS FROM BLEMISHES ON LOG ENDS. Bradley G. Ridoutt, Don L. McConchie, Roderick D. Ball

ULTRAVIOLET SPECTROPHOTOMETRY AND FOURIER TRANSFORM INFRARED SPECTROSCOPY
CHARACTERIZATION OF COPPER NAPHTHENATE. Justin Zyskowski, D. Pascal Kamdem

**VOLUME 32
ISSUE 1- 2000**

Authors

Anagnost, Susan E.
Bang, Audimar P.
Beaulieu, Jean
Biblis, Evangelos J.
Bousquet, Jean
Camillos, Sid G.
Chui, Ying H.
Cumbre, Francisca
Cutter, Bruce
Dawson-Andoh, Benjamin
Dickson, Alan R.
Evans, Philip D.
French, Mark L.
Fushitani, Masami
Hanna, Robert B.
Hyde, Richard A.
Isabel, Nathalie
Kifetew, Girma
Kim, Gyu Hyeok
Koubaa, Ahmed
Kubo, Takafumi
Leichti, Robert J.
Lopes, Fernando
Lovell, Rawle
Lu, John Z.
Mansfield, Shawn D.
Mark, Richard E.
McNabb, Jr., Harold S.
Miller, William
Morrell, Jeffrey J.
Peralta, Perry N.
Pereira, Helena
Pickup, Stephen
Sandberg, Dick
Semple, Kate
Wong, Tuck C.
Wong, Ken K. Y.
Wu, Qinglin
Wycoff, Wei
Zhang, S. Y.
Zhou, Yaguang

**VOLUME 32
ISSUE 2- 2000**

Authors

Alén, Raimo
Alderman, Jr., Delton R.
Bledsoe, Bobby L.
Castellan, Alain
Cesa, Edward
Chui, Ying Hei
DePaula, Esteavo
Gominho, Jorge
Grönlund, Anders
Grelier, Stephane
Grondin, François
Grundberg, Stig
Kotilainen, Risto
Lemieux, Hugo
Lihra, Torsten
Nebra, Silvia Azucena
Oja, Johan
Souza, Maria Eugênia
Spradlin, Warren E.
Tabarsa, Taghi
Wang, Siquan
Wang, Siquan
Zaman, Anis
sd, Alain Cloutier
sd, William W. Moschler
sd, Paul M. Winistorfer
sd, Robert L. Smith
sd, D. Pascal Kamdem
sd, Helena Pereira
sd, Paul M. Winistorfer
sd, Shu-Yin Zhang
sd, Michel Beaudoin

**VOLUME 32
ISSUE 3- 2000**

Authors

Abbott, A. Lynn
DeWyke, Jon
Gaete, Luis
Geyer, Wayne A.
He, Jing
Kärenlampi, Petri
Karsulovic, José T.
Kazi, Feroz K. M.
León, Luis A.
Mankowski, Mark
Mussen, Amy L.
Nilsson, Thomas
Nyström, Jan
Saliklis, Edmond P.
Schmoldt, Daniel L.
Sirviö, Jari
Walawender, Walter P.
Wang, John Z.
sd, Paul A. Cooper
sd, Timothy M. Smith
sd, D. Earl Kline
sd, D. Pascal Kamdem
sd, Tor P. Schultz
sd, Darrel D. Nicholas
sd, Jeffrey J. Morrell
sd, Jun Zhang
sd, Sheldon Q. Shi
sd, Douglas J. Gardner
sd, Paul M. Smith

**VOLUME 32
ISSUE 4- 2000**

Authors

Aitken, Sally N.
Bejo, Laszlo
Breton, Joseph M.
Chen, Jianbin
Chen, Liheng
Cooper, Paul A.
Dagher, Habib J.
Davids, William G.
Fenoglio, David J.
Frazier, Charles E.
Gerhards, Charles C.
Kabir, Mohammed Firoz
Kazi, Feroz K. M.
Kovacs, Zsolt
Lang, Elemer M.
Liu, Jen Y.
Millie, Frédéric
Peyer, Suzanne M.
Ren, Yukun
Rozenberg, Philippe
Schmidt, Robert G.
Sidek, Wan M. Daud Kaida
B. Khalid and Aziz H. A.
Suchsland, Otto
Szalai, Jozsef
Wälinder, Magnus E. P.
Wang, Tongli
Wang, Siquan
Winistorfer, Paul M.
Wolcott, Michael P.
Wu, Qinglin
sd, Frank C. Beall
sd, Douglas J. Gardner

VOLUME 32
ISSUE 1 – 2000

Keywords

Gliocladium roseum
Ophiostoma piceae
Biological control
Black spruce
Cellulose
Coating
Constant load
Cork
Creep
Drying stresses
Frames
NMR
Pinus radiata
Pulp strength
S2 angle
Scarf joints
Supercritical fluids
Sweetgum
WFPC
X-ray diffraction
amino acids
bending
biocontrol
casehardening
cell size
collapse
computer modeling
coupling agents
cyclic moisture changes
damage
deformed shapes
diffusion
dimensional variation
displacement
drainage
drying
electron beam
environmental scanning
electron microscopy
enzyme
fiber flexibility
fibers
glued joints

grafting
growth rings
heartwood
inorganic nitrogen
compounds
iodine crystal deposition
juvenile wood
kraft pulp
loblolly pine
mature wood
mechanical properties
microfibril angle
modulus
nutrients
oriented strandboard
paper properties
parallel shear
pinned connections
pit
plywood
polymer
porosity
pressure
red oak
refining
rigid connections
ring density
ring width
rolling shear
sapstain
semi-rigid connections
sensor
shrinkage pressure
soft-rot cavities
spore germination
spruce
strength
stress level
sugar alcohols
tensile strength
thermoplastic matrix
timber
tracheids
true rolling shear
veneer
water boiling

wetting
wood
wood fiber
wood-wool cement board
xylan
xylanase

VOLUME 32
ISSUE 2 - 2000

Keywords

Density profile
Heat treatment
Abies balsamea L. Mill.
Betula pendula
Eucalyptus globulus Labill.
Pinus sylvestris
in-situ measurement
CIELAB
Capillarity
Density profile
Grading
HBT
Heartwood
Intrinsic permeability
Model
PEG
Perceptions
Pinus pinaster
SEM
Tinubin
UV absorber
UV blocker
Wood
X-ray
antioxidant
bonding
carbohydrates
cell-wall collapse
cell-wall thickness
chips
color
compression
consolidation
copper-amine
density profile
diffusion of bound water
diffusion of vapor
extractives
grading
growth
infrastructure materials
knots
lignin

material attributes
medium density fiberboard (MDF)
modulus of elasticity (MOE)
modulus of rupture (MOR)
moisture
moisture migration.
oriented strandboard
partial least squares (PLS)
pressing
pressing
radiation
resin
sapwood
saw logs
sawing
scanning
strain
stress
structural lumber
transverse compression
unsteady state
variability
wetwood
wood
wood anatomy
wood composite
wood drying

**VOLUME 32
ISSUE 3 – 2000**

Keywords
Wood-plastic composite
wood composites
Picea abies
Activation energy
Business-to-business
CCA-C
Compression wood
Copper
Copper-amine
Industrial inspection
Oriented strandboard
Populus
Tracheid properties
Ultrasonic waves
X-ray scanning
among-specimens
brown rot fungus
buckling
color scanning
computed tomography
eigenbuckling
ethanolamine
fiber length
field exposure
finite element analysis
fixation
fungal hyphae
fungi
gas yield
gasification
gross heat of combustion
growth ring angle
high-density polyethylene (HDPE)
image analysis
image processing
initial reaction
kinetics
knot detection
leaching
ligand
log processing
machine vision

marketing communications
maximum water absorption
nondestructive evaluation
personal selling
pyrithione
retention
segmentation
southern pine
specific gravity
termites
terrestrial microcosms (TMCs)
trade shows
tree growth
tunneling bacteria
voids
water absorption
white rot fungus
within-specimen
wood energy
wood fiber/polymer fluff
composites
wood preservation
woodworking machinery

**VOLUME 32
ISSUE 4 - 2000**

Keywords
in-situ measurement
Adhesion
Adhesive cure
Adsorption
Bending creep
CCA-C
Densification
Dielectric constant
Dimensional stability
EMC
FRP-reinforced glulam
Hardwood
Lewis acid-base properties
Lifshitz-van der Waals
OSB
Orthotropic elasticity
Preservative
Wood particles
X-ray densitometry
acousto-ultrasonics
activation energy
bonding
composite panels
composites
compression
consolidation
controlled and uncontrolled environments
deflection
density components
density profile
design criteria
desorption
dielectric loss factor
diffusive
early selection
fixation
flakeboard
heterogeneity
hot-pressing
internal bond
inverse gas
chromatography (IGC)

isotopic labeling
layered analysis
load duration
lumber grade
main reaction
mechano-sorptive creep
model
moisture
moisture content
nondestructive evaluation
on-line sensing
orthotropy
phenol-formaldehyde
polycarboxylic acid
pressing
quasi-dc
radial pattern
radiation
red pine (*Pinus resinosa*
Ait.)
relative creep
resin
shear coupling
shear modulus
shear strength
shear test
solid-state NMR
sorption models
structural panels
surface free energy
susceptibility
swelling
trimellitic anhydride
universal capacitance
unsteady state
viscoelasticity
water
wood
wood beams
wood density
wood engineering

VOLUME 32

ISSUE 1 – 2000

ROLLING SHEAR MODULUS OF SWEETGUM PLYWOOD AND UNIDIRECTIONALLY LAMINATED VENEER. Evangelos J. Biblis

STRENGTH OF OSB SCARF JOINTS IN TENSION. Ying H. Chui

THE CONTINUUM OF CONNECTION RIGIDITY IN TIMBER STRUCTURES. Robert J. Leichti, Richard A. Hyde, Mark L. French, Sid G. Camillos

EFFECT OF STRESS LEVEL ON BENDING CREEP BEHAVIOR OF WOOD DURING CYCLIC MOISTURE CHANGES. Yaguang Zhou, Masami Fushitani, Takafumi Kubo

IN-SITU MEASUREMENT OF DIMENSIONAL CHANGES DURING SUPERCRITICAL FLUID IMPREGNATION OF WHITE SPRUCE LUMBER . Gyu Hyeok Kim, Jeffrey J. Morrell

ADVERSE EFFECTS OF HEARTWOOD ON THE MECHANICAL PROPERTIES OF WOOD-WOOL CEMENT BOARDS MANUFACTURED FROM RADIATA PINE WOOD. Kate Semple, Philip D. Evans

MATERIAL DAMAGE DUE TO ELECTRON BEAM DURING TESTING IN THE ENVIRONMENTAL SCANNING ELECTRON MICROSCOPE (ESEM). Girma Kifetew, Dick Sandberg

GRID-BASED TACTILE SENSOR SYSTEM FOR SHRINKAGE PRESSURE MEASUREMENT. Perry N. Peralta, Audimar P. Bangi

PHENOTYPIC CORRELATIONS BETWEEN JUVENILE-MATURE WOOD DENSITY AND GROWTH IN BLACK SPRUCE Ahmed Koubaa, S. Y. Zhang, Nathalie Isabel, Jean Beaulieu, Jean Bousquet

THE DETERMINATION OF THE CELL SIZE IN WOOD BY NUCLEAR MAGNETIC RESONANCE DIFFUSION TECHNIQUES. Wei Wycoff, Stephen Pickup, Bruce Cutter, William Miller, Tuck C. Wong,

UTILIZATION OF SOFT-ROT CAVITY ORIENTATION FOR THE DETERMINATION OF MICROFIBRIL ANGLE. PART I. Susan E. Anagnost, Richard E. Mark, Robert B. Hanna

Society of Wood Science and Technology State-of-the-Art Review CHEMICAL COUPLING IN WOOD FIBER AND POLYMER COMPOSITES: A REVIEW OF COUPLING AGENTS AND TREATMENTS. John Z. Lu, Qinglin Wu, Harold S. McNabb, Jr

VARIATION IN THE RESPONSE OF THREE DIFFERENT PINUS RADIATA KRAFT PULPS TO XYLANASE TREATMENTS. Shawn D. Mansfield, Ken K. Y. Wong, Alan R. Dickson

EFFECT OF NUTRIENTS ON SPORE GERMINATION OF GLIOCLADIUM ROSEUM AND OPHIOSTOMA PICEAE . Benjamin E. Dawson-Andoh, Rawle Lovell

THE EFFECT OF WATER BOILING ON ANNUAL RING WIDTH AND POROSITY OF CORK. Francisca Cumbre, Fernando Lopes, Helena Pereira

ISSUE 2 – 2000

THERMAL BEHAVIOR OF SCOTS PINE (PINUS SYLVESTRIS) AND SILVER BIRCH (BETULA PENDULA) AT 200–230°C. Anis Zaman, Raimo Alén, Risto Kotilainen

STRESS-STRAIN RESPONSE OF WOOD UNDER RADIAL COMPRESSION. PART I. TEST METHOD AND INFLUENCES OF CELLULAR PROPERTIES. Taghi Tabarsa, Ying Hei Chui

HEAT AND MASS TRANSFER MODEL IN WOOD CHIP DRYING. Maria Eugênia de Paiva Souza, Silvia Azucena Nebra

LONGITUDINAL AND TRANSVERSE PERMEABILITY OF BALSAM FIR WETWOOD AND NORMAL HEARTWOOD. Torsten Lihra, Alain Cloutier sd, Shu-Yin Zhang sd

A MODEL FOR THE SAWING AND GRADING OF LUMBER ACCORDING TO KNOTS. Hugo Lemieux, Michel Beaudoin sd

VARIABILITY OF HEARTWOOD CONTENT IN PLANTATION-GROWN EUCALYPTUS GLOBULUS LABILL.. Jorge Gominho, Helena Pereira sd

PHOTOPROTECTION OF COPPER-AMINE-TREATED PINE. Stephane Grelier, Alain Castellan, D. Pascal Kamdem sd

PREDICTING THE STRENGTH OF SAWN PRODUCTS BY X-RAY SCANNING OF LOGS: A PRELIMINARY STUDY. Johan Oja, Stig Grundberg, Anders Grönlund

FUNDAMENTALS OF VERTICAL DENSITY PROFILE FORMATION IN WOOD COMPOSITES. PART I. IN-SITU DENSITY MEASUREMENT OF THE CONSOLIDATION PROCESS. Paul M. Winistorfer sd, William W. Moschler, Jr. sd, Siqun Wang, Esteavo DePaula, Bobby L. Bledsoe

FUNDAMENTALS OF VERTICAL DENSITY PROFILE FORMATION IN WOOD COMPOSITES. PART II. METHODOLOGY OF VERTICAL DENSITY FORMATION UNDER DYNAMIC CONDITIONS. Siqun Wang, Paul M. Winistorfer sd

A PERCEPTIONAL COMPARISON OF WOOD IN SEPARATE INFRASTRUCTURE MARKETS. Robert L. Smith sd, Warren E. Spradlin, Delton R. Alderman, Jr., Edward Cesa

ISSUE 3 – 2000

INVESTIGATING THE BUCKLING BEHAVIOR OF OSB PANELS. Edmond P. Saliklis, Amy L. Mussen

ESTIMATING MAXIMUM WATER ABSORPTION OF WOOD FIBER/ POLYMER FLUFF COMPOSITES. Sheldon Q. Shi sd, Douglas J. Gardner sd, John Z. Wang

ULTRASONIC DETECTION OF KNOTS AND ANNUAL RING ORIENTATION IN PINUS RADIATA LUMBER. José T. Karsulovic, Luis A. León, Luis Gaete

AUTOMATED LABELING OF LOG FEATURES IN CT IMAGERY OF MULTIPLE HARDWOOD SPECIES. Daniel L. Schmoldt, Jing He, A. Lynn Abbott

AUTOMATIC CLASSIFICATION OF COMPRESSION WOOD IN GREEN SOUTHERN YELLOW PINE. Jan Nyström, D. Earl Kline sd

TWO SCALES OF VARIATION IN NORWAY SPRUCE TRACHEID PROPERTIES. Jari Sirviö, Petri Kärenlampi

INTERACTION OF COPPER-AMINE WITH SOUTHERN PINE: RETENTION AND MIGRATION. Jun Zhang sd, D. Pascal Kamdem sd

PATTERNS OF FUNGAL ATTACK IN WOOD-PLASTIC COMPOSITES FOLLOWING EXPOSURE IN A SOIL BLOCK TEST. Mark Mankowski, Jeffrey J. Morrell sd

SYNERGISTIC WOOD PRESERVATIVES: TERRESTRIAL MICROCOSMS (TMCs) AND FIELD EXPOSURE EFFICACY STUDIES OF THE SYNERGISTIC COPPER:PYRITHIONE MIXTURE. Tor P. Schultz sd, Thomas Nilsson, Darrel D. Nicholas sd

KINETIC MODEL OF CCA FIXATION ON WOOD. PART I. THE INITIAL REACTION ZONE. Feroz K. M. Kazi, Paul A. Cooper sd

THE ROLE OF TRADE SHOWS IN BUSINESS-TO-BUSINESS SELLING STRATEGIES: A METHOD FOR ASSESSING THE EFFECTIVENESS OF MARKETING COMMUNICATIONS. Timothy M. Smith sd, Paul M. Smith sd

BIOMASS AND GASIFICATION PROPERTIES OF YOUNG POPULUS CLONES. Wayne A. Geyer, Jon DeWyke, Walter P. Walawender

ISSUE 4 – 2000

SELECTION FOR IMPROVED GROWTH AND WOOD DENSITY IN LODGEPOLE PINE: EFFECTS ON RADIAL PATTERNS OF WOOD VARIATION. Tongli Wang, Sally N. Aitken, Philippe Rozenberg, Frédéric Millie

CHARACTERIZATION OF SORPTION BEHAVIOR OF ORIENTED STRANDBOARD UNDER LONG-TERM CYCLIC HUMIDITY EXPOSURE CONDITION. Qinglin Wu, Yukun Ren

SOLID-STATE NMR ANALYSIS OF ADHESIVE BONDLINES IN PILOT SCALE FLAKEBOARDS. Robert G. Schmidt, Charles E. Frazier

MODELING CREEP DEFORMATIONS OF FRP-REINFORCED GLULAM BEAMS. William G. Davids, Habib J. Dagher, Joseph M. Breton

KINETIC MODEL OF CCA FIXATION IN WOOD. PART II. THE MAIN REACTION ZONE. Feroz K. M. Kazi, Paul A. Cooper, Jianbin Chen

EQUIVALENT CIRCUIT MODELING OF THE DIELECTRIC PROPERTIES OF RUBBER WOOD AT LOW FREQUENCY. Mohammed Firoz Kabir, Wan M. Daud Kaida B. Khalid and Aziz H. A. Sidek

EFFECTS OF SHEAR COUPLING ON SHEAR PROPERTIES OF WOOD. Jen Y. Liu

MONITORING BOND STRENGTH DEVELOPMENT IN PARTICLEBOARD DURING PRESSING, USING ACOUSTO-ULTRASONICS. Liheng Chen, Frank C. Beall sd

SURFACE ENERGY OF EXTRACTED AND NON-EXTRACTED NORWAY SPRUCE WOOD PARTICLES STUDIED BY INVERSE GAS CHROMATOGRAPHY (IGC). Magnus E. P. Wålinder, Douglas J. Gardner sd

BENDING CREEP AND LOAD DURATION OF DOUGLAS-FIR 2 BY 4s UNDER CONSTANT LOAD FOR UP TO 12-PLUS YEARS. Charles C. Gerhards

ORTHOTROPIC STRENGTH AND ELASTICITY OF HARDWOODS IN RELATION TO COMPOSITE MANUFACTURE. PART I. ORTHOTROPY OF SHEAR STRENGTH. Elemer M. Lang, Laszlo Bejo, Jozsef Szalai, Zsolt Kovacs

REDUCING MOISTURE SWELL OF DENSIFIED WOOD WITH POLYCARBOXYLIC ACID RESIN. Suzanne M. Peyer, Michael P. Wolcott, David J. Fenoglio

CONSOLIDATION OF FLAKEBOARD MATS UNDER THEORETICAL LABORATORY PRESSING AND SIMULATED INDUSTRIAL PRESSING. Siquan Wang, Paul M. Winistorfer

MODELING THE LINEAR EXPANSION OF WOOD COMPOSITES. Otto Suchsland

**VOLUME 33
ISSUE 1- 2001**

Authors

Almeida, M. Helena
Avramidis, Stavros
Barnes, H. Michael
Conners, Terrance E.
Cooper, Thomas G.
Dawson-Andoh, Benjamin
Evans, James W.
Feist, William C.
Feist, William C.
Figueira, João
Freitag, Camille M.
Gardner, Douglas J.
Gominho, Jorge
Gu, Hongmei
Guan, Ning
Hall, Richard B.
Halooin, John M.
Hao, Bingye
Kamdem, D. Pascal
Kamke, Frederick A.
Knaebe, Mark T.
Knaebe, Mark T.
Kuo, Monlin
Lee, Andy W. C.
Leininger, Theodor D.
Lenth, Christopher A.
Miranda, Isabel
Morrell, Jeffrey J.
Pereira, Helena
Pereira, Helena
Potchen, E. James
Ra, Jong B.
Rammer, Douglas R.
Rodrigues, José Carlos
Semen, Elif
Shi, Sheldon Q.
Sirviö, Jari
Sotos, Peter G.
Stokke, Douglas D.
Su, Yu-Chang
Tainter, Frank H.
Wang, Yang-Jun
Williams, R. Sam
Williams, R. Sam
Winistorfer, Steve G.
Xu, Zicai

**VOLUME 33
ISSUE 2- 2001**

Authors

Bao, Fucheng
Bao, Fucheng
Baronas, Romas
Borgefors, Gunilla
Bumgardner, Matthew S.
Bush, Robert J.
Choong, Elvin T.
Chui, Ying Hei
Danell, Öje
Daud, Wan M.
Ekberg, Inger
Furuno, Takeshi
Furuno, Takeshi
Hannrup, Björn
Hernández, Roger E.
Ivanauskas, Feliksas
Kabir, Mohammed Firoz
Kartal, S. Nami
Katoh, Sadanobu
Khalid, Kaida B.
Kubojima, Yoshitaka
Lebow, Stan T.
Lebow, Patricia K.
Li, Jian-Zhang
Liu, Jun
Liu, Shengquan
Lu, Jianxiong
Moëll, Mattias
Moëll, Mattias
Naderi, Nader
Ohsaki, Hisashi
Ohta, Masamitsu
Peralta, Perry N.
Poku, Kofi
Sapagovas, Mifodijus
Shupe, Todd F.
Sidek, Haji A.A.
Tabarsa, Taghi
Vlosky, Richard
West, Cynthia D.
Winandy, Jerrold E.
Wu, Qinglin
Yoshihara, Hiroshi
Zhao, Youke

**VOLUME 33
ISSUE 3- 2001**

Authors

Ando, Kosei
Ayarkwa, Joshua
Bao, Fucheng
Beaudoin, Michel
Beauregard, Robert
Bowyer, Jim L.
Cao, Jin-zhen
Carvalho, Luisa M. H.
Choong, Elvin T.
Costa, Mário Rui N.
Costa, Carlos A. V.
Dai, Chunping
Donald, W. Stuart
Frazier, Charles E.
Fu, Feng
Furuno, Takeshi
Gagliano, Jerone M.
Gardner, Douglas J.
Hirashima, Yoshihiko
Hse, Chung-yun
Joseph, Rajeev G.
Kamke, Frederick A.
Lam, Frank
Lee, Sunyoung
Lemieux, Hugo
Lenth, Christopher A.
Lu, Congjin
Maness, Thomas C.
Marinescu, Marian V.
Peralta, Perry N.
Sasaki, Yasutoshi
Strickland, Bryan
Sun, Xiao Feng
Sun, RunCang
Tze, William T.
Wu, Qinglin
Yang, Dian-Qing
Zhang, S. Y.
Zhao, Guang-jie

**VOLUME 33
ISSUE 4- 2001**

Authors

Barbour, R. James
Bardage, Stig L.
Chan, Maria
Chen, Zhangjing
Dawson-Andoh, Benjamin
Dolan, J. Daniel
Erickson, Robert
Erickson, John R.
Forsman, John W.
Fushitani, Masami
Gangstad, John
Heine, Christian P.
Heyliger, Paul R.
Hindman, Daniel P.
Janowiak, John J.
Ju, Shen-Haw
Kadir, Kosasi Kaiserlik, Joe
Kamdem, D.
PascalKamke, Frederick A.
Lamb, Fred M.
Lee, Jong N.
Lovell, Rawle
Maloney, Thomas M.
Manbeck, Harvey B.
McAfee, Brenda J.
McClellan, Michael
McGinnis, Gary D.
Miller, Regis
Ross, Robert J.
Rowlands, Robert E.
Shmulsky, Rubin
Smittakorn, Watanachai
Sutcliffe, Roger
Tang, R. C.
Wang, Xiping
Watson, Layne T.
Williams, R. Sam
Zhou, Yaguang
Zombori, Balazs G.

**VOLUME 33
ISSUE 1 – 2001**

Keywords

Eucalyptus globulus
Eucalyptus grandis
Picea abies
ts E. urophylla
Aspen hybrids and crosses
Boron
Chemical properties
EMC (equilibrium moisture content)
Egner's solution
Heartwood
Magnetic resonance imaging (MRI)
Timbor® solution
Tracheid properties
Water
Weathering
Western redcedar
Wettability
Wood
X-ray
adhesive
antimicrobial compounds
aspen
boric acid equivalent
calibration
clusters
compression stress
cross-sectional properties
decay resistance
densitometer
diffusion coefficients
dip-diffusion treatment
dowel-bearing strength
effect of tree age
embedment strength
erosion
eucalypt hybrid
extractives
fiber length
flat grain
fractal model
high-temperature

internal surface
isotherm
kraft pulp
mechanical fasteners
moisture content
nondestructive
noninvasive
penetration
ponderosa pine
provenance
red maple
red oaks
sapwood/heartwood
interface
site
sorption
specific gravity
spreading
subspecies
thermal degradation
tree disease identification
unsteady-state diffusion
urograndis
vertical grain
waterborne-wood
preservatives
wetwood
wood
wood density
wood properties

**VOLUME 33
ISSUE 2 – 2001**

Keywords

Plantation poplar
American elm
CCA
Character-marks
Chinese yezo spruce
Compression wood
Dielectric constant
Fractal dimension. lightness
Hough transform
Image analysis
Iosipescu test
Lesser-used species
Moisture diffusion
Planing
Propionylation
Radial compression
Shear stress/shear strain
relation
Strength
Wood density
Wood drying
activation energy
bordered pit torus
catalyst
catalyst loading
catalytic effect
cell-wall collapse
cellular structure
color difference
color matching
compression parallel to the
grain
confocal microscopy
dielectric loss factor
diffusion
distance transform
fixation
genetic correlation
gluing properties
hardwood furniture
hardwood vessels
image analysis
knife jointing

leaching
microwave frequency
modeling
permeability
pit aspiration
pit deaspiration
pit in unspirated position
polarization
product design
product development
properties
quality of veneer and
plywood
red oak
red pine
regression equations
shape-based thresholding
shrinkage
skeletonization
sorption isotherm
specific gravity
spruce
stress-strain response
sugar maple
sweetgum
tangential compression
temperature
texture
torsion test
tracheid cross-sectional
dimensions
tracheid measurements
triangulation
wood anisotropy
wood chemistry
wood properties

VOLUME 33
ISSUE 3 – 2001

Keywords

Value-added lumber
Populus sp.
Acoustic emission
Adsorption process
Buffer capacity
Contribution factor
Drying
Environment
Fracture test
Knots
MDF
Random field
Recycled fiber
Rye straw
Sapstain
Soret effect
Viscoelastic behavior
Wood composites
auto-correlation function
bark damage
black spruce
carbon sequestration
cellular materials
characteristic area
characterization
cleavage
condition of water
convection
degree of orientation
dissections
drying strain
environmental impacts
fiber hornification
finger-joints
forest plantations
fungal stain
gel time
glass transition
high-temperature
horizontal density
distribution
hot-pressing
hydroxyl group

jack pine
laminated veneer lumber
linear programming
lipophilic extractives
log storage
mat consolidation
mathematical model
methyl tert-butyl ether
modeling
modulus of rupture
nonisothermal
optimization
oriented strandboard
pH
partially oriented
strandboard
phenolic resin
phenolics
plantation
plantation productivity
pressing
production planning
radiofrequency
red oak
rice straw
solid wood
strength
surface chemistry
swelling
termite
thermal softening
thermodynamic properties
tree plantations
tropical African hardwood
uniform distribution
viscoelastic behavior
viscoelasticity
von Mises distribution
wood
wood adhesion
wood consumption
wood properties
wood-based panels
zinc borate

VOLUME 33
ISSUE 4 – 2001

Keywords

Picea abies
Quercus sp
Adaptive wood composite
Bioprotection
Bolted connections
Finite elements
Laminated veneer lumber (LVL)
MDF
Mechano-sorptive effect
Monte-Carlo simulation
Nondestructive evaluation
Orthotropic
Poisson ratio
Three-dimensional
Vacuum drying
Wood moisture content
Wood properties
Wood-based composites
Bending
bolted joints
bonded area
cell-wall thickness
connectors
contact stresses
cyclic moisture change
density
discrete-layer model
drying hysteresis
drying model
drying size effect
drying stress
durability
elasticity
erosion rate
extracellular enzymes
fasteners
finite element model
flat-grain
growth rate
hygrothermopiezoelectric effect
laminated plate

latewood tracheids
load-slip
lumber composites
mat formation
model
modeling
modulus of elasticity
modulus of elasticity
modulus of rigidity
modulus of rupture
natural durability
nondestructive testing (NDT)
oriented strandboard
particleboard
random flake mat
rapid agar plate assay for enzyme screening
reconstruction
relative humidity
resin type
sapstain and biological control fungi
shrinkage
spruce
static bending
stress wave
stress wave
swelling
three dimensional
timber
tracheid width
transverse vibration
trees
veneer joints
vertical-grain
void volume
weathering
wood
yellow-poplar

VOLUME 33

ISSUE 1 – 2001

WITHIN-TREE VARIATION OF HEARTWOOD, EXTRACTIVES AND WOOD DENSITY IN THE EUCALYPT HYBRID UROGRANDIS (EUCALYPTUS GRANDIS × E. UROPHYLLA). Jorge Gominho, João Figueira, José Carlos Rodrigues, Helena Pereira

INFLUENCE OF PROVENANCE, SUBSPECIES, AND SITE ON WOOD DENSITY IN EUCALYPTUS GLOBULUS LABILL. Isabel Miranda, M. Helena Almeida, Helena Pereira

VARIATION OF CROSS-SECTIONAL PROPERTIES WITHIN SINGLE NORWAY SPRUCE TRACHEIDS. Jari Sirviö

SPECIMEN ORIENTATION FOR THE CALIBRATION OF DIRECT SCANNING X-RAY WOOD DENSITOMETERS. Ning Guan, Yang-Jun Wang, Hongmei Gu

EROSION RATES OF WOOD DURING NATURAL WEATHERING. PART I. EFFECTS OF GRAIN ANGLE AND SURFACE TEXTURE. R. Sam Williams, Mark T. Knaebe, Peter G. Sotos, William C. Feist

EROSION RATES OF WOOD DURING NATURAL WEATHERING. PART II. EARLYWOOD AND LATEWOOD EROSION RATES. R. Sam Williams, Mark T. Knaebe, William C. Feist

EROSION RATES OF WOOD DURING NATURAL WEATHERING. PART III. EFFECT OF EXPOSURE ANGLE ON EROSION RATE. R. Sam Williams, Mark T. Knaebe, James W. Evans, William C. Feist

DYNAMIC ADHESIVE WETTABILITY OF WOOD. Sheldon Q. Shi, Douglas J. Gardner
DURABILITY OF A CHANGING WESTERN REDCEDAR RESOURCE. Camille M. Freitag, Jeffrey J. Morrell

CHEMICAL PROPERTIES ASSOCIATED WITH BACTERIAL WETWOOD IN RED OAKS. Zicai Xu, Theodor D. Leininger, Andy W. C. Lee, Frank H. Tainter

MAGNETIC RESONANCE IMAGING AS A POTENTIAL TOOL IN THE STUDY OF WOOD PENETRATION BY WATERBORNE PRESERVATIVE SYSTEMS. Benjamin E. Dawson-Andoh, John M. Halloin, Thomas G. Cooper, D. Pascal Kamdem, E. James Potchen

DETERMINATION OF BORON DIFFUSION COEFFICIENTS IN WOOD. Jong B. Ra, H. Michael Barnes, Terrance E. Conners

EQUILIBRIUM MOISTURE CONTENT OF WOOD IN HIGH-TEMPERATURE PRESSURIZED ENVIRONMENTS. Christopher A. Lenth, Frederick A. Kamke

WOOD SORPTION FRACTALITY IN THE HYGROSCOPIC RANGE. PART I. EVALUATION OF A MODIFIED CLASSIC BET MODEL. Bingye Hao, Stavros Avramidis

EFFECT OF MOISTURE CONTENT ON DOWEL-BEARING STRENGTH. Douglas R. Rammer, Steve G. Winistorfer

PHYSICAL PROPERTIES OF KRAFT PULP FROM FOUR-YEAR-OLD ASPEN HYBRIDS AND CROSSES. Elif Semen, Monlin Kuo, Yu-Chang Su, Richard B. Hall, Douglas D. Stokke

ISSUE 2 – 2001

EFFECT OF HARDWOOD VESSELS ON LONGITUDINAL MOISTURE DIFFUSION. Elvin T. Choong, Perry N. Peralta, Todd F. Shupe

THE INFLUENCE OF WOOD SPECIMEN GEOMETRY ON MOISTURE MOVEMENT DURING DRYING. Romas Baronas, Feliksas Ivanauskas, Mifodijus Sapagovas

RELATIONSHIPS BETWEEN WOOD DENSITY AND TRACHEID DIMENSIONS IN PINUS SYLVESTRIS L.. Björn Hannrup, Öje Danell, Inger Ekberg, Mattias Moëll

EFFECT OF COMPRESSION WOOD ON LEACHING AND FIXATION OF CCA-C TREATED RED PINE. S. Nami Kartal, Stan T. Lebow

EFFECT OF BORDERED PIT TORUS POSITION ON PERMEABILITY IN CHINESE YEZO SPRUCE. Fucheng Bao, Jianxiong Lu, Youke Zhao.

AN IMAGE ANALYSIS METHOD TO MEASURE CROSS-SECTIONAL TRACHEID DIMENSIONS ON SOFTWOOD INCREMENT CORES. Mattias Moëll, Gunilla Borgefors.

THE FRACTAL EVALUATION OF WOOD TEXTURE BY THE TRIANGULAR PRISM SURFACE AREA METHOD. Jun Liu, Takeshi Furuno

CHARACTERIZING MICROSCOPIC BEHAVIOR OF WOOD UNDER TRANSVERSE COMPRESSION. PART II. EFFECT OF SPECIES AND LOADING DIRECTION. Taghi Tabarsa, Ying Hei Chui

TEMPERATURE DEPENDENCE OF THE DIELECTRIC PROPERTIES OF RUBBER WOOD. Mohammed Firoz Kabir, Wan M. Daud, Kaida B. Khalid, Haji A.A. Sidek

MODELING STRENGTH LOSS IN WOOD BY CHEMICAL COMPOSITION. PART I. AN INDIVIDUAL COMPONENT MODEL FOR SOUTHERN PINE. Jerrold E. Winandy, Patricia K. Lebow

WOOD PROPIONYLATION IN THE PRESENCE OF CATALYSTS. Jian-Zhang Li, Takeshi Furuno, Sadanobu Katoh

MODELING THE RELATIONSHIPS BETWEEN WOOD PROPERTIES AND QUALITY OF VENEER AND PLYWOOD OF CHINESE PLANTATION POPLARS. Fucheng Bao, Shengquan Liu

COMPARISONS OF SHEAR STRESS/SHEAR STRAIN RELATIONS OF WOOD OBTAINED BY IOSIPESCU AND TORSION TESTS. Hiroshi Yoshihara, Hisashi Ohsaki, Yoshitaka Kubojima, Masamitsu Ohta

WOOD PROPERTIES AND THEIR VARIATIONS WITHIN THE TREE STEM OF LESSER-USED SPECIES OF TROPICAL HARDWOOD FROM GHANA. Kofi Poku, Qinglin Wu, Richard Vlosky

EFFECT OF KNIFE JOINTING ON THE GLUING PROPERTIES OF WOOD. Roger E. Hernández, Nader Naderi

PRODUCT DEVELOPMENT IN LARGE FURNITURE COMPANIES: A DESCRIPTIVE MODEL WITH IMPLICATIONS FOR CHARACTER-MARKED PRODUCTS. Matthew S. Bumgardner, Robert J. Bush, Cynthia D. West

ISSUE 3 – 2001

Society of Wood Science and Technology State-of-the-Art Review: ENVIRONMENTAL IMPLICATIONS OF WOOD PRODUCTION IN INTENSIVELY MANAGED PLANTATIONS. Jim L. Bowyer

PRODUCTION PLANNING FOR INTEGRATED PRIMARY AND SECONDARY LUMBER MANUFACTURING. W. Stuart Donald, Thomas C. Maness, Marian V. Marinescu

CONTRIBUTION FACTOR OF WOOD PROPERTIES OF THREE POPLAR CLONES TO STRENGTH OF LAMINATED VENEER LUMBER. Fucheng Bao, Feng Fu, Elvin T. Choong, Chung-yun Hse

VISCOELASTICITY OF WOOD COMPOSITE MATS DURING CONSOLIDATION. Chunping Dai

SWELLING OF RECYCLED WOOD PULP FIBERS: EFFECT ON HYDROXYL AVAILABILITY AND SURFACE CHEMISTRY. William T. Tze, Douglas J. Gardner

IMPROVEMENTS IN THE FRACTURE CLEAVAGE TESTING OF ADHESIVELY-BONDED WOOD. Jerone M. Gagliano, Charles E. Frazier.

COMPARATIVE STUDY OF METHYL-TERT-BUTYL ETHER EXTRACTIVES FROM RYE AND RICE STRAW. Xiao Feng Sun, RunCang Sun

MODELING RHEOLOGY IN THE HOT-PRESSING OF MDF: COMPARISON OF MECHANICAL MODELS. Luisa M. H. Carvalho, Mário Rui N. Costa, Carlos A. V. Costa

SAPSTAIN DEVELOPMENT ON JACK PINE LOGS IN EASTERN CANADA. Dian-Qing Yang, Robert Bearegard

THE INFLUENCE OF FLAKE CHEMICAL PROPERTIES AND ZINC BORATE ON GEL TIME OF PHENOLIC RESIN FOR ORIENTED STRANDBOARD. Sunyoung Lee, Qinglin Wu, Bryan Strickland

RANDOM FIELD REPRESENTATION OF HORIZONTAL DENSITY DISTRIBUTION IN PARTIALLY ORIENTED STRANDBOARD MAT. Congjin Lu, Frank Lam

MONITORING ACOUSTIC EMISSIONS TO PREDICT MODULUS OF RUPTURE OF FINGER-JOINTS FROM TROPICAL AFRICAN HARDWOODS. Joshua Ayarkwa, Yoshihiko Hirashima, Kosei Ando, Yasutoshi Sasaki

CHARACTERIZATION AND MODELING OF KNOTS IN BLACK SPRUCE (PICEA MARIANA) LOGS. Hugo Lemieux, Michel Beaudoin, S. Y. Zhang

NONISOTHERMAL RADIOFREQUENCY DRYING OF RED OAK. Rajeev G. Joseph, Perry N. Peralta,

THE CHANGE OF WATER CONDITION IN WOOD DURING THE ADSORPTION PROCESS (Based on the differential thermodynamic properties). Jin-zhen Cao, Guang-jie Zhao, Takeshi Furuno

MOISTURE DEPENDENT SOFTENING BEHAVIOR OF WOOD. Christopher A. Lenth, Frederick A. Kamke

ISSUE 4 – 2001

NONDESTRUCTIVE EVALUATION OF MODULUS OF ELASTICITY OF YELLOW-POPLAR LVL: EFFECT OF VENEER-JOINT DESIGN AND RELATIVE HUMIDITY. Jong N. Lee, R. C. Tang, Joe Kaiserlik, pages 510–521.

NONDESTRUCTIVE EVALUATION OF STANDING TREES WITH A STRESS WAVE METHOD. Xiping Wang, Robert J. Ross, Michael McClellan, R. James Barbour, John R. Erickson, John W. Forsman, Gary D. McGinnis, pages 522–533.

A NEW MODEL TO PREDICT THE LOAD-SLIP RELATIONSHIP OF BOLTED CONNECTIONS IN TIMBER. Christian P. Heine, J. Daniel Dolan, pages 534–549.

A THREE-DIMENSIONAL FRICTIONAL STRESS ANALYSIS OF DOUBLE-SHEAR BOLTED WOOD JOINTS. Shen-Haw Ju, Robert E. Rowlands, pages 550–563.

SIMULATION OF THE MAT FORMATION PROCESS. Balazs G. Zombori, Frederick A. Kamke, Layne T. Watson, pages 564–579.

ORTHOTROPIC BEHAVIOR OF LUMBER COMPOSITE MATERIALS. John J. Janowiak, Daniel P. Hindman, Harvey B. Manbeck, pages 580–594.

AN ADAPTIVE WOOD COMPOSITE: THEORY. Watanachai Smittakorn, Paul R. Heyliger, pages 595–608.

BENDING CREEP BEHAVIOR OF MEDIUM DENSITY FIBERBOARD AND PARTICLEBOARD DURING CYCLIC MOISTURE CHANGES. Yaguang Zhou, Masami Fushitani, D. Pascal Kamdem, pages 609–617.

CHARACTERISTICS OF TEN TROPICAL HARDWOODS FROM CERTIFIED FORESTS IN BOLIVIA PART I WEATHERING CHARACTERISTICS AND DIMENSIONAL CHANGE. R. Sam Williams, Regis Miller, John Gangstad, pages 618–626.

THREE-DIMENSIONAL MODELING AND VISUALIZATION OF WHOLE NORWAY SPRUCE LATEWOOD TRACHEIDS. Stig L. Bardage, pages 627–638.

INVESTIGATION OF BOILING FRONT DURING VACUUM DRYING OF WOOD. Zhangjing Chen, Fred M. Lamb, pages 639–647.

RAPID EXTRACELLULAR ENZYME ASSAYS FOR SCREENING POTENTIAL ANTISAPSTAIN BIOLOGICAL CONTROL AGENTS. Brenda J. McAfee, Benjamin E. Dawson-Andoh, Maria Chan, Roger Sutcliffe, Rawle Lovell, pages 648–661.

EFFECT OF SAMPLE GEOMETRY ON EMC AND MOISTURE HYSTERESIS OF RED OAK (*QUERCUS* SP.). Rubin Shmulsky, Kosasi Kadir, Robert Erickson, pages 662–666.

REFLECTIONS ON A GREAT PROFESSION. Thomas M. Maloney, pages 668–670.

**VOLUME 34
ISSUE 1- 2002**

Authors

Adefisan, O. O.
Bright, Kimberly D.
Cheng, Yin-li
Groom, Les
Hwang, Wen-shuang
Jen, Jen-fon
Kabir, Mohammed F.
Koga, Shinya
Kuo, Lan-sheng
Landis, Eric
Lee, Maw-rong
Lee, Jong N.
Lee, Jong N.
Miranda, Isabel
Morrell, Jeffrey J.
Mott, Laurence
Myers, Gary C.
Nussbaum, Ralph M.
Olorunnisola, Abel O.
Pereira, Helena
Schafer, Mark E.
Schmoldt, Daniel L.
Schowalter, Timothy D.
Shaler, Stephen
Smith, Timothy M.
Smith, Paul M.
Smith, Ian
Sterley, Magdalena
Vasic, Svetlana
Wiemann, Michael C.
Williamson, G. Bruce
Wu, Qinglin
Wu, Qinglin
Zhang, S. Y.

**VOLUME 34
ISSUE 2- 2002**

Authors

**VOLUME 34
ISSUE 3- 2002**

Authors

**VOLUME 34
ISSUE 4- 2002**

Authors

VOLUME 34
ISSUE 1- 2002

Keywords

Modulus of elasticity
Pinus taeda
in-situ real-time SEM
observations
Adhesion
Balsam fir
Bark
Customer value
Decking
Douglas-fir
Effective modulus
Eucalyptus globulus
Fracture mechanics
Loblolly pine
Microwave-assisted
extraction
Rattan furniture waste
Specific gravity
Thickness swelling
Ultrasonic scanning
bending strength
biomass
chemical accelerator
chemical composition
chemical composition
climate
composites
confocal scanning laser
microscope
correlation
crack profiles
cross-sectional area
earlywood
end-users
extractives
fendering
fertilization
fiber bridging
fracture zone
glue
hardwood lumber
heartwood

heat
hot water solubility
irradiation
irrigation
juvenile wood
juvenile wood
juvenility
latewood
linear expansion
logistic regression
marketing research
mature wood
mature wood
mechanical pulping
microfibril angle
modeling
modeling
moisture cycling
nondestructive evaluation
panel design
paper properties
perceptions
precipitation
processing variables
processing variables
product/market
development
pulp properties
pulp yield
ring width
sapwood
softwood
specifiers
structural panel
structural panel
temperate woods
temperature
thermomechanical pulping
time-of-flight
toughening
transducer
tropical woods
ultimate tensile stress
variation
water resistance
wettability

wood
wood defects
wood density
wood meal
wood-cement
particleboard

ISSUE 1 – 2002

EXPLORING CUSTOMER VALUE IN THE HARDWOOD LUMBER INDUSTRY. Timothy M. Smith, pages 2–13.

MECHANICAL PROPERTIES OF INDIVIDUAL SOUTHERN PINE FIBERS. PART I. DETERMINATION AND VARIABILITY OF STRESS-STRAIN CURVES WITH RESPECT TO TREE HEIGHT AND JUVENILITY. Les Groom, Laurence Mott, Stephen Shaler, pages 14–27.

PERCEPTIONS OF NEW AND ESTABLISHED WATERFRONT MATERIALS: U.S. PORT AUTHORITIES AND ENGINEERING CONSULTING FIRMS. Paul M. Smith, Kimberly D. Bright, pages 28–41.

FRACTURE ZONE CHARACTERIZATION— MICRO-MECHANICAL STUDY. Svetlana Vasic, Ian Smith, Eric Landis, pages 42–56.

THE EFFECT OF WOOD EXTRACTIVE CONTENT ON GLUE ADHESION AND SURFACE WETTABILITY OF WOOD. Ralph M. Nussbaum, Magdalena Sterley, pages 57–71.

A MICROWAVE-ASSISTED EXTRACTION METHOD FOR DETERMINING HOT WATER SOLUBILITY OF WOOD. Lan-sheng Kuo, Jen-fon Jen, Maw-rong Lee, Wen-shuang Hwang, Yin-li Cheng, pages 72–76.

IN-PLANE DIMENSIONAL STABILITY OF THREE-LAYER ORIENTED STRANDBOARD. Jong N. Lee, Qinglin Wu, pages 77–95.

GEOGRAPHIC VARIATION IN WOOD SPECIFIC GRAVITY: EFFECTS OF LATITUDE, TEMPERATURE, AND PRECIPITATION. Michael C. Wiemann, G. Bruce Williamson, pages 96–107.

THERMOMECHANICAL PULPING OF LOBLOLLY PINE JUVENILE WOOD. Gary C. Myers, pages 108–115.

TRIAL PRODUCTION AND TESTING OF CEMENT-BONDED PARTICLEBOARD FROM RATTAN FURNITURE WASTE. Abel O. Olorunnisola, O. O. Adefisan, pages 116–124.

THICKNESS SWELLING OF ORIENTED STRANDBOARD UNDER LONG-TERM CYCLIC HUMIDITY EXPOSURE CONDITION. Qinglin Wu, Jong N. Lee, pages 125–139.

THE VARIATION OF CHEMICAL COMPOSITION AND PULPING YIELD WITH AGE AND GROWTH FACTORS IN YOUNG *EUCALYPTUS GLOBULUS*. Isabel Miranda, Helena Pereira, pages 140–145.

RELATIONSHIPS BETWEEN WOOD DENSITY AND ANNUAL GROWTH RATE COMPONENTS IN BALSAM FIR (*ABIES BALSAMEA*). Shinya Koga, S. Y. Zhang, pages 146–157.

NUTRITIONAL QUALITY OF DOUGLAS-FIR WOOD: EFFECT OF VERTICAL AND HORIZONTAL POSITION ON NUTRIENT LEVELS. Timothy D. Schowalter, Jeffrey J. Morrell, pages 158–164.

TIME DOMAIN ULTRASONIC SIGNAL CHARACTERIZATION FOR DEFECTS IN THIN UNSURFACED HARDWOOD LUMBER. Mohammed F. Kabir, Daniel L. Schmoltdt, Mark E. Schafer , pages 165–182.